District I

1625 N French Dr , Hobbs, NM 88240

District II 1301 W Grand Ave , Artesia, NM 88210 District III

 $1000\ Rio\ Brazos\ Rd$, Aztec, NM $\ 87410$

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

District IV 1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office
50UI	Pit, Closed-Loop System, Below-Grade Tank, or
Prop	osed Alternative Method Permit or Closure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
•	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
Instructions: Plagsa submit on a g	below-grade tank, or proposed alternative method pplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
	of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
	neve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources O	il & Gas Company, LP OGRID#: 14538
Address. P.O. Box 4289, Farming	
Facility or well name. Johnston Fe	deral 6E
API Number 3	0-045-34699 OCD Permit Number
U/L or Qtr/Qtr: K(NE/SW) Section	on. 35 Township 31N Range: 9W County: San Juan
Center of Proposed Design. Latitude	
Surface Owner: X Federal	State Private Tribal Trust or Indian Allotment
2	
X Pit: Subsection F or G of 19 15 1	14
	rkover
	Cavitation P&A Iner type Thickness 12 mil X LLDPE HDPE PVC Other
X String-Reinforced	inc. type Timekiness 12 inii 74 sasta 11012 [11012
	actory Other Volume 4400 bbl Dimensions L 65' x W 45' x D 10'
3	
	tion H of 19 15 17 11 NMAC
Type of Operation P&A	Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Grou	and Steel Tanks Haul-off Bins Other
	er type ThicknessmilLLDPEHDPEPVDOtherA
Liner Seams Welded F	actory Other
4	Lef 19 15 17 11 NMAC
Volume Subsection	Tof 19 15 17 11 NMAC bbl Type of fluid
Tank Construction material	on cons. DIV. DIST.
Secondary containment with leak de	etection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls only Other mil HDPE PVC Other
Visible sidewalls and liner	Visible sidewalls only Other
Liner Type Thickness	mil HDPE PVC Other

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Form C-144

Alternative Method:

Oil Conservation Division

Page 1 of 5



Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	itution or chur	rch)
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	,	,
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	ideration of ap	proval
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	į	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	□No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	∏NA Yes	□No
- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality. Written approval obtained from the municipality	Yes	□No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No
 Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map 	Yes	∐No
Within a 100-year floodplain - FEMA map	Yes	No

Form C-144 Oil Conscivation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan Operating and Mountenance Plans, based were the appropriate requirements of 19.15.17.12 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative Proposed Closure Method Waste Excavation and Removal
Proposed Closure Method
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 1713 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground		
Instructions Please identify the facility or facilities for the disposal of liquids, dr	illing fluids and drill cuttings Use attachment if more than two	
facilities are required		
Disposal Facility Name	Disposal Facility Permit #	
Disposal Facility Name		
Will any of the proposed closed-loop system operations and associated act Yes (If yes, please provide the information No	ivities occur on or in areas that will not be used for future:	service and
Required for impacted areas which will not be used for future service and operat		
Soil Backfill and Cover Design Specification - based upon the appr Re-vegetation Plan - based upon the appropriate requirements of Si	•	AC
Site Reclamation Plan - based upon the appropriate requirements of		
Site Rectamation Fiant - based upon the appropriate requirements o	1 Subsection G of 15 15 17 15 14 table	
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 N Instructions Each sting criteria requires a demonstration of compliance in the closure certain siting criteria may require administrative approval from the appropriate district office for consideration of approval Justifications and/or demonstrations of equivalence	plan Recommendations of acceptable source material are provided it office or may be considered an exception which must be submitted to	
Ground water is less than 50 feet below the bottom of the buried waste		Yes No
NM Office of the State Engineer - IWATERS database search, USGS Data	a obtained from nearby wells	N/A
	·	
Ground water is between 50 and 100 feet below the bottom of the buried v		∐Yes ∐No
- NM Office of the State Engineer - 1WATERS database search, USGS, Data	obtained from nearby wells	N/A
Ground water is more than 100 feet below the bottom of the buried waste		Yes No
- NM Office of the State Engineer - 1WATERS database search, USGS, Data	obtained from nearby wells	□N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark)	gnificant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church	h in existence at the time of initial application	Yes No
- Visual inspection (certification) of the proposed site, Aerial photo, satellite in	mage	
		∐Yes ∐No
Within 500 horizontal feet of a private, domestic fresh water well or spring that lepurposes, or within 1000 horizontal fee of any other fresh water well or spring, in - NM Office of the State Engineer - iWATERS database, Visual inspection (c	existence at the time of the initial application	
Within incorporated municipal boundaries or within a defined municipal fresh wat pursuant to NMSA 1978, Section 3-27-3, as amended	,	Yes No
- Written confirmation or verification from the municipality, Written approval	obtained from the municipality	
Within 500 feet of a wetland		Yes No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual	inspection (certification) of the proposed site	
Within the area overlying a subsurface mine - Written confiramtion or verification or map from the NM EMNRD-Mining a	and Mineral Division	Yes INO
Within an unstable area	ilid Minicial Division	□Ves □No
Engineering measures incorporated into the design, NM Bureau of Geology	& Mineral Resources, USGS, NM Geological Society,	
Topographic map	,	
- Within a 100-year floodplain - FEMA map		Yes No
18		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: I by a check mark in the box, that the documents are attached.	Each of the following items must bee attached to the closs	ure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the appro	opriate requirements of 19 15 17 10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requir		
Construction/Design Plan of Burial Trench (if applicable) based up		
Construction/Design Plan of Temporary Pit (for in place burial of a		19 15 17 11 NMAC
Protocols and Procedures - based upon the appropriate requiremen		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirement		
Waste Material Sampling Plan - based upon the appropriate require		-
Disposal Facility Name and Permit Number (for liquids, drilling fli		cannot be achieved)
Soil Cover Design - based upon the appropriate requirements of St	_	James de dome ved)
Re-vegetation Plan - based upon the appropriate requirements of S		
Site Reclamation Plan - based upon the appropriate requirements of		

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
20 OCD Approval: Permit Application (including cloquire plan) A following Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 9/23/20[]
Approvar Date: 1/25/00(1
Title: OMDiance Ottice VOCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
X Closure Completion Date: September 17, 2009
22
Closure Method: Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized. Disposal Facility Permit Number Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following ttems must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached X Proof of Closure Notice (surface owner and division)
X Proof of Deed Notice (surface owner and division)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation)
On-site Closure Location Latitude 36.853861 °N Longitude 107.754389 °W NAD 1927 X 1983
25
Operator Closure Certification: Thereby complete to the hest of my knowledge and helper Lalso cartify that
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Ethel Tally Title Staff Regulatory Technician
Signature Date 2/11/10
e-mail address ethel tally@conocophillips.com Telephone 505-599-4027

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: Johnston Federal 6E

API No.: 30-045-34699

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	7.0 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	110 ug/kG
TPH	EPA SW-846 418.1	2500	1240mg/kg
GRO/DRO	EPA SW-846 8015M	500	68.4 mg/Kg
Chlorides	EPA 300.1	(1000)500	345 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, Johnston Federal 6E, UL-K, Sec. 35, T 31N, R 9W, API # 30-045-34699

Tafoya, Crystal

From:

Sent:

Tafoya, Crystal Friday, September 19, 2008 12:32 PM 'mark_kelly@nm.blm.gov' Surface Owner Notification

To: Subject:

The Johnston Federal #6E temporary pit will be closed on-site. Please feel free to contact me at any time if you have any questions.

Thank you,

Crystal L. Tafoya Regulatory Technician ConocoPhillips Company San Juan Business Unit Phone: (505) 326-9837

Email: Crystal.Tafoya@conocophillips.com

RECEIVED

DISTRICT | 1826 N. French Dr., Hobbs, N.M. 88240

Energy, Minerals & Natural Resources Department 5 2008

Form C-102 Revised October 12, 2005

DISTRICT II 1301 V. Grand Avenue, Artesia, N.M. 88210

1220 S. St. Francis Dr., Santa Fe, NM 87505

DISTRICT III 1006 Rio Brezes Rd., Astec, N.M. 87410

DISTRICT IV

Bureau of Land (Sübhrith Earth Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies OIL CONSERVATION DIVISION Field Office 1220 South St. Francis Dr.

Santa Fe, NM 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT


30-045- 3 4699	71599		
Property Code	Property Name		Well Number
7208	JOHNSTON FEDERAL		6 E
OGRAD No.	Operator Name		* Elevation
14538	BURLINGTON RESOURCE	6036'	

10 Surface Location VL or lot no Feet from the Rorth/South line Sept/Vest line Foot from the County 35 9W SOUTH 31N 2219 SAN JUAN K 1435 WEST

"Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot idn	Post from the	North/South line	Feet from the	East/West line	County
K						·			
Dedicated Acre	4		S Joint or	infill	¹⁶ Consolidation (ode	¹⁵ Order No.		
314.25 A	Acres -	(W/2)							

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



LATITUDE: 36.85362°N LONGITUDE: 107.75433°W DATUM: NAD 83

SLOPES TO BE CONSTRUCTED TO MATCH THE ORIGINAL CONTOURS AS CLOSE AS POSSIBLE.

BURLINGTON RESOURCES O&G CO LP


JOHNSTON FEDERAL #6 E 2219' FSL & 1435' FWL


LOCATED IN THE NE/4 SW/4 OF SECTION 35,

T31N, R9W, N.M.P.M.

SAN JUAN COUNTY, NEW MEXICO GROUND ELEVATION: 6036', NAVD 88

FINISHED PAD ELEVATION: 6038.1', NAVD 88





330' x 400' = 3.03 ACRES OF DISTURBANCE

SCALE: 1"=60' JOB No.: COP132 DATE: 01/02/08 RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE).
RUSSELL SURVEYING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.
CONTRACTOR SHOULD CALL CHE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR
CABLES ON WELL PAD; IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR
TO CONSTRUCTION.



Russell Surveying 1409 W. Aztec Bivd. #2 Aztec, New Mexico 87410 (505) 334-8637



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client	ConocoPhillips	Project #	96052-0026
Sample ID	Reserve Pit	Date Reported	08-19-09
Laboratory Number	51249	Date Sampled	08-11-09
Chain of Custody No	7727	Date Received	08-13-09
Sample Matrix	Soil	Date Extracted	08-17-09
Preservative	Cool	Date Analyzed	08-18-09
Condition	Intact	Analysis Requested	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	68.4	0.1
Total Petroleum Hydrocarbons	68.4	0.2

ND - Parameter not detected at the stated detection limit

References Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996

Comments: Johnston Federal #6E

Analyst

Christine m Walters
Review



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client	ConocoPhillips	Project #	96052-0026
Sample ID	Background	Date Reported	08-19-09
Laboratory Number	51250	Date Sampled	08-11-09
Chain of Custody No	7727	Date Received	08-13-09
Sample Matrix	Soil	Date Extracted	08-17-09
Preservative	Cool	Date Analyzed	08-18-09
Condition	Intact	Analysis Requested	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit

References Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996

Comments: Johnston Federal #6E

Analyst

Christie m Wasters Review



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client	QA/QC	Project #	N/A
Sample ID	08-18-09 QA/QC	Date Reported	08-19-09
Laboratory Number	51249	Date Sampled	N/A
Sample Matrix	Methylene Chloride	Date Received	N/A
Preservative ⁻	N/A	Date Analyzed	08-18-09
Condition	N/A	Analysis Requested	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept: Range
Gasoline Range C5 - C10	05-07-07	1 2121E+003	1 2126E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	1 1534E+003	1 1538E+003	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	68.4	66.8	2.3%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept: Range
Gasoline Range C5 - C10	ND	250	243	97.2%	75 - 125%
Diesel Range C10 - C28	68.4	250	323	102%	75 - 125%

ND - Parameter not detected at the stated detection limit

References

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996

Comments

QA/QC for Samples 51149 - 51150, 51278 - 51284, and 51286.

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	ConocoPhillips	Project #	96052-0026
Sample ID	Reserve Pit	Date Reported	08-19-09
Laboratory Number	51249	Date Sampled	08-11-09
Chain of Custody	7727	Date Received	08-13-09
Sample Matrix	Soil	Date Analyzed	08-18-09
Preservative	Cool	Date Extracted	08-17-09
Condition	Intact	Analysis Requested	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	7.0	0.9	
Toluene	15.0	1.0	
Ethylbenzene	18.9	1.0	
p,m-Xylene	45.1	1.2	
o-Xylene	23.9	0.9	
Total BTEX	110		

ND - Parameter not detected at the stated detection limit

Surrogate Recoveries	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996

Comments:

Johnston Federal #6E

Analyst

Ghristun Walter



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	ConocoPhillips	Project #	96052-0026
Sample ID	Background	Date Reported	08-19-09
Laboratory Number	51250	Date Sampled	08-11-09
Chain of Custody	7727	Date Received	08-13-09
Sample Matrix	Soil	Date Analyzed	08-18-09
Preservative	Cool	Date Extracted	08-17-09
Condition	Intact	Analysis Requested	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	6.6	1.0	
Ethylbenzene	4.1	1.0	
p,m-Xylene	10.6	1.2	
o-Xylene	8.1	0.9	
Total BTEX	29.4		

ND - Parameter not detected at the stated detection limit

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996

Comments:

Johnston Federal #6E

Analyst

Beview



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	N/A	Project #	N/A
Sample ID	08-18-BT QA/QC	Date Reported	08-19-09
Laboratory Number	51249	Date Sampled	N/A
Sample Matrix	Soil	Date Received	N/A
Preservative	N/A	Date Analyzed	08-18-09
Condition	N/A	Analysis	BTEX

Calibration and Detection Limits (ug/L)	Cal RF:	C-Cal RF: Accept Rang	-	Blank Conc	Detect. Limit
Benzene	3 0877E+006	3 0939E+006	0.2%	ND	0.1
Toluene	2 8582E+006	2 8639E+006	0.2%	ND	0.1
Ethylbenzene	2 5015E+006	2 5065E+006	0.2%	ND	0.1
p,m-Xylene	6 4157E+006	6 4286E+006	0.2%	ND	0.1
o-Xylene	2 3802E+006	2 3850E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample Sample Di	ıplicate	%Diff.	. Accept Range	Detect. Limit
Benzene	7.0	6.8	2.9%	0 - 30%	0.9
Toluene	15.0	15.6	4.0%	0 - 30%	1.0
Ethylbenzene	18.9	18.9	0.0%	0 - 30%	1.0
p,m-Xylene	45.1	45.0	0.2%	0 - 30%	1.2
o-Xylene	23.9	23.9	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	unt Spiked Spik	ed Sample	% Recovery	Accept Range
Benzene	7.0	50.0	55.9	98.1%	39 - 150
Toluene	15.0	50.0	62.8	96.6%	46 - 148
Ethylbenzene	18.9	50.0	65.7	95.4%	32 - 160
p,m-Xylene	45.1	100	143	98.5%	46 - 148
o-Xylene	23.9	50.0	71.4	96.6%	46 - 148

ND - Parameter not detected at the stated detection limit

References Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments: QA/QC for Samples 51249 - 51250, 51278 - 51284, and 51286.

Review

Analyst

Client [.]	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pıt	Date Reported:	08-19-09
Laboratory Number	51249	Date Sampled:	08-11-09
Chain of Custody No:	7727	Date Received:	08-13-09
Sample Matrix.	Soil	Date Extracted:	08-17-09
Preservative	Cool	Date Analyzed:	08-17-09
Condition.	Intact	Analysis Needed [.]	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

1,240

11.0

ND = Parameter not detected at the stated detection limit

References:

Method 418 1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978

Comments:

Johnston Federal #6E.

Analyst

Mustum Welters Review

Client	ConocoPhillips	Project #:	96052-0026
Sample ID	Background	Date Reported [.]	08-19-09
Laboratory Number.	51250	Date Sampled:	08-11-09
Chain of Custody No:	7727	Date Received:	08-13-09
Sample Matrix.	Soil	Date Extracted:	08-17-09
Preservative.	Cool	Date Analyzed:	08-17-09
Condition.	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

66.2

11.0

ND = Parameter not detected at the stated detection limit

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No 4551, 1978

Comments:

Johnston Federal #6E.

Analyst

Mustle Muchelan Review



Blank Conc. (mg/Kg)

TPH

EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Detection Limit

11.0

Client	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	08-19-09
Laboratory Number	08-17-TPH.QA/QC 51249	Date Sampled:	N/A
Sample Matrix.	Freon-113	Date Analyzed:	08-17-09
Preservative:	N/A	Date Extracted:	08-17-09
Condition ²	N/A	Analysis Needed:	TPH

Calibration	20	I-Cal Date	C-Cal Date	I-Cal RF	C-Cal RF:	% Difference	Accept. Range
		08-03-09	08-17-09	1,380	1,250	9.4%	+/- 10%

Concentration

ND

Duplicate Conc. (mg/kg)	j* 1 15 1	ີ້, ເສັ້າ Sample ໃຊ້ເຂົ້າ 1,241	Duplicate 1,241	% Difference 0.0%	Accept: Range +/- 30%

Spike Conc. (mg/Kg)	- 15. Mi	Sample ³	Spike Added	Spike Result	% Recovery	Accept Range
TPH		1,241	2,000	3,140		80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 51249, 51250, 51277 and 51286 - 51290.

Analyst Review



Chloride

Client	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	08-19-09
Lab ID#:	51249	Date Sampled:	08-11-09
Sample Matrix:	Soil	Date Received:	08-13-09
Preservative.	Cool	Date Analyzed·	08-18-09
Condition.	Intact	Chain of Custody:	7727

Parameter	Concentration (mg/Kg)
-----------	-----------------------

Total Chloride 345

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Johnston Federal #6E.**

nalyst (Nustle Waltle Review



Chloride

Client:	ConocoPhillips	Project #	96052-0026
Sample ID.	Background	Date Reported:	08-19-09
Lab ID#	51250	Date Sampled:	08-11-09
Sample Matrix	Soil	Date Received:	08-13-09
Preservative	Cool	Date Analyzed [.]	08-18-09
Condition.	Intact	Chain of Custody [.]	7727

Parameter	r		Con	centration	(mg/Kg)	

Total Chloride

4

Reference

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Johnston Federal #6E.

Analyst

Review

Submit To Appropi Two Copies	nate District (Office		State of New Mexico							Form C-105						
District I 1625 N French Dr	, Hobbs, NM	88240		Energy, Minerals and Natural Resources						July 17, 2008 1. WELL API NO.							
District II 1301 W Grand Av	enue, Artesia,	NM 88210		Oil Conservation Division							30-045-34699						
District III 1000 Rio Brazos R	d, Aztec, NM	187410		1220 South St. Francis Dr.						2 Type of Lease STATE ☐ FEE ☑ FED/INDIAN							
District IV 1220 S St Francis	Dr , Santa Fe	, NM 87505		Santa Fe, NM 87505							STATE ☐ FEE ☒ FED/INDIAN 3 State Oil & Gas Lease No						
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																	
WELL COMPLETION OR RECOMPLETION REPORT AND LOG 4 Reason for filing 5 Lease Name or Unit Agreement Name									ustr - ar								
COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)								Johnston Federal 6 Well Number									
									6E								
#33, attach this at	nd the plat t																
7 Type of Comp		WORKOVI	ER 🔲	DEEPE	NING	□PLUGBACI	к 🗆 і	DIFFERE	NT RESERV	/OIF	R OTHER_						
8 Name of Opera		Oil Cas	Com		I D						9 OGRID 14538						
Burlington R 10 Address of O		On Gas	Com	pany,	LP						11 Pool name	or W	/ıldcat				
PO Box 4298, Fa	rmington, N	IM 87499				1											
12.Location	Unit Ltr	Section		Townsl	hıp	Range	Lot		Feet from 1	the	N/S Line	Fee	t from t	he	E/W Lı	ne	County
Surface:																	
ВН:																	
13 Date Spudded	d 14 Date	e T D Reac	hed		0ate Rig 1/ 2008	Released		16	Date Comp	leted	I (Ready to Prod	luce)			Elevation, GR, etc.		and RKB,
18 Total Measur	ed Depth of	Well		19 P	lug Bac	k Measured De	pth	20	Was Direct	tiona	al Survey Made ⁹)	21 T				her Logs Run
22 Producing Int	terval(s), of	this comple	tion - T	op, Bott	tom, Na	me									•		
23					CAS	ING REC	ORI) (Rer	ort all st	rin	gs set in w	ell)					
CASING SI	ZE	WEIGH	ΓLB/F			DEPTH SET			DLE SIZE		CEMENTIN		CORD	Τ	AM	OUNT	PULLED
								<u> </u>			-			+			
											1			+			
														\top			
						ED DEGODD						N 150 F	NO DE	100			
SIZE	TOP		BOT	ТОМ	LINI	ER RECORD SACKS CEM	IENT	SCREE	TUBING RECORD SIZE DEPTH SET PACKI			ER SET					
26 Perforation	record (inte	arvol cura o	and num	her)				27 46	TO CHOT	ED	ACTURE, CE	EN JEN	NT SO	NI TE	EZE E	TC	
20 Terroration	record (IIII	li vai, size, a	uia nam	ioci)					INTERVAL		ACTURE, CE						
28		·	.,				PRO	DDUC	TION								
Date First Produc	ction	P	roduction	on Meth	nod (Fla	owing, gas lift, p)	Well Status	(Pro	od or Sk	ıut-ı	n)		
Date of Test	Hours T	ested	Chol	ke Sıze		Prod'n For		Oil - Bt	1	Ga	s - MCF	ı W	/ater - E	Bbl		Gas - C	l Ratio
						Test Period											
Flow Tubing Press	Casing	Pressure		Calculated 24- Oil - Bbl Hour Rate			Gas	- MCF	1	Water - Bbl	Oil Gravity - API - (C		I - (Cori	r)			
29 Disposition o	f Gas <i>(Sold,</i>	used for fu	el, vente	ed, etc)							<u> </u>	30	Test Wi	tnes	ssed By		
31 List Attachm	ents											<u> </u>					
32 If a temporar	y pit was us	ed at the we	ll, attac	h a plat	with th	e location of the	tempo	orary pit									
33 If an on-site burial was used at the well, report the exact location of the on-site burial																	
Latitude 36.853861°N Longitude 107.754389°W NAD □1927 ⊠1983																	
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature Staff Regulatory Technician Date: 2																	
Signature The Name Ethel Tally Title: Staff Regulatory Technician Date: 2/W/W E-mail Address ethel.tally@conocophillips.com																	
E-man Address chichtany@conocopininps.com																	

ConocoPhilips O

Pit Closure Form:
Date: 9/17/2009
Well Name: Johnston Federal & E
Footages: 2219 FSL 1435 FWL Unit Letter: K
Section: <u>35</u> , T- <u>31</u> -N, H- <u>9</u> -W, County: <u>55</u> State: <u>N</u> M
Contractor Closing Pit: Ace
Construction Inspector: Norman Faver Date: 9/17/2009
Inspector Signature:

Tally, Ethel

From:

Silverman, Jason M

Sent:

Monday, September 14, 2009 10 39 AM

To:

Brandon Powell@state nm us

Subject:

FW. Reclamation Notice Johnston Federal 6E

Importance: High

Ace Services will move a tractor to the Johnston Federal 6E on Wednesday, September 16th, 2009 to start the reclamation process.

Please contact Norm Faver (300-0670) if you have any guestions or need further assistance.

Thanks, Jason Silverman

Burlington Resources Well - Network # 10234045

San Juan County, NM:

Johnston Federal 6E - BLM surface / BLM minerals

Twin: n/a

2219' FSL, 1435' FWL Sec. 35, T31N, R9W

Unit Letter 'K'

Lease #: SF-078439

Latitude: 36° 51' 13.03200" N (NAD 83)


Longitude: 107° 45' 15.58800" W

Elevation: 6036' API #: 30-045-34699

Jason Silverman ------Construction Technician
ConocoPhillips Company - SJBU
Projects Team
P.O. Box 4289
Farmington, NM 87499-4289
505-326-9821
Jason.M.Silverman@ConocoPhillips.com

Cancoethillips ()

Reclamation Form:	
Delia: 18/19/2009	
Well Name: Johns	ton Federal GE
Foologies: 1815 FSI	_ Z330 FEL Unit Letier: 3
Section: 36, 1-31-	n, R-12w, County: <u>SS</u> State: <u>///</u>
Reclamation Contractor:	Ace
Reclamation Date:	9/21/2009
Road Completion Date:	9/23/2009
Seeding Date:	10/14/2009
Construction Inspector:	Norman Faver Date: 10/19/2009
-Inspector Signature:	Wirman for









WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: Johnston Federal 6E

API#: 30-045-34699

DATE	INSPECTOR	SAFETY	LOCATION CHECK	PICTURES TAKEN	COMMENTS
1/39/09	Jared Chavez	Х	Х		PIT AND LOCATION IN GOOD CONDITION
12/1/08	Jared Chavez	X	Х		HOLES IN LINER - CONTACTED CROSSFIRE FOR REPAIRS
12/10/08	Jared Chavez	X	X		HOLE IN THE BLOWPIT - CONTACTED CROSSFIRE FOR REPAIRS
1/16/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION
1/22/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION
2/5/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION
2/12/09	Jared Chavez	Х	Х		PIT AND LOCATION IN GOOD CONDITION
2/21/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION
2/26/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION
3/5/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION
3/12/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION
3/24/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION
3/27/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION
4/29/09	Jared Chavez	Х	X .		FENCE NEEDS TIGHTENED - CONTACTED CROSSFIRE FOR REPAIRS
5/5/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION
5/18/09	Jared Chavez	Х	Х		FENCE NEEDS TIGHTENED - CONTACTED CROSSFIRE FOR REPAIRS
5/27/09	Jared Chavez	X	Х		GROUND AROUND THE BLOW WALL HAS WASHED AWAY AND CAUSED FENCE TO FALL OVER - CONTACTED CROSSFIRE FOR REPAIRS
6/2/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION
6/9/09	Jared Chavez	Х	Х		PIT AND LOCATION IN GOOD CONDITION
6/15/09	Jared Chavez	X	Х		PIT AND LOCATION IN GOOD CONDITION

6/19/09	Jared Chavez			DRAKE #29 IS ON LOCATION
7/6/09	Jared Chavez	<u>'</u>		DRAKE #29 IS ON LOCATION
7/14/09	Jared Chavez	Х	X	PIT AND LOCATION IN GOOD CONDITION
7/21/09	Jared Chavez	Х	Х	PIT AND LOCATION IN GOOD CONDITION
7/24/09	Jared Chavez	Х	X	PIT AND LOCATION IN GOOD CONDITION
8/3/09	Jared Chavez	X	X	PIT AND LOCATION IN GOOD CONDITION
8/11/09	Jared Chavez	X	X	PIT AND LOCATION IN GOOD CONDITION
8/17/09	Jared Chavez	X	Х	PHOENIX SERVICES IS ON LOCATION SWABBING
8/25/09	Jared Chavez	Х	X	PIT AND LOCATION IN GOOD CONDITION
9/22/09	Jared Chavez			LOCATION HAS BEEN RECLAIMED
11/7/09	Jared Chavez	X	Х	HOLES IN LINER - CONTACTED CROSSFIRE FOR REPAIRS

,

JOHNSTON FEDERAL 6E API# 30-045-34699 PICTURES OF RECLAMATION PERMIT # 5241



