Form C-144 July 21, 2008

1625 N French Dr., Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S St Francis Dr., Santa Fe, NM 87505

Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

4949
------

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances Operator Burlington Resources Oil & Gas Company, LP OGRID#. 14538 Address PO Box 4289, Farmington, NM 87499 Facility or well name Federal B 1 API Number 30-045-08923 OCD Permit Number N(SE/SW) 30N U/L or Qtr/Qtr Section 11W 31 Township: Range: County San Juan °W NAD X 1927 1983 Center of Proposed Design Latitude 36.76373 ٥N Longitude: 108.03391 Surface Owner X Federal Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined mil LLDPE HDPE PVC Other Liner type Thickness String-Reinforced Other Liner Seams Welded Factory Volume bbl Dimensions L X Closed-loop System: Subsection H of 19 15 17 11 NMAC X Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Above Ground Steel Tanks Haul-off Bins 1234 X LLDPE HDPE Lined Unlined Thickness 20 mıl Liner Seams X Welded X Factory Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid OIL CONS. DIV. DIST Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls only Other Visible sidewalls and liner HDPE ]PVC Other Thickness Liner Type

Alternative Method:

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

6  Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		,			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Four foot height, four strands of barbed wire evenly spaced between one and four feet	tion or charch,	, l			
Alternate Please specify					
7					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8					
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19 15 3 103 NMAC					
Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance					
Please check a box if one or more of the following is requested, if not leave blank:		,			
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	eration of appr	rovai			
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
10					
Siting Criteria (regarding permitting) 19.15 17 10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for					
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No			
(measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site					
		<u> Път.</u>			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA				
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits)	□NA				
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No			
- NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No			
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> </ul>	Yes	□No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		— □			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	∐No			
Within an unstable area.	Yes	No			
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain	Yes	No			
- FEMA map	1 —				

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologia Penest (Pelevy goods Teales)   besed upon the recovery set of Penests				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9				
NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
14 Proposed Clemma 10 15 17 12 NMAC				
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for Consideration)				
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 13 17 13 NWAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Ab	ove Gròtind Steel Tanks or Haul off Bins Only (19 15 17 13 D NMAC)		
facilities are required	riquius, arning juius and arni cuttings. Ore ditachment ij more than twi	o .	
Disposal Facility Name	Disposal Facility Permit #	<u> </u>	
Disposal Facility Name	Disposal Facility Permit #		
Will any of the proposed closed-loop system operations and as  Yes (If yes, please provide the information N	ssociated activities occur on or in areas that will nbe used for future No	e service and	
=	pon the appropriate requirements of Subsection H of 19 15 17 13 N	NMAC	
Re-vegetation Plan - based upon the appropriate requirer  Site Reclamation Plan - based upon the appropriate requi			
She recommend that a based upon the appropriate requ	ilcinents of subsection d of 1715 1715 INMAC		
	e closure plan Recommendations of acceptable source material are provided belo tte district office or may be considered an exception which must be submitted to the .		
Ground water is less than 50 feet below the bottom of the buri - NM Office of the State Engineer - iWATERS database search,		Yes No	
Ground water is hetween 50 and 100 feet heles, the hettern of	the humad weets	Yes No	
Ground water is between 50 and 100 feet below the bottom of  - NM Office of the State Engineer - iWATERS database search.		N/A	
	•		
Ground water is more than 100 feet below the bottom of the b		Yes No	
- NM Office of the State Engineer - 1WATERS database search,	USGS, Data obtained from nearby wells	∐N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of (measured from the ordinary high-water mark)		Yes No	
- Topographic map, Visual inspection (certification) of the propo			
Within 300 feet from a permanent residence, school, hospital, instituti  - Visual inspection (certification) of the proposed site, Aerial pho-		Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or sp purposes, or within 1000 horizontal fee of any other fresh water well - NM Office of the State Engineer - iWATERS database, Visual i	or spring, in existence at the time of the initial application	Yes No	
Within incorporated municipal boundaries or within a defined municip pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No	
<ul> <li>Written confirmation or verification from the municipality, Wri Within 500 feet of a wetland</li> </ul>	tten approval obtained from the municipanty	Yes No	
- US Fish and Wildlife Wetland Identification map, Topographic	map, Visual inspection (certification) of the proposed site		
Within the area overlying a subsurface mine		Yes No	
- Written confiramtion or verification or map from the NM EMNI	RD-Mining and Mineral Division		
Within an unstable area		Yes No	
<ul> <li>Engineering measures incorporated into the design, NM Bureau Topographic map</li> </ul>	of Geology & Mineral Resources, USGS. NM Geological Society,		
Within a 100-year floodplain - FEMA map		Yes No	
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instiby a check mark in the box, that the documents are attached	ructions: Each of the following items must bee attached to the cl	osure plan. Please indicate,	
Siting Criteria Compliance Demonstrations - based upo	on the appropriate requirements of 19 15 17 10 NMAC		
	priate requirements of Subsection F of 19 15 17 13 NMAC		
	ole) based upon the appropriate requirements of 19 15 17 11 NMA		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate require			
Site Reclamation Plan - based upon the appropriate rec			

Form C-144

Operator Application Certification:  The proper contribute the information are health as a placetion in the constraint and constant to the least of an element of the least of				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief,				
Name (Print) Title				
Signature Date				
e-mail address Telephone				
20 OCD Approval: Permit Application (including clospre plan) Closure Nan (only) OCD Conditions (see attachment)				
OCD Representative Signature: Approval Date: 107/20/				
Title: Comptance October OCD Permit Number:				
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  X Closure Completion Date: 9/12/2009				
22				
Closure Method:				
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)				
If different from approved plan, please explain				
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:				
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities				
were utilized.				
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B				
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
Yes (If yes, please demonstrate compliane to the items below)  X No				
Required for impacted areas which will not be used for future service and operations				
Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude. Longitude. NAD 1927 1983				
25				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan				
Name (Print) Jamie Goodwin Title Regulatory Technician				
Signature Date 1/29/2010				
e-mail address Jamie L Goodwin@conocophillips com Telephone 505-326-9784				