District 1 1625 N. French Dr., Hobbs, NM 88240 District II.
1301 W. Grand Avenue, Artesia, NM 88210
District III. 1000 Rio Brazos Road, Aztec, NM 87410 District IV. 1220 S. St Francis Dr, Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

| Pit, Closed-Loop System, Below-Grade Tank, or | | | | | |
|--|--|--|--|--|--|
| Proposed Alternative Method-Permit or Closure Plan-Application | | | | | |
| Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method | | | | | |
| Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request. Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. | | | | | |
| Operator: Energen Resources OGRID #: 162928 | | | | | |
| Address. 2010 Afton Place, Farmington NM, 87401 | | | | | |
| Facility or well name: Bloomfield #3 | | | | | |
| API Number: 30-045-26575 OCD Permit Number: | | | | | |
| U/L or Qtr/QtrO Section 17 Township 29N Range 11W County: San Juan | | | | | |
| Center of Proposed Design: Latitude <u>36.72036</u> Longitude <u>108.01292</u> NAD: ☐1927 🔀 1983 | | | | | |
| Surface Owner State State Private Tribal Trust or Indian Allotment | | | | | |
| 2 | | | | | |
| Pit Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A PVC Other RECEIVED PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume bbl Dimensions: OIL CONS. DIV. DISD 3 | | | | | |
| X Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation. P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) | | | | | |
| Drying Pad X Above Ground Steel Tanks | | | | | |
| Below-grade tank: Subsection I of 19.15.17.11 NMAC | | | | | |
| Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval | | | | | |

| Eencing: Subsection D of 19.15.17 11 NMAC (Applies to permanent pits, temporary pits, and below and tanks) | | | |
|--|----------------|--|--|
| Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospit institution or church) | | | |
| Four foot height, four strands of barbed wire evenly spaced between one and four feet | | | |
| Alternate. Please specify | | | |
| Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) | | | |
| Screen Netting Other | | | |
| Monthly inspections (If netting or screening is not physically feasible) | | | |
| Signs: Subsection C of 19.15.17.11·NMAC | | | |
| 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers | | | |
| Signed in compliance with 19.15.3.103 NMAC | | | |
| Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Burconsideration of approval. Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. | eau office for | | |
| 10 | | | |
| Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system. | | | |
| Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells | ☐ Yes ☐ No | | |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | Yes No | | |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | Yes No | | |
| Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | ☐ Yes ☐ No | | |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site | ☐ Yes ☐ No | | |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality | ☐ Yes ☐ No | | |
| Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | . Yes No | | |
| Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | ☐ Yes ☐ No | | |
| Within an unstable area. - Engineering measures incorporated into the design; NM Burcau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map | ☐ Yes ☐ No | | |
| Within a 100-year floodplain FEMA map | ☐ Yes ☐No | | |

| Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and a util | Bins Only: (19.15.17.13.D NMAC) ings. Use attachment if more than two | | | | | |
|---|---|--|--|--|--|--|
| facilities are required. Disposal Facility Name: Aqua Moss - Pretty Lady #1 Disposal Facility Permit Num | nber: <u>30-045-30922</u> | | | | | |
| Disposal Facility Name: Envirotech Disposal Facility Permit Num | nber. NM-01-0011 | | | | | |
| Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) | | | | | | |
| Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site: Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC | | | | | | |
| Siting Criteria (regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommen provided below. Requests regarding changes to certain siting criteria may require administrative approval be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for con and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance. | l from the appropriate district office or may | | | | | |
| Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby w | Yes No NA | | | | | |
| Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby w | vells Yes No | | | | | |
| Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby w | vells Yes No | | | | | |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lal lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | kebed, sinkhole, or playa Yes No | | | | | |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of a Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | finitial application. | | | | | |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the t - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the prop- | time of initial application. | | | | | |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality. | | | | | | |
| Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) | ☐ Yes ☐No | | | | | |
| Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | ☐ Yes ☐ No | | | | | |
| Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; Society; Topographic map | USGS; NM Geological | | | | | |
| Within a 100-year floodplain FEMA map | ☐ Yes ☐ No | | | | | |
| On-Site Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Each of the following items must be by a check mark in the box, that the documents are attached. | attached to the closure plan. Please indicate, | | | | | |
| Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection II of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC | | | | | | |

| | Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Ches: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: |
|---|--|
| 1 | 12 |
| | Clossed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17.13 NMAC |
| ١ | Previously Approved Design (attach copy of design) API Number: |
| | Previously Approved Operating and Maintenance Plan API Number: |
| | Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon Quality Control/Quality Assurance Construction and Installation Plan the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Onl Field Waste Stream Characterization Monitoring and Inspection Plan Errosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17 13 NMAC |
| | Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Excavation and Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burnal On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. |
| | Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC |
| | Form C-144 Oil Conservation Division Page 3 of 5 |

| Operator Application Certification. | | | |
|--|---|--|--|
| I hereby certify that the information submitted with this application is true, accurate and | | | |
| Name (Print) Kirt Snyder | Title: District Engineer | | |
| Signature: | Date. 10/24/2008 | | |
| e-mail address ksnyder@nergen.com | Telephone: 505 325 6800 | | |
| OCD Approval: Permit Application (including closure plan) | Hlan (only) OCD Conditions (see attachment) | | |
| OCD Representative Signature: | Approval Date: 11-3-08 | | |
| Title: <u>Enviroppec</u> 800 | ermit Number: | | |
| Closure Report (required within 60 days of closure completion): Subsection K of l Instructions: Operators are required to obtain an approved closure plan prior to implessor. The closure report is required to be submitted to the division within 60 days of complete this section of the form until an approved closure plan has been obtained an | lementing any closure activities and submitting the closure Tthe completion of the closure activities. Please do not | | |
| 22 | | | |
| Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure If different from approved plan, please explain. | ure Method Waste Removal (Closed-loop systems only) | | |
| Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name Hour Moss-Protty Locy#1 Disposal Facility Permit Number: 30-045-30922 Disposal Facility Name: Disposal Facility Permit Number: MM-01-0011 | | | |
| Disposal Facility Name Envirotech Disposal | Facility Permit Number: MM -0/-001) | | |
| Were the closed-loop system operations and associated activities performed on or in area Yes (If yes, please demonstrate compliance to the items below) | as that will not be used for future service and operations? | | |
| Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique | | | |
| Closure Report Attachment Checklist: Instructions Each of the following items must mark in the box, that the documents are attached Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude | st be attached to the closure report Please indicate, by a check NAD. 1927 1983 | | |
| 25 | | | |
| Operator Closure Certification I hereby certify that the information and attachments submitted with this closure report belief. I also certify that the closure complies with all applicable closure requirements a | | | |
| Name (Print) ANGEWS 8010 | Title: District Engineer | | |
| Signature | Date: 04-29-09 | | |
| e-mail address: andrew. Soto Denergen. com | Telephone. 505-325-\$6800 | | |

Substant to Assumptions
States Coffice
States Langue - 4 comments
For Langue - 5 comments

State of New Mexico Energy, Minerals and Natural Resources Department



Form C-103 Regions I-1-8

DISTRICT!

OIL CONSERVATION DIVISION P.O. Box 2088

DISTRICT II P.O. Disser DD. Aresia, NM 88210 Santa Fe, New Mexico 87504-2088

| NATE OF THE COST IN CO | Rd., Azisec, 104 874 | 110 | | D ACREAGE DE | | • | |
|--|--|--|--|--|------------------------|--|--|
| Merid | ian Oil I | | thinese must be t | Bloomfiel | | 9405) | weat Max |
| Just Latter | Service | Towns | | Range | | County | 7 |
| <u> </u> | 17 |) 29N | 1 | llW | NMPM | San | Juan |
| 680 | fest from the | South | line and | 2200 | fort from | Ea | ist " |
| Constant seven Sie | | print Lateralds | <u> </u> | Pool | TORE HORSE | | Dedicates Acrespe: |
| 5706 | | ruitland | | Basin | | | 320 Acres |
| 1. If a comp if and thin to | pare that etc inche quant station, foste-passes Yes wer is "80" list the cr | different contentions g. etc.? \[\] No \[\] I'd Printer and track descri- | so dedicates to the laster as "yes" typ pures which have | sciulity bein contouring | all gurgers back conso | idetal by con | |
| No add or talk | person will be sang the accommodate the | ned to the west upper a L elementaries state and | eres, has been any | on communicated (by course power by the Division. | | L forced-poots | et or otherwise) |
| Viete | not test | irveved | Amma | | | | TOR CERTIFICATION |
| take | from pla | at by | 3 | j | ₩ | | o comply that the informa- ny St Bree and complete to |
| Fred | B. Kerr | Jr. | 3 | 1 | 184 | | The state of the s |
| 08-0 | | | 3 | ! | 3 | | y Mafile |
| | ! | | 3 | ļ. | 3 | Peggy | Bradfield |
| | | | 3 | ļ | | Tintas Name | • |
| | | | 4 | | | Regula | tory Affairs |
| | } | | 3 | 1 | 3 | Position. | an Oil Inc. |
| | | 4 F (F) | 3 | i | 3 | Meridi | an off file. |
| | ECEI | 6 € !! <i> </i> | 3 | i | 3 | ئۆر ر | ~8 <i>~9</i>) |
| In (| 1 | | 3 | j | | Date | |
| 30 | MAR1 2 19 | 90 | 3 | ł | 3 | | |
| | | | ダフ | ! | 3 | SURVE | YOR CERTIFICATION |
| | JAPOS JK 8. TRIO | / | 37 | | | i hareby care | ly that the well location sh was platted from field note |
| 1 | ! | | 3 | ļ | . 8 | ACCUSED AND THE | water by me or under |
| | l i | | 3 HSL- | 2166 | | • | nd that the same is true |
| | ; | • | 3 | 2.200 | | correct to t helief. / | E C. EDIN |
| } | ì | | 3 | i | | Date Sur 1979 | ET NEWS (S) |
| | | | <u>.</u> 2 | | | Neel | Edwards |
| | | | | 220 | 00' | Signature At Production of the | \$57) |
| | i | | 3 - 2 - | i | | X | GO LUN SIE |
| | Ĭ | | 3 8 | į | 8 | | A CONTRACTOR OF THE PARTY OF TH |
| | ļ | | 0 (| ļ | N N | Colleges N | |
| 1 | ! | | 74 | 1 | | • | 6 857 |

Closed-loop Design Plan:

Our closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1) Fencing is not required for an above ground closed-loop system.
- 2) It will be signed in compliance with 19.15.3.103 NMAC.
- 3) A frac tank will be on location to store fresh water.

Closed-loop Operating and Maintenance Plan:

The closed-loop tank will be operated and maintained; to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain this goal the following steps will be followed:

- 1) The liquids will be vacuumed out and disposed of at the Agua Moss Pretty Lady #1 facility (Disposal API Number 30-045-30922). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM-01-0011) on a periodic basis to prevent over topping.
- 2) No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cuttings used or generated by rig operations will be placed or stored in the tank.
- 3) The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately.
- 4) All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan:

The closed loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludge to Envirotech (Permit Number NM-01-0011) following rig operations. All remaining liquids will be transported and disposed of in the Agua Moss Pretty Lady #1 facility (Disposal API number 30-045-30922). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.