District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

7	3	/	C
- /	v		- 1

# Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

<u> 110po</u>	bod I iteritative intented i crimit of crossite i tail i ippitedion
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	☐ Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tanl	k, or proposed alternative method
· ·	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve theoperator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

Operator Energen Resources OGRID #. 162928 .			
A 14 2010 A 2- DI DI A N- A 4 2010			
Facility or well name			
API Number 3003921242 OCD Permit Number			
U/L or Qtr/Qtr P Section 27 Township 27N Range 03W County Rio Arriba			
Center of Proposed Design Latitude <u>36 53922</u> Longitude <u>-107 12595</u> NAD □1927 ⋈ 19872324 25 26 3			
Facility or well name			
½ HECEIVED			
Pit: Subsection F or G of 19 15 17 11 NMAC   Temporary   Drilling   Workover     Permanent   Emergency   Cavitation   P&A     Lined   Unlined Liner type Thickness   mil   LLDPE   HDPE   PVC   Other     String-Reinforced     Liner Seams   Welded   Factory   Other   Volume   bbl Dimensions L   x W   x D			
Temporary Drilling Workover			
Permanent Emergency Cavitation P&A			
Lined Unlined Liner type Thicknessmil LLDPE HDPE PVC Other			
String-Reinforced  Volume  Volume  Volume  Volume			
Closed-loop System: Subsection H of 19 15 17 11 NMAC			
Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)			
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other			
Lined Unlined Liner type Thicknessmil LLDPE HDPE PVC Other			
Linei Seams			
W Palan and Andre School and Left 10 15 17 11 NIMAG			
Below-grade tank:       Subsection I of 19 15 17 11 NMAC         Volume       bbl Type of fluid       Produced Water			
Tank Construction material			
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off			
☐ Visible sidewalls and liner 💥 Visible sidewalls only ☐ Other			
Liner type Thickness mil  HDPE PVC Other			
5 Alternative Method:			

Submittal of an exception request is required 
Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15.17 11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of consideration of approval  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	office for	
Siting Criteria (regarding permitting): 19 15 17 10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)  - Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐ No ☐ NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐ No ☐ NA	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application  - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	☐ Yes ☐ No	
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No	

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are		
attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  Design Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC		
and 19 15 17 13 NMAC  Previously Approved Design (attach copy of design) API Number or Permit Number		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC  Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC  Previously Approved Design (attach copy of design)  API Number		
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)		
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17 11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC   Muisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan   Cilosure Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation P&A Permanent Pit X Below-grade Tank Closed-loop System Alternative  Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Waste Excavation and Removal Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC		

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste Instructions: Please indentify the facility or facilities for the disposal of liquids, driv facilities are required.	el Tanks or Haul-off Bins Only: (19 15 17 13 I lling fluids and drill cuttings. Use attachment if t	NMAC) nore than two
Disposal Facility Name	sposal Facility Permit Number	
Disposal Facility Name Disposal Facility Permit Number		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below)  No		
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specifications based upon the appropriate re Re-vegetation Plan - based upon the appropriate requirements of Subsection I o	f 19 15 17 13 NMAC	C
Siting Criteria (regarding on-site closure methods only): 19 15 17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the cloprovided below. Requests regarding changes to certain siting criteria may require a considered an exception which must be submitted to the Santa Fe Environmental Bedemonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for	dministrative approval from the appropriate dist ureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data of	btained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data of	btained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data o	btained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signif- lake (measured from the ordinary high-water mark)  - Topographic map, Visual inspection (certification) of the proposed site	icant watercourse or lakebed, sınkhole, or playa	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in  Visual inspection (certification) of the proposed site, Aerial photo, Satellite in		☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the watering purposes, or within 1000 horizontal feet of any other fresh water well or spring - NM Office of the State Engineer - iWATERS database, Visual inspection (cere	ng, in existence at the time of initial application	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water valopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval	·	☐ Yes ☐ No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual i	nspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining ar	nd Mineral Division	☐ Yes ☐ No
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Society, Topographic map	α Mineral Resources, USGS, NM Geological	☐ Yes ☐ No
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the fully a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of St. Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of St. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad Protocols and Procedures - based upon the appropriate requirements of 19 15 1 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Su. Disposal Facility Name and Permit Number (for liquids, drilling fluids and dril Soil Cover Design - based upon the appropriate requirements of Subsection I of Re-vegetation Plan - based upon the appropriate requirements of Subsection I of Site Reclamation Plan - based upon the appropriate requirements of Subsection	ements of 19 15 17 10 NMAC absection F of 19 15 17 13 NMAC opriate requirements of 19 15 17 11 NMAC ) - based upon the appropriate requirements of 19 7 13 NMAC ements of Subsection F of 19 15 17 13 NMAC absection F of 19 15 17 13 NMAC I cuttings or in case on-site closure standards cann of 19 15 17 13 NMAC if 19 15 17 13 NMAC	15 17 11 NMAC

Operator Application Certification:  I hereby certify that the information submitted with this application is tr	ue, accurate and complete to the best of my knowledge and belief
Name (Print)	Title
nature Date	
e-mail address Telephon	ıe
OCD Approval: Permit Application (including closure plan) OCD Representative Signature:  Title:	Approval Date: LO/CH/201(  OCD Permit Number:
	an prior to implementing any closure activities and submitting the closure report.  days of the completion of the closure activities. Please do not complete this
22	
Closure Method:	Alternative Closure Method  Waste Removal (Closed-loop systems only)
Closura Report Regarding Wasta Ramoval Closura For Closed-Joan	Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
	wids, drilling fluids and drill cuttings were disposed. Use attachment if more than
two facilities were utilized.	, 0, ,
Disposal Facility Name	Disposal Facility Permit Number
Disposal Facility Name	Disposal Facility Permit Number
Were the closed-loop system operations and associated activities perform  Yes (If yes, please demonstrate compliance to the items below)	ned on or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service an  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	nd operations .
24	
	llowing items must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached.  □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation)	
On-site Closure Location Latitude	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this belief. I also certify that the closure complies with all applicable closure.	s closure report is true, accurate and complete to the best of my knowledge and e requirements and conditions specified in the approved closure plan
Name (Print) Ed Hasely	Title Sr Environmental Engineer
Signature 27/2019	Date 11/22/10
e-mail addressed hasely@energen com	Telephone (505) 324-4131

# **BELOW-GRADE TANK CLOSURE REPORT**

# ENERGEN RESOURCES Jicarilla 94 #6A

#### **CLOSURE STEPS:** (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank.

  Attached
- (2) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

#### Attached

- (3) Remove liquids from the below-grade tank Dispose of the liquids and sludge in a division-approved facility.

  No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner **Tank removed.**
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

#### All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred
  - Collect, at a minimum, a five point, composite sample; Composite sample was collected.
  - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release.

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	ND
Total BTEX	50.0	ND
TPH (418.1)	100	36.3
Chlorides	250	35

(7) <u>IF the soil analyses show that the soils meet the concentrations specified in (6) above</u>, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

Excavation was backfilled w/ non-waste containing, earthen material in a manner that will prevent ponding and erosion, including one foot on top soil.

(8) IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.3.116 NMAC.

Not applicable.

NOTE. If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval.

Not applicable.

#### **FINAL CLOSURE REPORT:**

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

#### **RECLAMATION:**

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.
- (B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
  - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover.
- (D) If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices
- (E) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen Resources	Project #:	03022-0168
Sample ID.	Jic 94 #6A	Date Reported <sup>,</sup>	09-17-10
Laboratory Number:	55874	Date Sampled:	09-16-10
Chain of Custody:	10365	Date Received:	09-16-10
Sample Matrix:	Soil	Date Analyzed:	09-17-10
Preservative:	Cool	Date Extracted:	09-17-10
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

		Det.
	Concentration	Limit
Parameter	(ug/Kg)	(ug/Kg)

Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	104 %
	1,4-dìfluorobenzene	98.5 %
	Bromochlorobenzene	102 %

References:

**Total BTEX** 

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

ND

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

**BGT** 

Analyst

Review

#### EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen Resources	Project #:	03022-0168
Sample ID:	Jic 94 #6A	Date Reported:	09-17-10
Laboratory Number:	55874	Date Sampled:	09-16-10
Chain of Custody No:	10365	Date Received:	09-16-10
Sample Matrix	Soil	Date Extracted:	09-17-10
Preservative:	Cool	Date Analyzed:	09-17-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Paramete	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

36.3

32.7

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

**BGT** 

Analyst

Review



#### Chloride

Client:	Energen Resources	Project #:	03022-0168
Sample ID:	Jic 94 #6A	Date Reported:	09-17-10
Lab ID#:	55874	Date Sampled:	09-16-10
Sample Matrix:	Soil	Date Received:	09-16-10
Preservative:	Cool	Date Analyzed.	09-17-10
Condition:	Intact	Chain of Custody:	10365

Parameter

Concentration (mg/Kg)

**Total Chloride** 

35

Reference:

U S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983 Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

**BGT** 

Analyst

Review



August 31, 2010

Jicarilla Apache Nation Environmental Protection Office P.O. Box 507 Dulce, NM 87528

Attn: Mr. Dixon Sandoval, Environmental Speci

Re: Below Grade Tank Closures

Multiple Wells

Energen Resources Corporation, an E

Dear Sirs:

Energen Resources plans to close the below grade tanks located on the well locations listed below. You are on record as the surface owner where these wells are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The wells are all located in Rio Arriba County, New Mexico.

4769

5397

200

Cer

Jicarilla 117E #5A - Unit Letter E, Section 28, Township 26N, Range 3W	- 7
Jicarilla 35 #2 - Unit Letter M, Section 36, Township 25N, Range 5W	
Jicarilla 35 #8 - Unit Letter I, Section 36, Township 25N, Range 5W	
Jicarilla 35 #12 - Unit Letter I, Section 35, Township 25N, Range 5W	- 1
Jicarilla 94 #6A - Unit Letter P, Section 27, Township 27N, Range 3W	1

Jicarilla 35 #12 - Unit Lette	er I, Section 35, Township 25N, Ran	ge 5W
Jicarilla 94 #6A - Unit Lette	er P, Section 27, Township 27N, Rai	nge 3W
If there are any question Sincerely,  Local  Ed Hasely Sr. Environmental Engin Energen Resources	■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.  ■ Print your name and address on the reverse so that we can return the card to you.  ■ Attach this card to the back of the mailpiece, or on the front if space permits.	A Signalure  A Signalure  A Agent  Addresse  B. Received by (Printed Name)  D. Is delivery address different from item 1?  Yes  If YES, enter delivery address below:
Cc: Well Files	Po Box 507 Pulce, NM 87528 Attn: Dixon Sandonal	3. Service Type  Certified Mail

(Transfer from service I

7007 1490 0000 5397 4769

RIBBERTANNEGER

Postage Certified Fee

Petum Receipt Fee (Endorsement Required)

Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees

Street, Apt. No ; or PO Box No.

City, State, ZIP+4

USE

Postmark

Here

# **Ed Hasely**

From:

Ed Hasely Tuesday, August 31, 2010 7 27 AM 'Powell, Brandon, EMNRD' Sent:

To: 'Dixon Sandoval'; Billy Stalcup Cc: Jicarilla BGT Closure Notifications Subject:


Brandon – Energen plans to close the below listed BGT's in the near future. Let me know if you have questions. Thanks.

8000	ατού γ γ του χου 30 30 3 3 3 3 3 3 4 ατουπού 200 γ γ γ του σουσμόνο γ γ γ γ το σουσμόνο γ γ γ γ το σουσμόνο γ
and the second	Jica rilla 117E #5A - Unit Letter E, Section 28, Township 26N, Range 3W
Section of the sectio	Jicarilla 35 #2 - Unit Letter M, Section 36, Township 25N, Range 5W
3	Jicarilla 35 #8 - Unit Letter I, Section 36, Township 25N, Range 5W
ALL VALLE	Jicarilla 35 #12 - Unit Letter I, Section 35, Township 25N, Range 5W
ž.	Jicarilla 94 #6A - Unit Letter P, Section 27, Township 27N, Range 3W

## **Ed Hasely**

## **Energen Resources Corporation**

Sr Environmental Engineer ed hasely@energen com Office (505) 324-4131 Cell (505) 330-3584



District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Attached

Release Notification and Corrective Action									
1311			OPERATO	R	☐ Initial Report ⊠ Final Re		inal Report		
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1					Ed Hasely				
Address: 2010 Afton Place, Farmington, NM 87401				Telephone No: 5					
Facility Nan	ie: Jicarılla	94 #6A			Facility Type: O	ıl/Gas Well Site	· · · · · · · · · · · · · · · · · · ·	·	
Surface Owi	ner: Tribal			Mineral Own	er: Tribal		Lease No.		
				LOCATION	ON OF RELEA	SE			
Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County	
Р	27	27N	3 W	790	South	990	East	Rio Arriba	
			Lat	itude36.53922	Longitude	107 12595			
				NATUR	E OF RELEAS				
Type of Relea		LEASE			Volume of Rele		Volume Recover		
Source of Rel	ease:				Date and Hour	of Occurrence:	Date and Hour	-	
Was Immediate Notice Given?  Yes No Not Required				If YES, To Whom?  Date and Hour:			793		
By Whom?						Date and Hour:			
Was a Watercourse Reached?			If YES, Volume Impacting the Watercourse?						
Was a Watercourse Reached?  Yes No  If a Watercourse was Impacted, Describe Fully.*  If a Watercourse was Impacted, Describe Fully.*									
Describe Cau	se of Proble	m and Reme	dial Actio	n Taken.*				<del>(00000)</del>	,
THERE WAS NO PROBLEM OR REMEDIAL ACTION TAKEN THIS FORM IS FILLED OUT TO SERVE AS A COVER FOR LAB ANALYSES - ONLY TO SATISFY 19 15 17 13 E(4)									
Describe Area	a Affected a	nd Cleanup A	Action Ta	ken.*	The state of the s	B-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	***************************************		
regulations all public health of should their of	operators are the environment in additional ment.	re required to in the action of the failed to addition, NMOC	report and, cceptance equately 11 CD accepta	or file certain releas of a C-141 report by restigate and remed	o the best of my know e notifications and per the NMOCD marked liate contamination that t does not relieve the	form corrective a as "Final Report" at pose a threat to	ctions for releases w does not relieve the ground water, surface	thich may endate operator of listee water, huma	anger abılıty an health
	502	asels			<u>C</u>	OIL CONSER	VATION DIVI	ISION	
Signature Printed Name Ed Hasely				Approved by Distr	Approved by District Supervisor				
Title		onmental Eng	ineer		Approval Date		Expiration Date		

Conditions of Approval

Date 2/15/11

E-mail Address ed hasely@energen com

Phone: 505-324-4131 / 505-330-3584(cell)

<sup>\*</sup> Attach Additional Sheets If Necessary