District I

 $1625\;N\;$  French Dr , Hobbs, NM  $88240\;$ 

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

<u>District IV</u>

1220 S St Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

 $Form\ C-144$   $July\ 21,\ 2008$  For temporary pits, closed-loop sytems, and below-grade

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 3 St. Platicis Di., Santa i e, 101 87505
Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1 Operator ConocoPhillips Company OGRID#: 217817
Address: PO Box 4289, Farmington, NM 87499
Facility or well name State Com 42
API Number: 30-045-22588 OCD Permit Number
U/L or Qtr/Qtr G(SW/NE) Section 32 Township 31N Range 9W County. San Juan
Center of Proposed Design: Latitude 36.856998 °N Longitude 107.80000. °W NAD X 1927 1983
Surface Owner Federal X State Private Tribal Trust or Indian Allotment
Temporary Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other  String-Reinforced  Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D
X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume bbl Type of fluid  Tank Construction material  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner Type Thickness mil HDPE PVC Other
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner Type Thickness mil HDPE PVC Other
5 Alternative Method:
Submittal of an exception request is required  Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval



6 '		
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins.	titution or chi	rch)
	nunon or chu	rcnj
Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate Please specify		
7		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19 15 17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	deration of ar	proval
(Fencing/BGT Liner)	•	•
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
	<u> </u>	
Siting Criteria (regarding permitting) 19 15 17 10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.		□No.
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells		Шио
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	□Ves	$\square_{N_0}$
(measured from the ordinary high-water mark).		<sub>~</sub>
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	□No
application.		L-mail
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits)	∏ <sub>NA</sub>	_
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	"	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		_
- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site		
, , , , , , , , , , , , , , , , , , , ,	□ Uvaa	□N <sub>2</sub>
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
- Written confirmation or verification from the municipality, Written approval obtained from the municipality		
Within 500 feet of a wetland.	Yes	□No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site		<b>г</b>
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	∐No
Within an unstable area.	□Yes	□No
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological		Пио
Society, Topographic map		
Within a 100-year floodplain	Yes	No
- FEMA map	1	_ <del>_</del>

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  APIor Permit
12 Cl. 11 C. 4 P. 11 C. 4 P. 11 C. 4 P. 12 C. 12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Name
X   Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
X   Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9
NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC .
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System
Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)   On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Str	eel Tanks or Haul-off Bins On	lv: (19 15 17 13 D NMAC)				
Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required	g fluids and drill cuttings Use	attachment if more than two				
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-00	010B			
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #					
Will any of the proposed closed-loop system operations and associated activit  Yes (If yes, please provide the information No	nes occur on or in areas that i	will not be used for future:	service and			
Required for impacted areas which will not be used for future service and operations						
Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subst	-		AC			
Site Reclamation Plan - based upon the appropriate requirements of Su						
17 Stting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compiliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance						
Ground water is less than 50 feet below the bottom of the buried waste			Yes No			
- NM Office of the State Engineer - 1WATERS database search, USGS Data ob	tained from nearby wells		□N/A			
Ground water is between 50 and 100 feet below the bottom of the buried was	te		Yes No			
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search, USGS, Data obtained to the state Engineer - IWATERS database search - IWATERS data	tained from nearby wells		□N/A			
Ground water is more than 100 feet below the bottom of the buried waste			Yes No			
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained to the state of the State Engineer - twaters and the state of the State Engineer - twaters are stated as the state of the State Engineer - twaters are stated as the state of the State Engineer - twaters are stated as the state of the State Engineer - twaters are stated as the state of the State Engineer - twaters are stated as the state of the State Engineer - twaters are stated as the stated a	tained from nearby wells		□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark)	icant watercourse or lakebed, sn	nkhole, or playa lake	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site, Aerial photo, satellite imag		pplication	Yes No			
			∐Yes ∐No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist.  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification).	stence at the time of the initial ap					
Within incorporated municipal boundaries or within a defined municipal fresh water within to NMSA 1978, Section 3-27-3, as amended	vell field covered under a munici	pal ordinance adopted	Yes No			
<ul> <li>Written confirmation or verification from the municipality, Written approval oblined within 500 feet of a wetland</li> </ul>	tained from the municipality		□Yes □No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual ins	pection (certification) of the pro-	posed site	∐Yes ∐No			
Within the area overlying a subsurface mine			Yes No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and	Mineral Division					
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & N	Ameral Resources, USGS, NM (	Geological Society.	∐Yes ∐No			
Topographic map	, , , , , , , , , , , , , , , , , , , ,	,				
Within a 100-year floodplain - FEMA map			YesNo			
18						
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	h of the following items mus	st bee attached to the closi	re plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropria	ate requirements of 19 15 17	10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Si	ubsection G of 19 15 17 13 N	MAC				

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief	
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN	ľ
Signature	
e-mail address <u>crystal tafoya@conocoptallips.com</u> Telephone (505) 326-9837	
20   <u>QCD Approval:</u>   Permit Application (including clasure plan)   Closure Plan (only)   OCD Conditions (see attachment)	
OCD Representative Signature: Swatt). Why Approval Date: 10/04/2011	
Title: Compliance Office () OCD Permit Number:	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  Closure Completion Date:	
22	
Closure Method:  Waste Excavation and Removal  On-site Closure Method  Alternative Closure Method  Waste Removal (Closed-loop systems only)	
If different from approved plan, please explain	
23	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Lanks or Haul-off Bins Only.  Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities	
were utilized	
Disposal Facility Name Disposal Facility Permit Number  Disposal Facility Permit Number	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?	
Yes (If yes, please demonstrate complilane to the items below)	
Required for impacted areas which will not be used for future service and operations	
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
24	
Closure Report Attachment Checklist: Instructions Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached	
Proof of Closure Notice (surface owner and division)	
Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	İ
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	1
Site Reclamation (Photo Documentation)  On-site Closure Location Latitude Longitude NAD 1927 1983	1
On-site Closure Location Latitude Longitude NAD 1927 1785	
25	<del></del>
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify the closure complete with all applicable closure requirements and conditions are the distributions are the distributions.	nat
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan  Name (Print)  Title	
S <sub>1</sub> gnature Date	
e-mail address Telenhone	ŀ

# ConocoPhillips Company Closed-loop Plans

## Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.