submitted in lieu of Form 3160-5

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

RECEIVED

SEP 27 2011

Farmington Field Office

Sundry Notices and Reports on Wells	∃ureau of Land Management
1. Type of Well GAS	5. Lease Number SF-078913 6. If Indian, All. or Tribe Name
1. Type of Well GAS 2. Name of Operator ConocoPhillips ConocoPhillips	7. Unit Agreement Name Lindrith B Unit
ConocoPhillips	9
3. Address & Phone No. of Operator	8. Well Name & Number Lindrith B Unit 16
PO Box 4289, Farmington, NM 87499 (505) 326-9700	9. API Well No.
4. Location of Well, Footage, Sec., T, R, M	30-039-22549
Unit A (NENE), 790' FNL & 790' FEL, Section 21, T24N, R3W, NMPM	10. Field and Pool Lindrith Gallup-Dakota, West
	11. County and State Rio Arriba, NM
Type of Submission Type of Action X Notice of Intent Abandonment Recompletion Non-Routine Fract Subsequent Report Plugging Non-Routine Fract Casing Repair Water Shut off Final Abandonment Altering Casing Conversion to Injection Conversion to Injectic Report Abandonment Change of Plans New Construction Non-Routine Fract Water Shut off Conversion to Injectic Report Altering Casing Casing Conversion to Injectic Report Change of Plans New Construction Non-Routine Fract Water Shut off Conversion to Injectic Report Change of Plans New Construction Non-Routine Fract Casing Repair Conversion to Injectic Report Altering Casing Conversion to Injectic Report Change of Plans New Construction Non-Routine Fract Casing Repair Conversion to Injectic Report Change of Plans New Construction Non-Routine Fract Casing Repair Conversion to Injectic Report Change of Plans New Construction Non-Routine Fract Casing Repair Conversion to Injectic Report Change of Plans New Construction Non-Routine Fract Casing Repair Conversion to Injectic Report Conversion to Injectic Report Change of Plans New Construction Non-Routine Fract Casing Repair Conversion to Injectic Report Co	X Other - Payadd
3. Describe Proposed or Completed Operations ConocoPhillips requests permission to add Gallup pay to the subject well per the attached	I procedure and current wellbore schematic.
Submit COL TO Agencies holder in behale Remedia 14. I hereby certify that the foregoing is true and correct. Signed Lafoya Crystal Tafoya Title Staff!	Regulatory Technician Date 9/27/1
(This space for Federal or State Office use) APPROVED BY Original Signed: Stephen Mason Title CONDITION OF APPROVAL, if any: Title 18 US C Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction	Date SEP 2 7 2011

LINDRITH B Unit #16

Unit A, Section 21, Township 24N, Range 03W Rio Arriba Co., NM API#: 3003922549

> Gallup Payadd Sundry Revised 9/19/11

Procedure:

- 1. MIRU service rig. TOOH with current tubing string.
- 2. MIRU wireline unit. RIH with a gauge ring for 4-1/2" 11.60#/ft casing. POOH
- 3. RIH with a 4-1/2" CBP and set at +/- 7410'. POOH
- 4. Pressure test the casing to 600psi.
- 5. MIRU wireline, run a GR/CCL/CBL log from 7350' to surface. The CBL will be used to determine an accurate TOC and the GR will be used to determine formation tops. Remedial cement work will be completed as needed.
- 6. Perforate and fracture stimulate the Gallup formation.
- 7. Open well to flow back frac on clean-up.
- 8. Set a CBP over the Gallup formation.
- 9. RIH with mill and drill out the plug over the Gallup.
- 10. Obtain a Gallup flowrate up the annulus on a ½" choke to the atmosphere and collect a gas sample.
- 11. RIH with mill, drill out plug @ 7779'.
- 12. Cleanout to PBTD @ 7580'. Land production tubing and obtain a commingled flowrate up the annulus on a ½" choke to the atmosphere.
- 13. Release service rig and turn over to production.

District I

1625 N French Dr , Hobbs, NM 88240 Phone (575) 393-6161 Fax (575) 393-0720

District II

811 S First St , Artesia, NM 88210 Phone (575) 748-1283 Fax (575) 748-9720 District III 1000 Rio Brazos Rd, Aztec, NM 87410

Phone (505) 334-6178 Fax (505) 334-6170 District IV

1220 S St Francis Dr , Santa Fe, NM 87505 Phone (505) 476-3470 Fax (505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-102 August 1, 2011

Permit 138397

RCVD OCT 11'11 OIL CONS. DIV. DIST. 3

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number	2 Pool Code	3 Pool Name				
30-039-22549	39189	LINDRITH GALLUP-DAKOTA,WEST				
4 Property Code 31778	5 Prope LINDRIT	6 Well No 016				
7 OGRID No	•	tor Name	9 Elevation			
217817		LIPS COMPANY	7147			


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
Α	21	24N	03W		790	N	790	Е	RIO ARRIBA	١	

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Т	Township	Range	Lot	ldn	Feet From	N/S L	ıne	Feet From	E/W Line	County
12 Dedicated Acres			13 J	oint or Infill		14	Consolidation (Code			15 Order No	
160 00		1				}						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division

Crystal Tafoya E-Signed By. Title Staff Regulatory Tech

Date: 10/10/2011

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief

Surveyed By: H.A. Carson, Jr. Date of Survey 9/23/1980 Certificate Number. 5063