District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Aricsia. NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or  Proposed Alternative Method Permit or Closure Plan Application  Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request  Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
I. Operator: Chevron Midcontinent, LP OGRID #: 241333
Address: Post Office Box 36366, Houston, TX 77236
Facility or well name: Rincon Unit No. 186M
API Number: 30-039-25406 OCD Permit Number:
U/L or Qtr/Qtr Our/Otr L Section 33 Township 27N Range 7W County: Rio Arribà
Center of Proposed Design: Latitude 36. 5267726 Longitude -107.58564146 NAD: 1927 1983
Surface Owner:  Federal  State  Trivate Tribal Trust or Indian Allotment
Surface Owner:  Federal State Private Tribal Trust or Indian Allotment    Pit: Subsection F or G of 19.15.17.11 NMAC
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other
String-Reinforced
String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L Olivons. Divonst. 3
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation:  P&A  Drilling a new well  Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other
Liner Seams:  Welded  Factory Other
☑ Below-grade tank:       Subsection For 19.15.17.11 NMAC:         Volume:       _95       _bbl       Type of fluid:       _Produced Water
Tank Construction material: Steel
Secondary containment with leak detection X Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thicknessmil
5.  Alternative Method:  Submittal of an expection request is required. Exceptions must be submitted to the Sexta Fo Favirodemental Bureau office for consideration of approprial.

6.  Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate: Please specify	hospital,			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC  12"x-24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please clieck a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for			
10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptant material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency; or cavitation pits and below-grade tanks)  Visual inspection (certification) of the proposed site; Aërial photo; Satellite image	☐ Yes ☐ No ☐ NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  Visual inspection (certification) of the proposed site; Aérial photo; Satellite image				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No			
Within 500 feet of a wetland US Fish and Withlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No			
Within a 100-year floodplain FEMA map				

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18; if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Parngraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations: - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H₂S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative  Proposed Closure Method: Waste Excavation and Removal  Waste Removal (Closed-loop systems only)  On-site Closure Method (Only for temporary pits and closed-loop systems)  In-place Burial On-site Trench Burial  Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Maste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Bach of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.    Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC   Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)   Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC   Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.1 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	O NMAC) nore than two			
Disposal Facility Name: Disposal Facility Permit Number:				
Disposal Facility Name: Disposal Facility Permit Number:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future ser Yes (If yes, please provide the information below) No	vice and operations?			
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	c			
17. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sound provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist. considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justi demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be			
Ground water is less than 50 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site	☐ Yes.☐ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No			
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐, No			
Within a 100-year floodplain FEMA map	Yes No.			
18.  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Bach of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (If applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of 50.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				

19. Operator Application Certification:			
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.			
Name (Print): Title:			
Signature: Date:			
e-mail address:			
20.  OCD Approval: Permit Application (including closure plan) Σ Closure Plan (σπίγ). OCD Conditions (see attachment)			
OCD Representative Signature: Approval Date: 10/31/2011			
Title: Compliance office OCD Permit Number:			
21. <u>Closure Report (required within 60 days of closure completion):</u> Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report.  The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.			
☐ Closure Completion Date: August 5, 2011			
22   Closure Method:			
23.  Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.			
Disposal Facility Name: Disposal Facility Permit Number:			
Disposal Facility Name: Disposal Facility Permit Number:			
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) No			
Required for impacted areas which will not be used for future service and operations:    Site Reclamation (Photo Documentation)			
Soil Backfilling and Cover Installation			
Re-vegetation Application Rates and Seeding Technique			
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.			
Proof of Closure Notice (surface owner and division) See Attached			
Proof of Deed Notice (required for on-site closure) Not Required  Plot Plan (for on-site closures and temporary pits) Not Required			
Confirmation Sampling Analytical Results (if applicable) See Attached			
Waste Material Sampling Analytical Results (required for on-site closure) Not Required  □ Disposal Facility Name and Permit Number Envirotech Landfarm #2, NM-01-0011			
Soil Backfilling and Cover Installation See Attached			
Re-vegetation Application Rates and Seeding Technique Site still in use, will re-vegetate pursuant to the BLM MOU upon decommission of site.  Site Reclamation (Photo Documentation) See Attached			
On-site Closure Location: Latitude Longitude NAD: 1927 1983			
25.			
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print): Ms/Laura Clenney Title: Facilities Engineer			
Signature: 10/7///			
e-mail address: laura clennev@chevron.com Telephone: (281) 881-0322			



October 17, 2011

Project Number 92270-0824

Mr. Brandon Powell New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

Phone (505) 334-6178 brandon.powell@state.nm.us

RE: BELOW-GRADE TANK CLOSURE DOCUMENTATION FOR THE RINCON #186M WELL SITE, RIO ARRIBA COUNTY, NEW MEXICO

Dear Mr. Powell:

On behalf of Chevron North America please find enclosed the Below Grade Tank (BGT) Closure Plan, Form C-141, Form C-144 and required documents for BGT closure activities conducted at the Rincon #186M well site located in Section 33, Township 27 North, Range 7 West, Rio Arriba County, New Mexico.

This report details sample results above the regulatory limit for total petroleum hydrocarbons (TPH), confirming a release had occurred; see attached *Analytical Results*. However, the sample returned results below the cleanup standards determined for the site. Envirotech, Inc. recommends no further action in regards to this incident.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

ENVIROTECH, INC.

RCVD OCT 27'11

OIL CONS. DIV.

DIST. 3

Toni McKnight, ELP

Environmental Project Manager tmcknight@envirotech-inc.com

1 millelmit

Enclosures: Below Grade Tank Closure Plan

Form C-141

Form C-144 and Required Documents

Email Cc: Ms. Laura Clenney – Chevron NA

Mr. Don Lindsey – Chevron NA

## BELOW GRADE TANK (BGT) CLOSURE PLAN

#### SITE NAME:

RINCON #186M WELL SITE
UNIT LETTER L, SECTION 33, TOWNSHIP 27N, RANGE 7W
RIO ARRIBA COUNTY, NEW MEXICO
LATITUDE: N36.528293° LONGITUDE: W107.586119°

#### SUBMITTED TO:

MR. BRANDON POWELL
NEW MEXICO OIL CONSERVATION DIVISION
1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO 87410
(505) 334-6178 EXT 15

#### SUBMITTED BY:

MR. DON LINDSEY
CHEVRON NORTH AMERICA
POST OFFICE BOX 370
AZTEC, NEW MEXICO 87410
(432) 687-7123

INITIALLY SUBMITTED WITH BGT PERMIT
MARCH 2010

#### BELOW GRADE TANK (BGT) CLOSURE PLAN CHEVRON NORTH AMERICA RINCON #186M WELL SITE RIO ARRIBA COUNTY, NEW MEXICO

#### **TABLE OF CONTENTS**

NTRODUCTION	1
SCOPE OF CLOSURE ACTIVITIES	1
REPORTING	3

#### Introduction

Chevron North America would like to submit a closure plan for the below grade tank (BGT) at the Rincon #186M well site located in the NW ¼ SW ¼ of Section 33 Township 27 North, Range 7 West, Rio Arriba County, New Mexico. This closure plan has been prepared in conformance with New Mexico Oil Conservation Division (NMOCD) procedures.

#### SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure plan is to provide the details of activities involved in the closure of the BGT at the Rincon #186M well site. The following scope of closure activities has been designed to meet this objective:

- Chevron North America shall submit a closure plan to the division's environmental bureau. Upon receipt of this plan the division shall review the current closure plan for adequacy and accordance with 19.15.17.9 Subsection C NMAC and 19.15.17.13 NMAC.
  - a. Closure Plan was submitted on March 1, 2010, to the division's environmental bureau, in accordance with 19.15.17.9 Subsection C NMAC and 19.15.17.13 NMAC. The closure plan was approved on September 12, 2011, by Mr. Brad Jones of the NMOCD, Santa Fe Office.
- 2) No less than 72 hours and no greater than one (1) week prior to BGT removal Chevron North America will provide written notification to the appropriate division district office, as in accordance with 19.15.17.13 Subsection J Paragraph (2) NMAC.
  - a. Please find attached the written notification to the district office sent on August 8, 2011.
- 3) Chevron North America shall provide written notification to the surface owner no later than 24 hours prior to BGT removal. BLM will receive notification per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC.
  - a. Please find attached the written notification and certified mail certificate for landowner notification sent on July 21, 2011.
- 4) Chevron North America or a contractor acting on behalf of Chevron will remove all liquids, and/or sludge, if applicable, prior to closure. Material will be disposed of at Envirotech's Landfarm, Permit # NM-01-0011, as in accordance with 19.15.17.13 Subsection E Paragraph (1) NMAC.
  - All waste material was removed from the BGT by Riley Industrial Services and transported to Envirotech's NMOCD permitted Landfarm #2 as listed above; see attached Bill of Lading.
- 5) Chevron North America or a contractor acting on behalf of Chevron will remove the BGT and all on-site equipment associated with this BGT that cannot or will not be reused on-site, as in accordance with 19.15.17.13 Subsection E Paragraphs (2) and (3) NMAC.
  - a. Chevron has removed the BGT and associated equipment that will not be reused on-site; see attached Site Photography.

6) Once the BGT is removed a five (5) - point composite sample will be collected from directly below the tank or below the leak detection system if present. An additional discrete sample will be collected from any area that is wet, discolored, or showing other evidence of a release. All samples being collected will be analyzed for benzene and total BTEX using USEPA Method 8021, TPH using USEPA Method 418.1, and chlorides using USEPA 300.1, as in accordance with 19.15.17.13 Subsection E Paragraph (4) NMAC.

7	`
	1
•	ł
•	,

Sample ID		TPH (418.1)	Benzene	BTEX	Total Chlorides
	5-Pt.	4316 ppm	<0.0009	0.0016	40 ppm
Co	mposite		ppm	ppm	•

- Depending on soil sample results the area will be either backfilled or the area will be excavated.
  - a. If soil samples pass the regulatory standards of 0.2 ppm benzene, 50 ppm BTEX, 100 ppm TPH, and 250 ppm or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection E Paragraph (4) NMAC.
    - i. Chevron North America or a contractor acting on behalf of Chevron will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC.
      - 1. BGT pit was backfilled with clean earthen material in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC.
    - ii. Upon decommissioning of the well site Chevron North America or a contractor acting on behalf of Chevron will construct a divisonprescribed soil cover, substantially restore, recontour and re-vegetate the site, in accordance with 19.15.17.13 Subsections G, H, and I NMAC.
      - 1. Well site is still in use re-vegetation will occur upon the decommissioning of the well site.
  - b. If soil samples exceed the regulatory standards stated above.
    - i. Chevron North America will submit a Release Notification by Form C-141 to the appropriate division district office, in accordance with 19.15.17.13 Subsection E Paragraph (4) NMAC.
      - 1. C-141 release notification form is attached.

Below Grade Tank (BGT) Closure Plan Chevron North America Rincon #186M Well Site Page 3

- ii. Activities beyond this point will be in accordance with 19.15.3.116 NMAC and 19.15.11.19 NMAC.
  - Upon Envirotech's arrival, the closure standard for the site was determined to be 1.000 ppm TPH and 100 ppm organic vapors in accordance with New Mexico Oil Conservation Division (NMOCD) Guidelines for the Remediation of Leaks, Spills, and Releases.
  - 2. Additionally, the sample was analyzed at Envirotech's Analytical Laboratory for TPH using USEPA Method 8015. The sample returned results below the closure limit for this site. Therefore, no remedial action was taken.

Sample ID	TPH (8015)	Benzene BTEX	Total Chlorides
5-Pt. Composite	0.5 ppm	<0.0009 0.0016 ppm ppm	40 ppm

#### REPORTING

Reporting will occur within 60 days following the BGT closure and will consist of a form C-144 with all supporting data, and a form C-141 with all supporting data, if necessary. The supporting data will include analytical results, a site diagram, and other information related to the onsite activities.

We appreciate the opportunity to be of service. If you have any questions or require further information, please do not hesitate to contact our office at (505) 632-0615.

Respectfully Submitted:

Chevron North America

Don Lindsey

Chevron North America

**Exploration & Production Company** 

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Form C-141
Revised October 10, 2003
Submit 2 Copies to appropriate

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

	Release Notification and Corrective Action											
				OPERA?			<b>⊠</b> Initia	al Report		Final Report		
Name of Company: Chevron Midcontinent, LP Address: Post Office Box 36366, Houston, TX 77236					Laura Clenney							
		1 Unit No. 1		1 X //230			No. (281) 881-03 e: Gas Well	322		<del></del>	<del></del>	
Surface Ow				Minami					I I and a N	T NI/A		
Surface Ow	ner: reder	aı		Mineral O					Lease N	lo.: N/A		
	10.3					OF RE		T =				
Unit Letter L	Section 33	Township 27N	Range 7W	Feet from the 1670		South Line South	Feet from the 1240		West Line West	County Rio Arriba		
			Latitu	de <u>36.526772°</u>		Longitude_	-107.5856414	o				
<u></u>				NAT	URE	OF REL						
Type of Rele		ed Water w Grade Tank					Release: Historic			Recovered: N Hour of Dis		
			·			Unknown		.c.	August 5		LOVELY.	•
Was Immedi	ate Notice (		Yes [	No 🛛 Not Re	quired	If YES, To	Whom?					
By Whom?						Date and I-						
Was a Water	course Read		Yes 🗵	No		If YES, Vo	olume Impacting I	the Wat	ercourse.			
If a Watercou		pacted, Descr d.	ibe Fully.									
Describe Car	se of Probl	em and Reme	dial Actio	n Taken.*	<del>- ,</del>							<del></del>
Produced wa	ter from a g	as well at the	above me	ntioned location fo								
				from directly ben occurred. Howev								
				site using USEPA			•		•			
Describe Are	a Affected	and Cleanup A	Action Tal	en.*				·				· · · · · · · · · · · · · · · · · · ·
				from directly ber								
using USEP	Method 8	015, benzene	and total I	PA Method 418.1, BTEX using USEI	A Met	nod 8021 and	for total chloride	atory to s using i	USEPA Me	thod 4500B	The s	s (1rn) sample
returned resu	lts above th	e 'Pit Rule" s	tandard of	100 mg/kg TPH	úsing U	SEPA Metho	d 418.1, confirmi	ng that a	a release ha	d occurred.	A brie	f site
				anup standards wanted the Releases. The sa								
		ults are attach			-		_	·	•			
I hereby cert	fy that the	information gi	iven above	is true and comp	lete to t	he best of my	knowledge and u	ndersta	nd that pur	suant to NM	OCD n	ules and
				nd/or file certain rece of a C-141 repo								
should their	perations h	ave failed to	adequately	investigate and r	emediat	e contaminati	ion that pose a thr	eat to g	round water	r, surface wa	ter, hu	man health
or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.												
/	OIL CONSERVATION DIVISION											
Signature:												
Printed Name	e: Laura Ci	lennev		$\partial$		Approved by	District Supervis	or:				
Title: Facilities Engineer Approval Date: Expiration Date:												
E-mail Addr	ess: laura.c	lenney@chev	ron.com			Conditions of Approval:				Attached	П	
Date:	0/17/1	1	Phone	281-881-0322	-						_	
	Attach Additional Sheets If Necessary											

District I'
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

#### **Release Notification and Corrective Action OPERATOR** Initial Report Final Report Name of Company: Chevron Midcontinent, LP Contact: Ms. Laura Clenney Address: Post Office Box 36366, Houston, TX 77236 Telephone No. (281) 881-0322 Facility Name: Rincon Unit No. 186M Facility Type: Gas Well Surface Owner: Federal Mineral Owner: Lease No.: N/A LOCATION OF RELEASE Township East/West Line Unit Letter Feet from the North/South Line Section Range Feet from the County 27N 1670 West L 7W South 1240 Rio Arriba Latitude\_36.526772° Longitude -107.5856414° NATURE OF RELEASE Type of Release: Produced Water Volume of Release: Historical Volume Recovered: Not Applicable Source of Release: Below Grade Tank Date and Hour of Occurrence: Date and Hour of Discovery: Unknown August 5, 2011 Was Immediate Notice Given? If YES, To Whom? ☐ Yes ☐ No ☒ Not Required By Whom? Date and Hour If YES, Volume Impacting the Watercourse. Was a Watercourse Reached? Yes No If a Watercourse was Impacted, Describe Fully.\* No watercourse impacted Describe Cause of Problem and Remedial Action Taken.\* Produced water from a gas well at the above mentioned location formerly discharged into a Below Grade Tank (BGT) on location. The Below Grade Tank was removed on August 5, 2011. Soil sampling from directly beneath the tank in accordance with Subsection E of 19.15.17.13 NMAC was performed on August 5, 2011, and indicated that a release had occurred. However, the composite sample collected from below the BGT returned results below the regulatory cleanup standards determined for the site using USEPA Method 8015. Describe Area Affected and Cleanup Action Taken.\* A five (5)-point composite sample was collected from directly beneath the former BGT once it was removed. The sample was analyzed in the field for total petroleum hydrocarbons (TPH) using USEPA Method 418.1, and in Envirotech's Analytical Laboratory for total petroleum hydrocarbons (TPH) using USEPA Method 8015, benzene and total BTEX using USEPA Method 8021 and for total chlorides using USEPA Method 4500B. The sample returned results above the 'Pit Rule" standard of 100 mg/kg TPH using USEPA Method 418.1, confirming that a release had occurred. A brief site assessment was conducted and the regulatory cleanup standards were determined to be 1000 ppm TPH and 100 ppm organic vapors pursuant to NMOCD Guidelines for Remediation of Spills, Leaks, and Releases. The sample returned results below the regulatory cleanup standards for all constituents analyzed. Analytical results are attached for your reference. I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. OIL CONSERVATION DIVISION Signature: Approved by District Supervisor: Printed Name: Laura Clenney Title: Facilities Engineer Approval Date. **Expiration Date:** E-mail Address: laura.clenney@chevron.com Conditions of Approval: Attached

Phone: 281-881-0322

<sup>\*</sup> Attach Additional Sheets If Necessary



#### FIELD REPORT NORM TESTING VERIFICATION

GSM-525-5# 10116

Instrument I.D.

	t: <u>Ch<i>evre</i></u> No:!		ject #: <u>92270-0</u> e:8/5///	0824
				. ,
LOCAT	NAME: RI	ncon Unit#186M API# 30039	25406	
	QUAD/UNIT	: L SEC: 33 TWP: 27N	RNG: 7W P	M: NM
	COUNTY:	REO Arriba STATE New		
	4	, _	107.585644	
PA BACKGI SCIN	ROUND READII ANCAKE PROBE ROUND READII ITILLATION PROB	NG PROBE 1: <u>0-0</u> 2 ALLOWABLE CONCENTRATI NG PROBE 2: <u>9</u> ALLOWABLE CONCENTRATI	ON (2 TIMES BACKRO ON (2 TIMES BACKRO	und): <u>0.04</u> und): <u>/</u> P
TIME	SAMPLE. I.D.	SAMPLE DESCRIPTION	CONCENTR	
	_	***************************************	PROBE 1	PROBE 2
3:	BGT_	outside nim and pipe truly openings	0.02	9
	7 3	·		
	· · · · · ·			
		í		
	J.	,		
	<del> </del>			
	3,			·
	<u> </u>		<del> </del>	
	<del> </del>			
	<del> </del> -			
	:			,
, ,	<del>                                     </del>			
	<u> L</u>			
	<i>a</i>			



August 10, 2011

Project No. 92270-0824

Mr. Don Lindsey

Chevron North America

P.O. Box 730

Aztec, New Mexico 87410

Email: llin@chevron.com

Phone: (505) 320-3549 Fax: (505) 334-7134

LEAD SAMPLING REPORT FOR THE RINCON UNIT #186M LOCATED IN RIO ARRIBA COUNTY, NEW

Dear Mr. Lindsey,

On August 8, 2011, Certified Inspector Donald Ortiz collected one (1) suspect sample of lead paint from the Rincon Unit #186M located in Rio Arriba County, New Mexico.

The sample was shipped priority overnight for analysis under Chain of Custody Record No. L42777 to EMC Laboratories, Phoenix, Arizona, EMC is a NVLAP Certified Analytical Laboratory, NVLAP No. 101926-0.

The following table shows a detailed breakdown of the sampling results:

SAMPLE #	LOCATION // DESCRIPTION	RESULTS (%PB)
O-5478	Rincon Unit #186M – Paint	BRL

<sup>\*</sup>BRL=Below Recordable Limits

As per the attached results, the one (1) sample of paint collected from the Rincon Unit #186M resulted in Below Recordable Limits (BRL) for lead based paint. This material is designated as non-lead containing paint and can be removed or disturbed by regular construction personnel using the proper personal protection equipment.

We appreciate the opportunity to provide service and look forward to working with you in the future. If you have any questions or need additional information, please contact us at (505) 632-0615.

Sincerely,

ENVIROTECH, INC.

Donald P. Ortiz

Field Operations Manager dortiz@envirotech-inc.com

Attachment: Analytical Results

DPO:rim/Office/Client/ACM/92270Chevron/92270-0824RinconUnit#186M/LeadSamplingResults.doc



9830 South 51st Street, Suite B-109 / PHOENIX, ARIZONA 85044 / 480-940-5294 or 800-362-3373 / FAX 480-893-1726 emclab@emclabs.com

#### **LEAD (Pb) IN PAINT CHIP SAMPLES** EMC SOP METHOD #L01/1 EPA SW-846 METHOD 7420

EMC LAB	#:	L42777	·	DATE RECEIVE	ED:	8/9/11
CLIENT:		Envirotech		REPORT DATE:		8/9/11
				DATE OF ANAL	YSIS:	8/9/11
CLIENT A	DDRESS:	5796 US Hwy 64 Farmington, NM		P.O. NO.:	12	224
PROJECT	NAME:	Chevron North A	merica / Rincon Unit 186M	PROJECT NO.:	92270	0-0824
<b>EMC</b> # L42777-	SAMPLE DATE/11	CLIENT SAMPLE #	DESCRIPTIO	N	REPORTING LIMIT (%Pb by welght)	%Pb BY WEIGHT
1	8/8	0-5478	Rincon Unit 186M - Paint		0.012	BRL

A = Dilution Factor Changed \* = Excessive Substrate May Bias Sample Results BRL = Below Reportable Limits # = Very Small Amount Of Sample Submitted, May Affect Result

This report applies to the standards or procedures identified and to the samples tested only. The test results are not necessarily indicative or representative of the qualities of the lot from which the sample was taken or of apparently identical or similar products, nor do they represent an ongoing quality assurance program unless so noted. Unless otherwise noted, all quality control analyses for the samples noted above were within acceptable limits.

Where d is noted that a sample with excessive substrate was submitted for laboratory analysis, such analysis may be biased. The lead content of such sample may, in actuality, be greater than reported. EMC makes no warranty, express or implied, as to the accuracy of the analysis of samples noted to have been submitted with excessive substrate. Resampling is recommended in such situations to verify original laboratory results

**QA COORDINATOR:** 

These reports are for the exclusive use of the addressed client and are rendered upon the condition that they will not be reproduced wholly or in part for advertising or other purposes over our signature or in connection with our name without special written permission. Samples not destroyed in testing are retained a maximum of sixty (60) days.

**ANALYST:** Jason Thompson

Rev. 11/30/08

Page 1 of 1

#### **CHAIN OF CUSTODY**

EMC Laboratories 9830 S. 51<sup>8T</sup> St., Ste B-109 Phoenix, AZ 85044 (800) 362-3373 Fax (480) 893-1726 TAT: Rush
Rec'd: AUG 0 9 AM.
EMC USE ONLY 0 9 AM.

COMPANY NAME	: ENVIROTECH			BILL TO:		(if Different L	ocation)
	5796 US Hwy 64				•		
	Farmington, NM 8	7401					
CONTACT:	Rocky Martinez			Scan COC			
Phone/Fax:	505-486-0185 / 50	5-632-1865	٠				
Email:	rmartinez@envirotechii	rmartinez@envirolechinc.com					
Now Accepting	g: VISA - MASTERCA	ARD	Price Quote	d: \$	/ Sample	\$/ Lay	ers
COMPLETE	ITEMS 1-4: (Fallure	to complete a	ny Items may cause a de	elay in proce	essing <b>or ana</b>	iyzing your s	amples)
**** <u>Prior</u> confirmat ****Additional chai ****Laboratory and 2. TYPE OF	tion of turnaround time is <u>rec</u> rges for rush analysis (please alysis may be subject to delay ANALYSIS: [Buik- LINSTRUCTIONS:	utrad call marketing de rif credit terms are PLM] [Air-PCN		] [Fungi: A m samples t	OC, W-C, Bu	xpense]	e]
4. Project N	ame: Chevron North A	merica / Rinco	on Unit 186M		9		
P.O. Numbe	r: 1224		Project Number:	92270-	0824		
EMC SAMPLE#	CLIENT SAMPLE #	DATE & TIME SAMPLED	LOCATION/MATER TYPE	IAL.	Samples Accepted Yes / No	AIR SAMPLE INFO ON OFF	/ COMMENTS FLOW RATE
	O-5478	08-08-2011	Rincon Unit 186M - P	eint	m(m)		
					Y N		
	····	,			YN		···
					Y N		
	•.				Y N		
				······································	YN		
į.					Y N		
					Y N		
					YN		
		<del>                                     </del>			Y N		<del></del>
		1			Y N	<del></del>	
		<del>                                     </del>			YN		<del>-  </del>
		<b> </b>			YN	<del>  </del>	
	·					<u> </u>	
SPECIAL INSTI	PLICTIONS:	<u></u>			,		
Sample Collecto			(Signature)	DANK	Makhar	·····	
•	r: Rocky Martinez		(Signature) 8/08/11 08:07AM Receive		Tedo	new Date/	Tim 8/4/2
Relinquished by	The Color		0 1 920			Date/Time	-1:1' de -
Relinquished by		Date/Time	Received by		De	ate/Time:	
	nd venué will be in Pl		bove parties for these a and prevailing party				



#### **Field Chloride**

Client:

Chevron North America

Project #:

92270-0824

Sample No.:

1

Date Reported:

8/29/2011

Sample ID:

**BGT Composite** 

6/28

Sample Matrix:

Soil

Date Sampled:
Date Analyzed:

8/5/2011 8/5/2011

Preservative:

Cool

Analysis Needed:

Chloride

Condition:

Cool and Intact

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Field Chloride	ND	33.0

ND = Parameter not detected at the stated detection limit.

References:

"Standard Methods for the Examination of Water and Wastewater", 18th ed., 1992

Hach Company Quantab Titrators for Chloride

Comments: Rincon #186M

Analyst

Review

Crystal Delgai

Printed

Toni McKnight, EIT

Printed



#### **EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS**

Client:

Chevron North America

Sample No.: Sample ID:

**BGT Composite** 

Sample Matrix: Preservative:

Soil Cool

Condition:

Cool and Intact

Project #:

92270-0824

Date Reported:

8/29/2011

Date Sampled:

8/5/2011

Date Analyzed:

8/5/2011

Analysis Needed:

TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

4,320

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

Rincon #186M

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Crystal Delgai

Printed

Review

Toni McKnight, EIT

Printed



#### **CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS**

Cal. Date:	5-Aug-11		
Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
TPH	100 200 500	209	
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Man Cold for	8/29/2011
Analyst /	Date
Crystal Delgai	
Print Name	
Tom Melineta	8/29/2011
Review	Date
Toni McKnight, EIT	

**Print Name** 



## **EPA METHOD 8015 Modified** Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

· · · · · · · · · · · · · · · · · · ·			
Client:	Cheyron	Project #:	92270-0824
Sample ID:	<b>BGT Composite</b>	Date Reported:	08-08-11
Laboratory Number:	59191	Date Sampled:	08-05-11
Chain of Custody No:	12303	Date Received:	08-05-11
Sample Matrix:	Soil	Date Extracted:	08-08-11
Preservative:	Cool	Date Analyzed:	08-08-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
		* #
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.5	0.1
Total Petroleum Hydrocarbons	0.5	~

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

Rincon 186M



#### EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

### **Quality Assurance Report**

-			
Client:	QAQC	Project #:	N/A
Sample ID:	08-08-11 QA/QC	Date Reported:	08-08-11
Laboratory Number:	59191	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-08-11
Condition:	N/A	Analysis Requested:	TPH
			yty v v

	I-Cal Date	J-Cal RE:	C-Cal RF: %	Difference (Acc	ent Range
Gasoline Range C5 - C10	08/08/11	9.996E+02			0 - 15%
Diesel Range C10 - C28	08/08/11	9.996E+02	1.000E+03	0.04%	0 - 15%

Blank Conc. (mg/Lmg/Kg)	Con	centration.		Detection Limit
Gasoline Range C5 - C10	å.	9.7	ر مر <sup>د</sup> .	0.2
Diesel Range C10 - C28	,	ND .	,	0.1

Duplicate Conc. (mg/Kg)	Sample,₌	Duplicate	% Difference	Range
Gasoline Range C5 - C10	. ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	0.5	0.5	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	NĎ	250	230	92.0%	75 - 125%
Diesel Range C10 - C28	0.5	250	<b>258</b> .	103%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 59191

alyst



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	.Chevron	Project#:	92270-0824
Sample ID:	BGT Composite	Date Reported:	08-08-11 <sup>-</sup>
Laboratory Number:	59191	Date Sampled:	08-05-11
Chain of Custody:	12303	Date Received:	´08-05-11
Sample Matrix:	Soil	Date Analyzed:	08-08-11
Preservative:	Cool	Date Extracted:	08-08-11
Conditión:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	,
Benzene	ND	0.9	
Toluene Ethylbenzene p,m-Xylene	1.6 ND ND	1.0 1.0 1.2	, <i>6</i>
o-Xylene	ND:	0.9	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	102 %
že.	1,4-difluorobenzene	98.2 %
ξ*	Bromochlorobenzene	94.5 %

References:

**Total BTEX** 

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Rincon 186M

Arrallyst



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	N/A	Project #:	N/A
Sample ID:	0808BBLK QA/QC	Date Reported:	08-08-11
Laboratory Number:	59191	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-08-11
Condition:	N/A	Analysis:	BTEX
	· '7	Dilution:	10

the first the second of the se	,		Jaquon:	10		
Calibration and	I-Cal RF:	C-Cal RF:	%Diff.	Blank	Detect	
Detection Limits (ug/L)		Accept Rang	e 0 - 15%	Conc	Limit	
Benzene	3.1407E+006	3.1470E+006	0.2%	ND	0.1	. :
Toluene	3.3980E+006	3.4049E+006	0.2%	ND	0.1	
Ethylbenzene	3.0569E+006	3.0631E+006	0.2%	ND	0.1	
p,m-Xylene	8.5645E+006	8.5817E+006	0.2%	ND.	0.1	
o-Xylene	2.9003E+006	2.9062E+006	0.2%	ND	0.1	٠,

- V-199 - 1 3 1			-,*		
Duplicate Conc. (ug/Kg)	Sample Du	plicate <	%Diff.	Accept Range	Detect Limit
					,,
Benzene	ND	ND	0.0%	0 - 30%	. 0.9
Toluene	1.6	1.5	6.3%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)®	. (Sample / Amo	unt Spiked Spik	ed Sample 3 %	Recovery	Accept Range
Benzene	ND	500	490	98.0%	39 - 150
Toluene	1.6	500	496	98.9%	46 - 148
Ethylbenzene	ND ·	500	498	100%	32 - 160
p,m-Xylene	ND	1000	989	98.9%	46 - 148
o-Xylene	ND	500	495	98.9%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photolonization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 59191



Client: Sample, ID: Chevron

Project #: Date Reported: 92270-0824

Lab ID#:

**BGT Composite** 59191

Date Sampled:

08/08/11 08/05/11

Sample Matrix:

Soil

Date Received:

08/05/11

Preservative:

Cool

Date Analyzed:

08/08/11

Condition:

Intact

Chain of Custody:

12303

**Parameter** 

Concentration (mg/Kg)

Total Chloride

40

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Rincon 186M

Analyst

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

one

## CHAIN OF CUSTODY RECORD

12303


Client			Project Name / L RIN Con	Location:	6 M			a∵ ,??.					,	ANAL	 Ysis	/ PAR	IAME	TERS	`	-	 	
Client Address:			Sampler Name: Crystal Client No.: 92270	Dei	lgai				8015) 4	d 8021)	8260)	8			0							
Client Phone No.:			Client No.: 92270	-,0%	824				TPH (Method 8015) K	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion		TCLP with H/P		TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
Sample No./ Identification	Sample Date	Sample	e lab No	Sa	ample latrix	No./Volume of Containers	Pres HgCl	servati HCI	PH (	ВТЕХ	000 000	RCR/	Catio	ဋ	TCLP	PA H	TPH (	CHLC			Samp	Samp
BGT Composite	8/5/11	1321	19 59191	Solid	Siudge Aqueous	1-402	-														Y	4
				Solid Solid	Sludge Aqueous																	
				Solid Solid	Sludge Aqueous		٤															
				Soil Solid	Sludge Aqueous						ſ											
			, i	Soil Solid	Sludge Aqueous																	
		-		Soil Solid	Sludge Aqueous																	
			, a	Soil Solid	Sludge Aqueous		ζ			<u> </u>												
,		- 1		Soil Solid	Sludge Aqueous		į															
	,		:	Soil Solid	Sludge Aqueous	, 11		-														
				Soil Solid	Sludge Aqueous		,	13														
Religioushed by: (Signat	Ul	7.	3	Fg	Date /3///	Time 16:0	<b>`~</b>			r: (Sign مصمد r: (Sign	· · ·	17	Ru	ere						Dai \$5/1	Tir 16'	me DS
Helingy/Ished by: (Signa			· · · · · · · · · · · · · · · · · · ·	7 - 5 2 - 5					· ·	, .		. ·	J							 		
Relinquished by: (Signat	ture)		, .				F	leceiv	ed by:	r: (Sign	ature)	i .										
RUSH	•	, set			3	en\ An	/ i	T(	) to	e (	Si	y										




## Bill of Lading

PHON	E: (505) 632-0615 • 57	796 U.S. HIGHWAY	64 • FARMINGT	ON, NEW M	EXICO 87	401	DATE 5	<u>-11</u>	JOB#	12270-0821
LOAD	COI	MPLETE DESCR	IPTION OF SHIP	PMENT	<u> </u>					OMPANY
NO.	POINT OF ORIGIN	DESTINATION	MATERIAL	GRID	YDS	BBLS	COMPANY	TRK#	TIME	DRIVER SIGNATURE
1	Sheuron	BFUFI	Toruk Botton	5618		10	Piley	1006	145/	Sprace ded
	186 M		DU MON			10				
			,			10				, ·
							,			·
"			,							
							· · · · · · · · · · · · · · · · · · ·			
		,								
	_		·							
		-	,		1					
			,							
	-		4							
RESUL 128		LANDFARM EMPLOYEE:	Joseph	0. 100	08-		NOTES:			
20	PAINT FILTER /	Certifica	tion of above re		lacemer	nt	3			
that no	the material hauled from the additional materials have be	en added."					ne material received	from the	above r	mentioned Generator, and
TRANS	PORTER CO. Riley	Industra:1	MAME_/	gnacio	Tole	4	SIGN	IATURE,	Sgn	ain Iduda
COMPA	NY CONTACT <u>Laura</u>	Clenky	PHONE				DATE	8-	5-,	acie Ichda 11
Signat	ures required prior to di	stribution of this	legal documen	nt.						COENT Drinting - Form 29-1717

Site Photography
Chevron North America
Rincon #186M Well Site
Below Grade Tank Closure
Project Number 92270-0824
August 5, 2011



Picture 1: Former Below Grade Tank



Picture 2: Backfilled Below Grade Tank Pit

From:

Lindsey, Don (LLIN)

To:

Powell, Brandon, EMNRD;

cc:

Clenney, Laura E; Toni McKnight;

Subject:

FW: OCD Notification: Chevron Rincon 186M, Below Ground Tank Removal planned next week

Date:

Monday, August 08, 2011 9:48:41 AM

#### Brandon.

I am sending this note to satisfy our OCD notification requirement, regarding our removal of the Below Ground Pit Tank at this location.

The Surface Owner (the BLM) has been notified via Certified Mail.

We will have Envirotec on site during the removal for sampling & remediation identification (if needed), and data gathering for the Final Report. I am CCing Envirotec with this e-mail as well.

Location specifics: Rincon 186M API 30-039-25406 Section 33 T27N R7W San Juan County, New Mexico.

Please contact me at the numbers below, should you have any questions.

Thank you,

**Don Lindsey Environmental & Health Specialist** Aztec, NM Office 505-333-1920 Cell 505-301-5576 llin@chevron.com

Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.  Print your name and address on the reverse so that we can return the card to you.  Attach this card to the back of the mailplece, or on the front if space permits.	A Gonzale Agent Addresses  B. Received by (Printer Name)  A J ZIII  C. Date of Delivery  7 ZIIII
Bureau of Land Management 1235 La Plata Huy Ste. A Farmington, NM 87401	D. Is delivery address different from Item 1?   Yes  If YES, enter delivery address below:   No
Farmington, NM 87401	
120	☐ Insured Mail ☐ C.O.D.
RINCON 186M	4. Restricted Delivery? (Extra Fee)
	4. Restricted Delivery? (Extra Fee)



VIA CERTIFIED MAIL

July 20, 2011

Farmington Field Office Bureau of Land Management 1235 La Plata Highway, Suite A Farmington, NM 87401

RE: RINCON 186M WELL SITE: BELOW GRADE TANK CLOSURE NOTIFICATION

To Whom It May Concern,

This letter serves as surface owner notification for Below Grade Tank closure activities at the Rincon 186M well site, owned and operated by Chevron Midcontinent, L.P. The Rincon 186M is located in Section 33 T27N R7W, San Juan County, New Mexico. Closure activities are anticipated to occur and be completed during the month of August, 2011.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact me at (505) 333-1920.

Respectfully Submitted,

Don Lindsey

**Environmental Specialist** 

Chevron Mid-Continent

llin@chevron.com