District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505

For temporary pits, closed-loop systems, and

below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD

District Office.
Proposed Alternative Method Parmit on Cleaves Plan Application
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
lease be advised that approval of this request does not relieve theoperator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1. OperatorEnergen Resources
Address: 2010 Afton Place, Farmington, New Mexico 87401
Facility or well name: Atlantic 5 #2
API Number. 3004528667 OCD Permit Number
U/L or Qtr/Qtr M Section 5 Township 30N Range 10W County: San Juan .
Center of Proposed Design: Latitude <u>36.83615</u> Longitude <u>-107 91077</u> NAD: ☐1927 ☐ 1983
Surface Owner S Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15.17.11 NMAC RECEIVED
Pit: Subsection F or G of 19 15.17.11 NMAC RECEIVED
Temporary: Drilling Workover
Pit: Subsection F or G of 19 15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
☐ String-Reinforced Liner Seams: ☐ Welded ☐ Factory ☐ Other Volume: bbl Dimensions: L. x W 20667 871 1790
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W X D
Closed-loop System: Subsection H of 19.15.17.11 NMAC There of Operators III Br. A. III Drilling a result of Workeyer or Drilling (Applies to activities which require price approval of a pownit or notice of
Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
Liner Seams: Welded Factory Other
4.
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volumebbl Type of fluid:Produced Water
Tank Construction material:
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner X Visible sidewalls only ☐ Other
Liner type Thicknessmil HDPE PVC Other

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3 103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of consideration of approval Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No

Form (=144 Oil Conservation Division • Page 2 of 5

11.
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15.17 13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17 13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.19 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17 11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15.
Waste Excavation and Removal Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, a			
facilities are required.			
Disposal Facility Name:	Disposal Facility Permit Number		
Disposal Facility Name:	Disposal Facility Permit Number:		
Will any of the proposed closed-loop system operations and associated activities of ☐ Yes (If yes, please provide the information below) ☐ No	cur on or in areas that will not be used for future serv	rice and operations?	
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	requirements of Subsection H of 19.15.17.13 NMA0 l of 19.15.17.13 NMAC	2	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental.	e administrative approval from the appropriate disti Bureau office for consideration of approval. Justi	ict office or may be	
demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC f	or guidance.		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	a obtained from nearby wells	☐ Yes ☐ No☐ NA	
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	a obtained from nearby wells	☐ Yes ☐ No☐ NA	
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - 1WATERS database search; USGS; Data	a obtained from nearby wells	☐ Yes ☐ No☐ NA	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	nificant watercourse or lakebed, sinkhole, or playa	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellite		☐ Yes ☐ No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or s - NM Office of the State Engineer - iWATERS database; Visual inspection (pring, in existence at the time of initial application.	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approve		☐ Yes ☐ No	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visua	al inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division	☐ Yes ☐ No	
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology Society; Topographic map	y & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No	
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurately.	arate and complete to the best of my knowledge and belief.
Name (Print):	itle:
Signature:	Date:
e-mail address: Telephone:	<u>.</u>
20. OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure	Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:	Approval Date: 10/31/201
Title: Compliance Office	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior The closure report is required to be submitted to the division within 60 days of section of the form until an approved closure plan has been obtained and the	to implementing any closure activities and submitting the closure report. The completion of the closure activities. Please do not complete this
	X Closure Completion Date: 5/14/09
22. Closure Method: X Waste Excavation and Removal On-Site Closure Method Alter If different from approved plan, please explain	native Closure Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop System Instructions: Please indentify the facility or facilities for where the liquids, dr two facilities were utilized. Disposal Facility Name. NO OFFSITE WASTE DISPOSAL NECESARRY Disposal Facility Name. Were the closed-loop system operations and associated activities performed on the closed-loop system operations.	Disposal Facility Permit Number:
 ☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No Required for impacted areas which will not be used for future service and operation ☐ Site Reclamation (Photo Documentation) ☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique 	itions:
Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Long	
25.	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure require	
Name (Print): Ed Hasely	Title: Sr. Environmental Engineer .
Signature: Ed Hasely	Date: 10/13/09
e-mail address: ed hasely@energen.com	Telephone: (505) 324-4131

BELOW-GRADE TANK CLOSURE REPORT

ENERGEN RESOURCES

Atlantic 5 #2

CLOSURE STEPS:

- (1) The tank contained no liquids at the time of the work.
- (2) Removed the below-grade tank due to P&A.
- (3) Tested the soils beneath the below-grade tank to determine whether a release has occurred.
 - Collected composite sample;

Analyzed for BTEX, TPH and chlorides: ---- Analyses Attached

- Benzene concentration ND
- Total BTEX concentration 0.021 ppm
- TPH concentration (418.1) 27.8 ppm
- Chloride concentration 8 ppm
- (4) The soil analyses showed that the soils were **below** the concentrations specified in 19.15.17 NMAC as an indication of a release.
- (5) Backfilled the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion.
- (6) The well has been P&A'd. Seeding and final reclamation of the area are taking place per P&A requirements.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Energen	Project #:	03022-0001
Sample ID:	BGT	Date Reported:	05-01-09
Laboratory Number:	49813	Date Sampled:	04-24-09
Chain of Custody No:	6870	Date Received:	04-24-09
Sample Matrix:	Soil	Date Extracted:	04-29-09
Preservative:	Cool	Date Analyzed:	04-30-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Atlantic 5 #2

Analyst

Musthern Wedles
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen	Project #:	03022-0001
Sample ID:	BGT	Date Reported:	05-01-09
Laboratory Number:	49813	Date Sampled:	04-24-09
Chain of Custody:	6870	Date Received:	04-24-09
Sample Matrix:	Soil	Date Analyzed:	04-30-09
Preservative:	Cool	Date Extracted:	04-29-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	Limit	
_				
Benzene	ND	0.9		
Toluene	8.1	1.0		
Ethylbenzene	1.9	1.0		
p,m-Xylene	7.6	1.2		
o-Xylene	3.1	0.9		
Total BTEX	20.7			

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96.0 %
	1,4-difluorobenzene	96.0 %
•	Bromochlorobenzene	96.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Atlantic 5 #2

Analyst

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: Sample ID: Laboratory Numbe Chain of Custody N Sample Matrix: Preservative: Condition:		D D D D	roject #: Pate Reported: Pate Sampled: Pate Received: Pate Extracted: Pate Analyzed: Pate Analyzed:	03022-0001 05-01-09 04-24-09 04-24-09 04-29-09 04-29-09 TPH-418.1
Parameter		Concentration (mg/kg)	l	Det. Limit (mg/kg)
Total Petroleun	n Hydrocarbons	27.8		6.0
ND = Parameter n	ot detected at the stated detection	on limit.		
References:	Method 418.1, Petroleum Hydro and Waste, USEPA Storet No.		erable, Chemical Anal	ysis of Water
Comments:	Atlantic 5 #2.			•
 Analyst			hustu ~	Maeters



Chloride

Client: Sample iD: Lab ID#: Sample Matrix: Preservative: Condition:	Energen BGT 49813 Soil Cool Intact	Project #: Date Reported: Date Sampled: Date Received: Date Analyzed: Chain of Custody:	03022-0001 05-01-09 04-24-09 04-24-09 04-30-09 6870
Parameter		Concentration (mg	/Kg)
Total Chloride		8	
Reference:		ods for Chemical Analysis of Water a e Examination of Water And Waste V	
Comments:	Atlantic 5 #2.		
			,
		Review (Review	alter
Analyst		Review	



April 16, 2009

Bureau of Land Management 1235 La Plata Highway Farmington, New Mexico 87401 Attn: Mr. Jim Lavoto

Re: Below Grade Tank Closure

Atlantic 5 #25 and Atlantic Fruitland 32 #1

Dear Mr. Lavoto:

Energen Resources plans to close below grade tanks located on the subject well locations. You are on record as the surface owner where these wells are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The wells are located in San Juan County as follows:

BIEDWANESER

B6T

H

5579

Certif.

Certified Fee

(Endorsement Required)

Restricted Delivery Fee

Total Postage & Fees

Sent To

or PO Box No. City, State, ZIP+4

Atlantic 5 #2\(\times \) - Unit Letter \(\tilde{\textit{Y}} \), Section 5, Township 30N, Range 10W
Atlantic Fruitland 32 #1 - Unit Letter K, Section 32, Township 31N, Range 10W

If there are any questions or concerns, please contact me at 505-330-3584.

Atlantic 5 #2A ! Atlantic Frantianel 32"1 Sincerely. COMPLETE THIS SECTION ON DELIVERY SENDER: COMPLETE THIS SECTION El Harely Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse □ Addressee Ed Hasely so that we can return the card to you. C. Date of Delivery Attach this card to the back of the mailpiece, Sr. Environmental Engineer or on the front if space permits. Is delivery address different from item 1? **Energen Resources** If YES, enter delivery address below: Bureau of Land Management 1235 La Plata Hwy Farmington, NM 87401 Attn: Jim Lawato 3. Service Type Certified Mail ☐ Express Mail Cc: Well File ☐ Return Receipt for Merchandise □ Registered Correspondence Insured Mail □ C.O.D. 4. Restricted Delivery? (Extra Fee) ☐ Yes 2. Article Number 7007 2680 0002 5579 6037 (Transfer from service label) PS Form 3811, February 2004 102595-02-M-154 Domestic Return Receipt

Energen Resources Corporation, an Energen Company 2010 Afton Place, Farmington, New Mexico 87401 505.325.6800

Ed Hasely

From: Ed Hasely

Sent: Thursday, April 16, 2009 9:57 AM

To: 'Powell, Brandon, EMNRD'


Subject: BGT Closure Notification - Atlantic 5 #2

Brandon - this is to notify you that Energen plans to close the below grade tank on the subject location in the near future. The well is located in Unit Letter P, Section 5 - T30N - R10W in San Juan County.

Ed Hasely

Energen Resources Corporation

Sr. Environmental Engineer ed.hasely@energen com
Office: (505) 324-4131
Cell: (505) 330-3584



District I
1625 N French Di , Hobbs, NM 88240
District II
1301 W Grand Avenue, Aitesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance

Form C-141

District Office in accordance with Rule 116 on back side of form

Attached []

1220 S St Francis Dr , Santa Fe, NM 87505 Santa Fe, NM 87505 **Release Notification and Corrective Action OPERATOR** Initial Report Name of Company: Energen Resources, Inc. Contact: Ed Hasely Address: 2010 Afton Place, Farmington, NM 87401 Telephone No: 505-324-4131 Facility Name: Atlantic 5 #2 Facility Type: Oil/Gas Well Site Surface Owner: Federal Mineral Owner: Federal Lease No. LOCATION OF RELEASE Unit Letter Section **Township** Range Feet from the North/South Line Feet from the East/West Line County 30N 10W М San Juan Latitude Longitude__ NATURE OF RELEASE Type of Release: NO RELEASE Volume of Release: Volume Recovered: Source of Release: Date and Hour of Occurrence: Date and Hour of Discovery: Was Immediate Notice Given? If YES, To Whom? ☐ Yes ☐ No ☐ Not Required By Whom? Date and Hour: Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. ☐ Yes ☐ No If a Watercourse was Impacted, Describe Fully,* OIL CONS. DIV. DIST. Describe Cause of Problem and Remedial Action Taken.* THERE WAS NO PROBLEM OR REMEDIAL ACTION TAKEN. THIS FORM IS FILLED OUT TO SERVE AS A COVER FOR LAB ANALYSES -ONLY TO SATISFY 19.15 17.13 E(4) Describe Area Affected and Cleanup Action Taken.* I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations OIL CONSERVATION DIVISION Signature Approved by District Supervisor Printed Name Ed Hasely Expiration Date. Sr. Environmental Engineer Approval Date: Title:

Conditions of Approval:

Date 10/28/11

E-mail Address ed hasely@energen.com

Phone: 505-324-4131 / 505-330-3584(cell)

^{*} Attach Additional Sheets If Necessary