District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD

District Office

\sim	١	0	\leq
\supset	Į	-1	-0

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Operator Energen Resources	OGRID #
Address 2010 Afton Place, Farmington, New Mexico 87401	
Facility or well name Santa Rosa 29-9-8 #3	
API Number 3004531920 OCD Permit Number	
U/L or Qtr/Qtt F Section 8 Township 29N Range 09W	County San Juan
Center of Proposed Design Latitude 36 742 Longitude -107 80007	07 NAD □1927 ⊠ 1983
Surface Owner Federal State Private Tribal Trust or Indian Allotment	
Pit: Subsection F or G of 19 15 17 11 NMAC	
Temporary Drilling Workover	
Permanent Emergency Cavitation P&A	□ NVC □ Osh or
Lined Unlined Liner type Thicknessmil LLDPE HDPE	Drvc Other
String-Reinforced	hhi Dimanana I
Liner Seams	
Closed-loop System: Subsection H of 19 15 17 11 NMAC	
Type of Operation P&A Drilling a new well Workover or Drilling (Applies to	to activities which require prior approval of a permit or notice of
intent)	
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other	
Lined Unlined Liner type Thicknessmil LLDPE HDPE	PE PVC Other
Liner Seams Welded Factory Other	PE PVC Other RECEIVED
Liner Seams	RECEIVED S
Liner Seams	IN EER JIM 13.1
Liner Seams	IN EER JIM 13.1
Liner Seams	IN EER JIM 13.1
Liner Seams	and automatic overflow shut-off
Liner Seams	and automatic overflow shut-off

Submittal of an exception request is required

Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Alternative Method:

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school,	hospital	
institution or church)		
Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify		
7		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC		
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
☐ Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	office for	
Siting Criteria (regarding permitting): 19.15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐ No ☐ NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits)	☐ Yes ☐ No ☐ NA	
 Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site 	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
 Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map 	☐ Yes ☐ No	
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No	

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19 15 17 13 NMAC Previously Approved Design (attach copy of design) API Number
12 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17 11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Gil Field Waste Stream Characterization Monitoring and Inspection Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type Drilling Workover Emergency Cavitation P&A Permanent Pit X Below-grade Tank Closed-loop System Alternative Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Stie Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15 17 13 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.				
Disposal Facility Name Disposal Facility Permit Number				
Disposal Facility Name Disposal Facility Permit Number				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future so Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	AC			
Siting Criteria (regarding on-site closure methods only): 19 15 17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐ No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ No			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	☐ Yes ☐ No			
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19 15 17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my kno	wledge and belief
Name (Print) Title	
Signature Date	
e-mail address Telephone	
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see a OCD Representative Signature: Approval D	Date: 11/01/2011
Title: OCD Permit Number:	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities, section of the form until an approved closure plan has been obtained and the closure activities have been completed.	
X Closure Completion Date:	1/19/09
Closure Method: X Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Remo	val (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Ta Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disp two facilities were utilized.	
Disposal Facility Name <u>NO WASTE DISPOSAL NECESSARY</u> Disposal Facility Permit Number.	
Disposal Facility Name Disposal Facility Permit Number	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future Yes (If yes, please demonstrate compliance to the items below) \(\sumsymbol{\substack}\) No	e service and operations?
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure re	nort Plans indicate by a check
mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	
On-site Closure Location Latitude Longitude Longitude	NAD 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the applicable.	
Name (Print) Ed Hasely Title. Sr Environmental En	gineer
Signature Date 2/18/09	
e-mail address <u>ed hasely@energen com</u> Telephone <u>(505) 324-4131</u>	

BELOW-GRADE TANK CLOSURE REPORT

ENERGEN RESOURCES

Santa Rosa 8 #3

CLOSURE STEPS:

- (1) Notified the surface owner (BLM) that the below-grade tank will be closed. ---- Letter Attached
- (2) Notified the Aztec OCD office (Brandon Powell) that the below-grade tank will be closed. ---- Email Attached
- (3) The tank contained no liquids at the time of the work
- (4) Removed the below-grade tank. The tank was reused in an above-ground setup.
- (5) Tested the soils beneath the below-grade tank to determine whether a release has occurred.
 - Collected composite sample,

Analyzed for BTEX, TPH and chlorides: ---- Analyses Attached

- Benzene concentration ND
- Total BTEX concentration 0.017 ppm
- TPH concentration (418.1) 17.8 ppm
- Chloride concentration 80 ppm
- (6) The soil analyses showed that the soils were **below** the concentrations specified in 19.15.17 NMAC as an indication of a release.
- (7) Backfilled the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion.
- (8) The area is needed for operations as a tank was set above ground in the same location Seeding and final reclamation will take place upon P&A

FINAL CLOSURE REPORT:

Submitted a closure report on form C-144, with necessary attachments to document all closure activities including sampling results, within 60 days of closure completion.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client [.]	Energen	Project #	03022-0001
Sample ID ⁻	Santa Rosa 8 #3	Date Reported	12-23-08
Laboratory Number.	48528	Date Sampled:	12-15-08
Chain of Custody No	5929	Date Received:	12-17-08
Sample Matrix:	Soil	Date Extracted:	12-19-08
Preservative	Cool	Date Analyzed.	12-22-08
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit

References.

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments

BGT

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc com envirotech-inc com



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	Energen	Project #.	03022-0001
Sample ID	Santa Rosa 8 #3	Date Reported.	12-23-08
Laboratory Number.	48528	Date Sampled.	12-15-08
Chain of Custody	5929	Date Received.	12-17-08
Sample Matrix:	Soil	Date Analyzed	12-22-08
Preservative	Cool	Date Extracted.	12-19-08
Candition ⁻	Intact	Analysis Requested	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	,
Benzene	ND	0.9	<
Toluene	6.0	1.0	
Ethylbenzene	2.6	1.0	•
p,m-Xylene	4.1	1.2	
o-Xylene	3.8	0.9	
Total BTEX	16.5		

ND - Parameter not detected at the stated detection limit

Surrogate Recoveries	Parameter	Percent Recovery	**
	Fluorobenzene	99.0 %	
	1,4-difluorobenzene	99.0 %	
	Bromochlorobenzene	99.0 %	•

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

BGT

Analyst

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc com

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client [.]	Energen	Project #:	03022-0001
Sample ID:	Santa Rosa 8 #3	Date Reported:	12-23-08
Laboratory Number.	48528	Date Sampled:	12-15-08
Chain of Custody No:	5929	Date Received:	12-17-08
Sample Matrix:	Soil	Date Extracted:	12-18-08
Preservative:	Cool	Date Analyzed:	12-18-08
Condition.	Intact	Analysis Needed:	TPH-418.1

		Det.
i	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

5.0 **Total Petroleum Hydrocarbons** 17.8

ND = Parameter not detected at the stated detection limit.

BGT.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:



Chloride

Parameter		Concentration (mg/Kg)	
Condition:	Intact	Chain of Custody:	5929
Preservative:	Cool	Date Analyzed:	12-19-08
Sample Matrix	Soil	Date Received:	12-17-08
_ab ID#:	48528	Date Sampled:	12-15-08
Sample ID.	Santa Rosa 8 #3	Date Reported:	12-23-08
Client:	Energen	Project #.	03022-0001

Total Chloride

80.0

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments.

BGT.

Analyst

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

From: Ed Hasely

Sent: Thursday, January 15, 2009 10:17 AM

To: 'Powell, Brandon, EMNRD'

Subject: BGT Closures

Brandon - This is to notify you that Energen will be closing the below grade tanks on the following locations in the near future.

Plans are to set the tanks above grade.

Unit Letter F, Section 8, Township 29N, Range 9W Santa Rosa 29-9-8 #3 -Santa Rosa 29-9-8 #4 -Unit Letter I, Section 8, Township 29N, Range 9W Unit Letter F, Section 9, Township 29N, Range 9W Santa Rosa 29-9-9 #3 -

Ed Hasely

Energen Resources Corporation

Sr Environmental Engineer ed hasely@energen com Office (505) 324-4131 Cell (505) 330-3584



November 25, 2008

Bureau of Land Management 1235 La Plata Highway Farmington, New Mexico 87401 Attn: Mr. Jim Lavoto

Re:

Below Grade Tank Closures

Multiple Locations

Dear Mr. Lavoto:

4387	U.S. Postal Se CERTIFIED (Domestic Mail Onle For delivery information	MAIL。REC ly: No Insurance Co	overage Provided
7490 0000 5397	Certified Fee Return Receipt Fee (Endorsement Required) Restricted Delivery Fee (Endorsement Required)	\$	Postmark Here Multiple BC-T
C 7007	Sent To Street, Apt. No.; or PO Box No. City, State, ZIP+4 PS Form 3800, August 21	8rW	See Reverse for Instructions

Energen Resources plans to close the below grade tanks located on the well locations listed below. You are on record as the surface owner where these wells are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The wells are all located in San Juan County, New Mexico.

BURRELL 29-9-3 #1 FC - Unit Letter H, Section 3, Township 29N, Range 9W FEDERAL 29-9-15 #1 FC - Unit Letter B, Section 15, Township 29N, Range 9W SANTA ROSA 29-9-17 #3 FC - Unit Letter C, Section 17, Township 29N, Range 9W SANTA ROSA 29-9-4 #4 FC - Unit Letter P, Section 4, Township 29N, Range 9W SANTA ROSA 29-9-8 #3 FC - Unit Letter F, Section 8, Township 29N, Range 9W SANTA ROSA 29-9-8 #4 FC - Unit Letter I, Section 8, Township 29N, Range 9W SANTA ROSA 29-9-9 #3 FC - Unit Letter F, Section 9, Township 29N, Range 9W SANTA ROSA 9 #1 FC - Unit I attar G Section 9 Townshin 29N. Range 9W Multiple BGT Classices

If there are any questions or co

Sincerely,

Ed Hasely

Sr. Environmental Engineer

Energen Resources

	A to the second second second	\$400 CASE 1885
Complete item	e 1 2 and 2	Alco complete
- Complete item	10 1, 2, 0110 0	. Also complete
item 4 if Restri	icted Delivery	is desired.

SENDER: COMPLETE THIS SECTION

- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.
- Article Addressed to:

BLM 1235 La Plata Huy Farmington NM 87401 Atta: Jin Laurde

☐ Agent ☐ Address C. Date of Delive

☐ Yes em 1? enter delivery address ☐ No

3.	Service Type		
	D Cartier	4	

- ☐ Express Mail
- □ Registered ☐ Return Receipt for Merchandis
- ☐ Insured Mail ☐ C.O.D. 4. Restricted Delivery? (Extra Fee)

2. Article Number

(Transfer from service k

7007 1490 0000 5397 4387

☐ Yes

District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Revised October 10, 2003
Submit 2 Copies to appropriate

Form C-141

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action OPERATOR Initial Report Name of Company: Energen Resources, Inc Ed Hasely Contact: Address: 2010 Afton Place, Farmington, NM 87401 Telephone No: 505-324-4131 Facility Name: Santa Rosa 29-9-8 #3 Facility Type: Oil/Gas Well Site Surface Owner: Federal Mineral Owner: Federal Lease No. LOCATION OF RELEASE **Unit Letter** Township Range Feet from the North/South Line Feet from the East/West Line County Section 9W San Juan Latitude 36 74200 Longitude -107.80007 NATURE OF RELEASE Volume of Release: Type of Release: NO RELEASE Volume Recovered: Date and Hour of Occurrence: Date and Hour of Discovery: Source of Release: If YES, To Whom? Was Immediate Notice Given? ☐ Yes ☐ No ☐ Not Required By Whom? Date and Hour: Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. ☐ Yes ☐ No If a Watercourse was Impacted, Describe Fully.* OIL CONS. DIV. DIST. Describe Cause of Problem and Remedial Action Taken.* THERE WAS NO PROBLEM OR REMEDIAL ACTION TAKEN THIS FORM IS FILLED OUT TO SERVE AS A COVER FOR LAB ANALYSES -ONLY TO SATISFY 19 15 17 13 E(4) Describe Area Affected and Cleanup Action Taken.* I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations OIL CONSERVATION DIVISION Signature Approved by District Supervisor Printed Name Ed Hasely Tıtle Sr Environmental Engineer Approval Date Expiration Date E-mail Address ed hasely@energen com Conditions of Approval: Attached \(\square\)

Phone. 505-324-4131 / 505-330-3584(cell)

^{*} Attach Additional Sheets If Necessary

