

District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

Form C-102
Revised October 12, 2005
Submit to Appropriate District Office
State Lease - 7 Copies
Fee Lease - 3 Copies


AS DRILLED PLAT

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-45-35152		² Pool Code 71599		³ Pool Name BASIN DAKOTA	
⁴ Property Code 7208		⁵ Property Name JOHNSTON FEDERAL			⁶ Well Number 9F
⁷ OGRID No. 14538		⁸ Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP			⁹ Elevation 5975
¹⁰ SURFACE LOCATION					
UL or lot no. B	Section 35	Township 31-N	Range 9-W	Lot Idn 749	North/South line NORTH
				Feet from the 1453	East/West line EAST
					County SAN JUAN
¹¹ Bottom Hole Location If Different From Surface					
UL or lot no. G	Section 35	Township 31-N	Range 9-W	Lot Idn 2066'	North/South line NORTH
				Feet from the 1853'	East/West line EAST
					County SAN JUAN
¹² Dedicated Acres 315.92		¹³ Joint or Infill	¹⁴ Consolidation Code		¹⁵ Order No.

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN
CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

¹⁶ LOT 4 LOT 3 WELL FLAG NAD 83 LAT: 36.859775° N LONG: 107.746253° W NAD 27 LAT: 36°51.586303' N LONG: 107°44.738244' W		BLM 1966 N 89°16'02" W N 89°13' W 749' 1429.3' S 19°50'10" W 2066' 1429.3'	2609.9' (M) 2609.6' (R) 1453' 1853' 2627.5' (R) 2626.8' (M)	BLM 1966 N 02°22' E N 01°19'47" E	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature Marie E. Jaramillo Printed Name Regulatory Tech. Title and E-mail Address 10/27/11 Date
LOT 5 LOT 6 LOT 7 LOT 8 LOT 9 LOT 10 LOT 11 LOT 12 LOT 13 LOT 14 LOT 15 LOT 16	¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey: 8/28/09 Signature and Seal of Professional Surveyor:  Certificate Number: NM 11393				

A/



COP Deviation Report

JOHNSTON FEDERAL #9F

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName JOHNSTON FEDERAL #9F	API / UWI 3004535152	County SAN JUAN	State/Province NEW MEXICO
--	--	-------------------------	--------------------	------------------------------

Surface Legal Location 035-031N-009W-B	N/S Dist (ft) 749.00	N/S Ref FNL	E/W Dist (ft) 1,453.00	E/W Ref FEL
---	-------------------------	----------------	---------------------------	----------------

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
7/28/2011	130.00	0.75	Inc-WL	MOTE	
7/28/2011	236.00	1.25	Inc-WL	MOTE	
8/26/2011	241.00	1.10	IncAzi-MWD	Scientific Drilling	
8/26/2011	270.00	1.28	IncAzi-MWD	Scientific Drilling	
8/26/2011	331.00	1.85	IncAzi-MWD	Scientific Drilling	
8/26/2011	392.00	2.55	IncAzi-MWD	Scientific Drilling	
8/26/2011	453.00	3.75	IncAzi-MWD	Scientific Drilling	
8/26/2011	515.00	4.48	IncAzi-MWD	Scientific Drilling	
8/26/2011	576.00	4.62	IncAzi-MWD	Scientific Drilling	
8/26/2011	637.00	5.79	IncAzi-MWD	Scientific Drilling	
8/26/2011	698.00	6.86	IncAzi-MWD	Scientific Drilling	
8/26/2011	759.00	7.69	IncAzi-MWD	Scientific Drilling	
8/26/2011	820.00	9.03	IncAzi-MWD	Scientific Drilling	
8/26/2011	887.00	10.18	IncAzi-MWD	Scientific Drilling	
8/26/2011	951.00	10.98	IncAzi-MWD	Scientific Drilling	
8/26/2011	1,016.00	11.82	IncAzi-MWD	Scientific Drilling	
8/26/2011	1,080.00	12.86	IncAzi-MWD	Scientific Drilling	
8/26/2011	1,145.00	14.68	IncAzi-MWD	Scientific Drilling	
8/26/2011	1,209.00	16.84	IncAzi-MWD	Scientific Drilling	
8/26/2011	1,274.00	18.94	IncAzi-MWD	Scientific Drilling	
8/26/2011	1,338.00	20.86	IncAzi-MWD	Scientific Drilling	
8/26/2011	1,403.00	22.47	IncAzi-MWD	Scientific Drilling	
8/26/2011	1,468.00	24.01	IncAzi-MWD	Scientific Drilling	
8/26/2011	1,532.00	24.87	IncAzi-MWD	Scientific Drilling	
8/27/2011	1,596.00	26.25	IncAzi-MWD	Scientific Drilling	
8/27/2011	1,661.00	27.60	IncAzi-MWD	Scientific Drilling	
8/27/2011	1,725.00	28.61	IncAzi-MWD	Scientific Drilling	
8/27/2011	1,790.00	28.55	IncAzi-MWD	Scientific Drilling	
8/27/2011	1,854.00	28.23	IncAzi-MWD	Scientific Drilling	
8/27/2011	1,918.00	28.75	IncAzi-MWD	Scientific Drilling	
8/27/2011	1,983.00	28.98	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,047.00	29.10	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,112.00	29.10	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,176.00	29.37	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,239.00	28.16	IncAzi-MWD	Scientific Drilling	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____





COP Deviation Report JOHNSTON FEDERAL #9F

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
8/27/2011	2,303.00	28 77	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,368.00	29 16	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,432.00	27 83	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,497.00	28 02	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,562.00	28 36	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,626.00	27 98	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,690.00	27 64	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,755 00	28 85	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,820 00	28 53	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,884.00	29 20	IncAzi-MWD	Scientific Drilling	
8/27/2011	2,948.00	30 81	IncAzi-MWD	Scientific Drilling	
8/27/2011	3,013.00	31 20	IncAzi-MWD	Scientific Drilling	
8/27/2011	3,078.00	31 31	IncAzi-MWD	Scientific Drilling	
8/27/2011	3,142.00	30 04	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,207 00	27 33	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,271 00	24 87	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,336.00	23 30	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,400.00	22 19	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,465.00	21 05	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,530.00	21 10	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,594.00	20 87	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,659.00	18 96	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,723 00	18 64	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,787.00	17 26	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,852.00	15 51	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,916 00	14 51	IncAzi-MWD	Scientific Drilling	
8/28/2011	3,981.00	13 02	IncAzi-MWD	Scientific Drilling	
8/28/2011	4,045 00	11 83	IncAzi-MWD	Scientific Drilling	
8/28/2011	4,109.00	10 65	IncAzi-MWD	Scientific Drilling	
8/28/2011	4,174.00	9 27	IncAzi-MWD	Scientific Drilling	
8/28/2011	4,239.00	7 81	IncAzi-MWD	Scientific Drilling	
8/28/2011	4,303.00	6 67	IncAzi-MWD	Scientific Drilling	
8/28/2011	4,357.00	5 34	IncAzi-MWD	Scientific Drilling	
8/29/2011	4,383 00	4 92	IncAzi-MWD	Scientific Drilling	
9/2/2011	4,900.00	3 00	Inc-MWD	Aztec Well Servicing Co Inc	
9/2/2011	5,400.00	2 50	Inc-MWD	Aztec Well Servicing Co Inc	
9/3/2011	5,900.00	1 50	Inc-MWD	Aztec Well Servicing Co Inc	
9/3/2011	6,400.00	1 00	Inc-MWD	Aztec Well Servicing Co Inc	
9/3/2011	6,900 00	1 00	Inc-MWD	Aztec Well Servicing Co Inc	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
9/3/2011	7,390.00	1.00	Inc-MWD	Aztec Well Servicing Co Inc	
9/4/2011	7,760.00	2.00	Inc-MWD	Aztec Well Servicing Co Inc	

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Caitlin Clancy

Subscribed and sworn to me this

10/27/11

Martinez Farinillo

Notary Public in and for San Juan County, New Mexico

My Commission expires

7/28/14



Scientific Drilling
Directional Drilling Operations

ConocoPhillips

SJB (NM West)
SEC 35-T31N-R9W
Johnston Federal #9F

Original Hole

API # 3004535152

Design: Original Hole




Standard Survey Report


08 September, 2011

This survey is correct to the best of my knowledge and is supported by actual field data.

Notarized this date 9th of September, 2011.



Notary Signature
County of Natrona
State of Wyoming



**ConocoPhillips**

SITE DETAILS: SEC 35-T31N-R9W
San Juan County NM
Site Centre Latitude: 36° 51' 35.178 N
Longitude: 107° 44' 44.295 W
Positional Uncertainty: 7 5
Convergence: 0.05
Local North: True



Scientific Drilling
Survey Report



Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Johnston Federal #9F
Project:	SJB (NM West)	TVD Reference:	AWS 920 @ 5990.0ft (15' DF + 5975' GL)
Site:	SEC 35-T31N-R9W	MD Reference:	AWS 920 @ 5990.0ft (15' DF + 5975' GL)
Well:	Johnston Federal #9F	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Project	SJB (NM West), New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		Using Well Reference Point
Map Zone:	New Mexico West 3003		Using geodetic scale factor

Site		SEC 35-T31N-R9W			
Site Position:		Northing:	2,132,230.51 ft	Latitude:	36° 51' 35.178 N
From:	Lat/Long	Easting:	525,655.50 ft	Longitude:	107° 44' 44.295 W
Position Uncertainty:	15.0 ft	Slot Radius:	6-1/8"	Grid Convergence:	0.05 °

Well	Johnston Federal #9F, S-Type MV/DK Well					
Well Position	+N/-S	0.0 ft	Northing:	2,132,230.51 ft	Latitude:	36° 51' 35.178 N
	+E/-W	0.0 ft	Easting:	525,655.50 ft	Longitude:	107° 44' 44.295 W
Position Uncertainty		3.5 ft	Wellhead Elevation:	ft	Ground Level:	5,975.0 ft

Wellbore	Original Hole				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2011	8/16/2011	9.88	63.57	50,771

Design	Original Hole			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0.0	0.0	0.0	196.89

Survey Program	Date 9/8/2011			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description
241.0	4,383.0	Survey #1 (Original Hole)	MWD SDI	MWD - Standard ver 1.0.1

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	
241.0	1.10	183.54	241.0	-2.3	-0.1	2.3	0.46	0.46	0.00	
First SDI MWD Survey										
270.0	1.28	186.82	270.0	-2.9	-0.2	2.8	0.66	0.62	11.31	
331.0	1.85	192.30	331.0	-4.5	-0.5	4.5	0.97	0.93	8.98	
392.0	2.55	197.23	391.9	-6.8	-1.1	6.8	1.19	1.15	8.08	
453.0	3.75	198.19	452.8	-10.0	-2.1	10.2	1.97	1.97	1.57	
515.0	4.48	202.23	514.7	-14.2	-3.7	14.6	1.27	1.18	6.52	
576.0	4.62	198.75	575.5	-18.7	-5.4	19.4	0.51	0.23	-5.70	
637.0	5.79	204.68	636.2	-23.8	-7.4	25.0	2.11	1.92	9.72	
698.0	6.86	201.65	696.8	-30.0	-10.1	31.6	1.84	1.75	-4.97	
759.0	7.69	197.94	757.3	-37.3	-12.7	39.3	1.56	1.36	-6.08	
820.0	9.03	200.55	817.7	-45.6	-15.6	48.2	2.28	2.20	4.28	

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Johnston Federal #9F
Project:	SJB (NM West)	TVD Reference:	AWS 920 @ 5990.0ft (15' DF + 5975' GL)
Site:	SEC 35-T31N-R9W	MD Reference:	AWS 920 @ 5990.0ft (15' DF + 5975' GL)
Well:	Johnston Federal #9F	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
887.0	10.18	200.19	883.8	-56.1	-19.5	59.4	1.72	1.72	-0.54
951.0	10.98	195.76	946.7	-67.3	-23.1	71.1	1.78	1.25	-6.92
1,016.0	11.82	195.80	1,010.4	-79.7	-26.6	83.9	1.29	1.29	0.06
1,080.0	12.86	197.81	1,072.9	-92.7	-30.6	97.6	1.76	1.63	3.14
1,145.0	14.68	199.55	1,136.0	-107.4	-35.5	113.1	2.87	2.80	2.68
1,209.0	16.84	200.87	1,197.6	-123.7	-41.5	130.4	3.42	3.38	2.06
1,274.0	18.94	199.64	1,259.5	-142.4	-48.4	150.4	3.28	3.23	-1.89
1,338.0	20.86	198.97	1,319.7	-163.0	-55.6	172.1	3.02	3.00	-1.05
1,403.0	22.47	199.35	1,380.1	-185.7	-63.5	196.1	2.49	2.48	0.58
1,468.0	24.01	199.30	1,439.8	-209.9	-72.0	221.7	2.37	2.37	-0.08
1,532.0	24.87	199.02	1,498.1	-234.9	-80.7	248.2	1.36	1.34	-0.44
1,596.0	26.25	198.34	1,555.8	-261.0	-89.5	275.8	2.20	2.16	-1.06
1,661.0	27.60	198.73	1,613.7	-288.9	-98.9	305.2	2.09	2.08	0.60
1,725.0	28.61	197.79	1,670.2	-317.6	-108.3	335.3	1.72	1.58	-1.47
1,790.0	28.55	197.38	1,727.3	-347.2	-117.7	366.4	0.32	-0.09	-0.63
1,854.0	28.23	196.18	1,783.6	-376.3	-126.5	396.9	1.02	-0.50	-1.88
1,918.0	28.75	195.40	1,839.8	-405.7	-134.8	427.4	1.00	0.81	-1.22
1,983.0	28.98	195.60	1,896.8	-436.0	-143.2	458.8	0.38	0.35	0.31
2,047.0	29.10	196.95	1,952.7	-465.8	-151.9	489.8	1.04	0.19	2.11
2,112.0	29.10	195.54	2,009.5	-496.1	-160.8	521.4	1.05	0.00	-2.17
2,176.0	29.37	195.88	2,065.4	-526.2	-169.2	552.7	0.50	0.42	0.53
2,239.0	29.16	196.84	2,120.3	-555.8	-177.9	583.5	0.82	-0.33	1.52
2,303.0	28.77	197.19	2,176.3	-585.4	-187.0	614.5	0.66	-0.61	0.55
2,368.0	28.16	196.84	2,233.4	-615.0	-196.0	645.4	0.97	-0.94	-0.54
2,432.0	27.83	197.12	2,290.0	-643.8	-204.8	675.5	0.56	-0.52	0.44
2,497.0	28.02	197.06	2,347.4	-672.9	-213.8	705.9	0.30	0.29	-0.09
2,562.0	28.36	196.12	2,404.7	-702.3	-222.5	736.6	0.86	0.52	-1.45
2,626.0	27.98	197.37	2,461.1	-731.2	-231.2	766.8	1.10	-0.59	1.95
2,690.0	27.64	196.60	2,517.7	-759.8	-239.9	796.7	0.77	-0.53	-1.20
2,755.0	28.85	198.44	2,575.0	-789.1	-249.2	827.5	2.29	1.86	2.83
2,820.0	28.53	199.90	2,632.0	-818.6	-259.5	858.6	1.19	-0.49	2.25
2,884.0	29.20	199.65	2,688.0	-847.6	-269.9	889.5	1.06	1.05	-0.39
2,948.0	30.81	198.39	2,743.5	-877.9	-280.3	921.5	2.70	2.52	-1.97
3,013.0	31.20	200.59	2,799.2	-909.5	-291.5	954.9	1.84	0.60	3.38
3,078.0	31.31	200.38	2,854.7	-941.0	-303.3	988.6	0.24	0.17	-0.32
3,142.0	30.04	200.48	2,909.8	-971.6	-314.7	1,021.2	1.99	-1.98	0.16
3,207.0	27.33	199.70	2,966.8	-1,000.9	-325.4	1,052.3	4.21	-4.17	-1.20
3,271.0	24.87	199.43	3,024.3	-1,027.5	-334.9	1,080.4	3.85	-3.84	-0.42
3,336.0	23.30	196.55	3,083.6	-1,052.7	-343.1	1,106.9	3.02	-2.42	-4.43
3,400.0	22.19	196.24	3,142.6	-1,076.4	-350.1	1,131.7	1.74	-1.73	-0.48
3,465.0	21.05	193.83	3,203.1	-1,099.5	-356.3	1,155.6	2.22	-1.75	-3.71
3,530.0	21.10	195.18	3,263.7	-1,122.2	-362.1	1,179.0	0.75	0.08	2.08
3,594.0	20.87	194.25	3,323.5	-1,144.3	-368.0	1,201.9	0.63	-0.36	-1.45
3,659.0	18.96	192.71	3,384.6	-1,165.9	-373.1	1,224.0	3.05	-2.94	-2.37
3,723.0	18.64	192.79	3,445.2	-1,186.0	-377.7	1,244.5	0.50	-0.50	0.13
3,787.0	17.26	190.71	3,506.0	-1,205.3	-381.7	1,264.2	2.38	-2.16	-3.25
3,852.0	15.51	190.29	3,568.4	-1,223.3	-385.1	1,282.4	2.70	-2.69	-0.65
3,916.0	14.51	188.89	3,630.2	-1,239.6	-387.8	1,298.9	1.66	-1.56	-2.19
3,981.0	13.02	186.73	3,693.4	-1,255.0	-389.9	1,314.1	2.42	-2.29	-3.32
4,045.0	11.83	183.81	3,755.9	-1,268.7	-391.2	1,327.6	2.10	-1.86	-4.56
4,109.0	10.65	185.19	3,818.6	-1,281.1	-392.2	1,339.8	1.89	-1.84	2.16
4,174.0	9.27	189.27	3,882.6	-1,292.3	-393.6	1,350.9	2.38	-2.12	6.28
4,239.0	7.81	192.30	3,946.9	-1,301.7	-395.4	1,360.5	2.35	-2.25	4.66
4,303.0	6.67	197.43	4,010.4	-1,309.5	-397.4	1,368.5	2.05	-1.78	8.02



Scientific Drilling
Survey Report



Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Johnston Federal #9F
Project:	SJB (NM West)	TVD Reference:	AWS 920 @ 5990.0ft (15' DF + 5975' GL)
Site:	SEC 35-T31N-R9W	MD Reference:	AWS 920 @ 5990.0ft (15' DF + 5975' GL)
Well:	Johnston Federal #9F	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
4,357.0	5.34	199.99	4,064.1	-1,314.9	-399.2	1,374.1	2.51	-2.46	4.74
4,383.0	4.92	201.07	4,090.0	-1,317.1	-400.0	1,376.5	1.66	-1.62	4.15
Last SDI MWD Survey									

Checked By: _____ Approved By: _____ Date: _____