

DISTRICT I
1825 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
1301 West Grand Avenue, Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410


DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

AS DRILLED PLAT



Form C-102
Revised October 12, 2005

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number 30-039-30571		*Pool Code 71599 / 72319		*Pool Name BASIN DAKOTA/BLANCO MESAVERDE	
*Property Code 7460		*Property Name SAN JUAN 28-5 UNIT			*Well Number 74N
*GRID No. 14538		*Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP			*Elevation 6753'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	36	28-N	5-W		1445'	NORTH	1960'	EAST	RIO ARriba

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	36	28-N	5-W		1401'	NORTH	827'	EAST	RIO ARriba

*Dedicated Acres DK 330.740 ACRES NW/SE, LOT 2, 3, 5, 6, 7, 8 MV 344.74 ACRES N/2		*Joint or Infill	*Consolidation Code	*Order No. R-2948
--	--	------------------	---------------------	-----------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



17. OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or a working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the Division.

Signature


Marie E. Jaramillo 11/8/11

18. SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey

Signature and Seal of Professional Surveyor



Certificate Number

15703



COP Deviation Report
SAN JUAN 28-5 UNIT #74N

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName SAN JUAN 28-5 UNIT #74N	API / UWI 3003930571	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location 036-028N-005W-G	N/S Dist (ft) 1,445.00	N/S Ref FNL	E/W Dist (ft) 1,960.00	E/W Ref FEL

Survey Data				
Date	MD (ftKB)	Incl (°)	Method	Survey Company
7/11/2011	129.00	1.00	Inc-Drop	Mo Te Drilling Inc
7/11/2011	238.00	1.25	Inc-Drop	Mo Te Drilling Inc
8/5/2011	271.00	1.72	Inc-MWD	Scientific Drilling
8/5/2011	302.00	1.78	Inc-MWD	Scientific Drilling
8/5/2011	332.00	1.82	Inc-MWD	Scientific Drilling
8/5/2011	363.00	2.04	Inc-MWD	Scientific Drilling
8/5/2011	394.00	2.23	Inc-MWD	Scientific Drilling
8/5/2011	425.00	2.45	Inc-MWD	Scientific Drilling
8/5/2011	456.00	2.81	Inc-MWD	Scientific Drilling
8/5/2011	487.00	3.30	Inc-MWD	Scientific Drilling
8/5/2011	517.00	3.58	Inc-MWD	Scientific Drilling
8/5/2011	548.00	3.88	Inc-MWD	Scientific Drilling
8/5/2011	578.00	4.20	Inc-MWD	Scientific Drilling
8/5/2011	609.00	4.58	Inc-MWD	Scientific Drilling
8/5/2011	639.00	5.23	Inc-MWD	Scientific Drilling
8/5/2011	670.00	5.80	Inc-MWD	Scientific Drilling
8/5/2011	701.00	6.40	Inc-MWD	Scientific Drilling
8/5/2011	732.00	7.07	Inc-MWD	Scientific Drilling
8/5/2011	763.00	7.61	Inc-MWD	Scientific Drilling
8/5/2011	793.00	8.19	Inc-MWD	Scientific Drilling
8/5/2011	824.00	8.97	Inc-MWD	Scientific Drilling
8/5/2011	855.00	9.69	Inc-MWD	Scientific Drilling
8/5/2011	886.00	10.44	Inc-MWD	Scientific Drilling
8/5/2011	917.00	11.15	Inc-MWD	Scientific Drilling
8/5/2011	951.00	11.83	Inc-MWD	Scientific Drilling
8/5/2011	982.00	12.37	Inc-MWD	Scientific Drilling
8/5/2011	1,046.00	13.97	Inc-MWD	Scientific Drilling
8/5/2011	1,110.00	15.72	Inc-MWD	Scientific Drilling
8/5/2011	1,173.00	16.54	Inc-MWD	Scientific Drilling
8/5/2011	1,236.00	17.42	Inc-MWD	Scientific Drilling
8/5/2011	1,300.00	18.63	Inc-MWD	Scientific Drilling
8/5/2011	1,363.00	20.12	Inc-MWD	Scientific Drilling
8/5/2011	1,427.00	21.03	Inc-MWD	Scientific Drilling
8/5/2011	1,490.00	22.30	Inc-MWD	Scientific Drilling
8/5/2011	1,554.00	23.63	Inc-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

COP Deviation Report

SAN JUAN 28-5 UNIT #74N

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
8/5/2011	1,617.00	24 40	Inc-MWD	Scientific Drilling	
8/5/2011	1,680.00	25.61	Inc-MWD	Scientific Drilling	
8/5/2011	1,744.00	26.59	Inc-MWD	Scientific Drilling	
8/5/2011	1,807.00	27.90	Inc-MWD	Scientific Drilling	
8/5/2011	1,871.00	27.93	Inc-MWD	Scientific Drilling	
8/5/2011	1,934.00	28.06	Inc-MWD	Scientific Drilling	
8/5/2011	1,998.00	28 12	Inc-MWD	Scientific Drilling	
8/6/2011	2,061.00	27 16	Inc-MWD	Scientific Drilling	
8/6/2011	2,125 00	26 84	Inc-MWD	Scientific Drilling	
8/6/2011	2,188 00	26.66	Inc-MWD	Scientific Drilling	
8/6/2011	2,252 00	26.86	Inc-MWD	Scientific Drilling	
8/6/2011	2,315 00	27.01	Inc-MWD	Scientific Drilling	
8/6/2011	2,379.00	27.69	Inc-MWD	Scientific Drilling	
8/6/2011	2,442 00	28.17	Inc-MWD	Scientific Drilling	
8/6/2011	2,506 00	28.29	Inc-MWD	Scientific Drilling	
8/6/2011	2,569.00	28.32	Inc-MWD	Scientific Drilling	
8/6/2011	2,633.00	26.91	Inc-MWD	Scientific Drilling	
8/6/2011	2,696.00	26.52	Inc-MWD	Scientific Drilling	
8/6/2011	2,759.00	26 77	Inc-MWD	Scientific Drilling	
8/6/2011	2,823.00	25.37	Inc-MWD	Scientific Drilling	
8/6/2011	2,886.00	24.85	Inc-MWD	Scientific Drilling	
8/6/2011	2,950.00	24 20	Inc-MWD	Scientific Drilling	
8/6/2011	3,013.00	22 54	Inc-MWD	Scientific Drilling	
8/6/2011	3,077.00	21.50	Inc-MWD	Scientific Drilling	
8/6/2011	3,140.00	20.69	Inc-MWD	Scientific Drilling	
8/6/2011	3,204 00	19.93	Inc-MWD	Scientific Drilling	
8/6/2011	3,267.00	19.10	Inc-MWD	Scientific Drilling	
8/6/2011	3,331 00	18.79	Inc-MWD	Scientific Drilling	
8/6/2011	3,394.00	17 53	Inc-MWD	Scientific Drilling	
8/6/2011	3,457.00	15 65	Inc-MWD	Scientific Drilling	
8/6/2011	3,520.00	13 26	Inc-MWD	Scientific Drilling	
8/6/2011	3,584.00	11.19	Inc-MWD	Scientific Drilling	
8/6/2011	3,647 00	9.39	Inc-MWD	Scientific Drilling	
8/6/2011	3,711.00	7.86	Inc-MWD	Scientific Drilling	
8/6/2011	3,775 00	6.60	Inc-MWD	Scientific Drilling	
8/6/2011	3,838.00	5.69	Inc-MWD	Scientific Drilling	
8/6/2011	3,902.00	5 45	Inc-MWD	Scientific Drilling	
8/6/2011	3,965.00	5 12	Inc-MWD	Scientific Drilling	
8/6/2011	4,029 00	4 18	Inc-MWD	Scientific Drilling	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
8/6/2011	4,061.00	3.80	Inc-MWD	Scientific Drilling
10/31/2011	8,081.00	1.00	Inc-WL	Phoenix Services LLC

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Caitlin Clancy

Subscribed and sworn to me this 11/2/11

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



Scientific Drilling
Directional Drilling Operations

ConocoPhillips

SJB (NM Central)
SEC 36-T28N-R5W
SJ 28-5 #74N

Original Hole

API# 3003930571

Design: Original Hole



Standard Survey Report


17 August, 2011

This survey is correct to the best of my knowledge and is supported by actual field data.

Notarized this date 17th of August, 2011.

Jennifer Whitehead



Notary Signature
County of Natrona
State of Wyoming




ConocoPhillips



Project: SJB (NM Central)
Site: SEC 36-T28N-R5W
Well: SJ 28-5 #74N
Wellbore: Original Hole
Design: Original Hole



WELL DETAILS: SJ 28-5 #74N
AWS 673 @ 6768.0ft (15' DF + 6753' GL)
Ground Level: 6753.0
Latitude: 36° 37' 15.678 N
Longitude: 107° 18' 23.262 W
Northing: 2046974.20
Easting: 189972.90



REFERENCE INFORMATION
Co-ordinate (N/E) Reference: Well SJ 28-5 #74N, True North
Vertical (TVD) Reference: AWS 673 @ 6768.0ft (15' DF + 6753' GL)
Section (VS) Reference: Slot = (0.0N, 0.0E)
Measured Depth Reference: AWS 673 @ 6768.0ft (15' DF + 6753' GL)
Calculation Method: Minimum Curvature

COMPANY DETAILS: ConocoPhillips
Calculation Method: Minimum Curvature
Error System: ISCWSA
Scan Method: Closest Approach 3D
Error Surface: Combined Covariances
Warning Method: Risk Ratio

PROJECT DETAILS: SJB (NM Central)
Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico Central 3002
System Datum: Mean Sea Level

SITE DETAILS: SEC 36-T28N-R5W
Rio Arriba County NM
Site Centre Latitude: 36° 37' 15.678 N
Longitude: 107° 18' 23.262 W
Positional Uncertainty: 7.5
Convergence: -0.63
Local North: True



Scientific Drilling Survey Report



Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 28-5 #74N
Project:	SJB (NM Central)	TVD Reference:	AWS 673 @ 6768.0ft (15' DF + 6753' GL)
Site:	SEC 36-T28N-R5W	MD Reference:	AWS 673 @ 6768.0ft (15' DF + 6753' GL)
Well:	SJ 28-5 #74N	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Project	SJB (NM Central), New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		Using Well Reference Point
Map Zone:	New Mexico Central 3002		Using geodetic scale factor

Site	SEC 36-T28N-R5W		
Site Position:		Northing:	2,046,974.20 ft
From:	Lat/Long	Easting:	189,972.90 ft
Position Uncertainty:	15.0 ft	Slot Radius:	6-1/8"
		Latitude:	36° 37' 15.678 N
		Longitude:	107° 18' 23.262 W
		Grid Convergence:	-0.63 °

Well	SJ 28-5 #74N, S-Type MV/DK Well		
Well Position	+N/-S	0.0 ft	Northing:
	+E/-W	0.0 ft	Easting:
Position Uncertainty	3.5 ft	Wellhead Elevation:	ft
		Latitude:	36° 37' 15.678 N
		Longitude:	107° 18' 23.262 W
		Ground Level:	6,753.0 ft

Wellbore	Original Hole		
Magnetics	Model Name	Sample Date	Declination
			(°)
	BGGM2011	7/20/2011	9.68
			Dip Angle
			(°)
			Field Strength
			(nT)
			50,696

Design	Original Hole		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W
	(ft)	(ft)	(ft)
	0.0	0.0	0.0
			Direction
			(°)
			88.04

Survey Program	Date 8/17/2011		
From	To	Survey (Wellbore)	Tool Name
(ft)	(ft)		Description
271.0	4,061.0	Survey #1 (Original Hole)	MWD SDI
			MWD - Standard ver 1.0.1

Survey										
Measured Depth	Inclination	Azimuth	Vertical Depth	+N/-S	+E/-W	Vertical Section	Dogleg Rate	Build Rate	Turn Rate	
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	(°/100ft)	(°/100ft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	
271.0	1.72	31.66	271.0	3.5	2.1	2.3	0.63	0.63	0.00	
First SDI MWD Survey										
302.0	1.78	33.74	301.9	4.3	2.6	2.8	0.28	0.19	6.71	
332.0	1.82	34.42	331.9	5.0	3.2	3.3	0.15	0.13	2.27	
363.0	2.04	37.64	362.9	5.9	3.8	4.0	0.79	0.71	10.39	
394.0	2.23	42.93	393.9	6.8	4.5	4.8	0.88	0.61	17.06	
425.0	2.45	44.96	424.9	7.7	5.4	5.7	0.76	0.71	6.55	
456.0	2.81	47.62	455.8	8.7	6.4	6.7	1.23	1.16	8.58	
487.0	3.30	47.67	486.8	9.8	7.7	8.0	1.58	1.58	0.16	
517.0	3.58	53.33	516.7	10.9	9.1	9.4	1.47	0.93	18.87	
548.0	3.88	60.89	547.7	12.0	10.7	11.2	1.86	0.97	24.39	
578.0	4.20	64.61	577.6	13.0	12.6	13.1	1.38	1.07	12.40	



Scientific Drilling Survey Report



Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 28-5 #74N
Project:	SJB (NM Central)	TVD Reference:	AWS 673 @ 6768.0ft (15' DF + 6753' GL)
Site:	SEC 36-T28N-R5W	MD Reference:	AWS 673 @ 6768.0ft (15' DF + 6753' GL)
Well:	SJ 28-5 #74N	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
609.0	4.58	68.53	608.5	13.9	14.8	15.3	1.56	1.23	12.65
639.0	5.23	68.72	638.4	14.8	17.2	17.7	2.17	2.17	0.63
670.0	5.80	70.41	669.2	15.9	20.0	20.5	1.91	1.84	5.45
701.0	6.40	70.74	700.1	17.0	23.1	23.7	1.94	1.94	1.06
732.0	7.07	73.21	730.9	18.1	26.6	27.2	2.35	2.16	7.97
763.0	7.61	76.06	761.6	19.1	30.4	31.0	2.10	1.74	9.19
793.0	8.19	78.24	791.3	20.0	34.4	35.1	2.18	1.93	7.27
824.0	8.97	79.18	822.0	21.0	38.9	39.6	2.56	2.52	3.03
855.0	9.69	80.48	852.6	21.8	43.9	44.6	2.42	2.32	4.19
886.0	10.44	81.62	883.1	22.7	49.2	50.0	2.50	2.42	3.68
917.0	11.15	82.46	913.5	23.5	55.0	55.7	2.35	2.29	2.71
951.0	11.83	83.19	946.9	24.3	61.7	62.5	2.05	2.00	2.15
982.0	12.37	83.90	977.2	25.1	68.2	69.0	1.81	1.74	2.29
1,046.0	13.97	83.56	1,039.5	26.6	82.6	83.5	2.50	2.50	-0.53
1,110.0	15.72	83.54	1,101.3	28.5	98.9	99.9	2.73	2.73	-0.03
1,173.0	16.54	84.62	1,161.9	30.3	116.3	117.3	1.39	1.30	1.71
1,236.0	17.42	83.87	1,222.1	32.1	134.7	135.7	1.44	1.40	-1.19
1,300.0	18.63	84.23	1,283.0	34.2	154.3	155.4	1.90	1.89	0.56
1,363.0	20.12	84.61	1,342.4	36.2	175.1	176.3	2.37	2.37	0.60
1,427.0	21.03	85.55	1,402.3	38.1	197.6	198.7	1.51	1.42	1.47
1,490.0	22.30	85.34	1,460.9	40.0	220.7	222.0	2.02	2.02	-0.33
1,554.0	23.63	86.21	1,519.8	41.8	245.6	246.9	2.14	2.08	1.36
1,617.0	24.40	87.28	1,577.3	43.3	271.2	272.6	1.40	1.22	1.70
1,680.0	25.61	87.76	1,634.4	44.4	297.8	299.2	1.95	1.92	0.76
1,744.0	26.59	88.65	1,691.9	45.3	326.0	327.3	1.65	1.53	1.39
1,807.0	27.90	89.70	1,747.9	45.7	354.8	356.2	2.21	2.08	1.67
1,871.0	27.93	90.40	1,804.5	45.7	384.8	386.1	0.51	0.05	1.09
1,934.0	28.06	90.91	1,860.1	45.4	414.4	415.7	0.43	0.21	0.81
1,998.0	28.12	91.06	1,916.6	44.8	444.5	445.8	0.14	0.09	0.23
2,061.0	27.16	90.68	1,972.4	44.4	473.7	474.9	1.55	-1.52	-0.60
2,125.0	26.84	90.66	2,029.4	44.0	502.8	504.0	0.50	-0.50	-0.03
2,188.0	26.66	90.72	2,085.7	43.7	531.1	532.3	0.29	-0.29	0.10
2,252.0	26.86	91.03	2,142.8	43.3	559.9	561.1	0.38	0.31	0.48
2,315.0	27.01	90.71	2,199.0	42.8	588.5	589.6	0.33	0.24	-0.51
2,379.0	27.69	90.14	2,255.8	42.6	617.9	619.0	1.14	1.06	-0.89
2,442.0	28.17	90.45	2,311.5	42.5	647.4	648.4	0.80	0.76	0.49
2,506.0	28.29	90.98	2,367.9	42.1	677.6	678.7	0.43	0.19	0.83
2,569.0	28.32	91.31	2,423.3	41.5	707.5	708.5	0.25	0.05	0.52
2,633.0	26.91	91.14	2,480.0	40.9	737.2	738.1	2.21	-2.20	-0.27
2,696.0	26.52	90.55	2,536.3	40.4	765.5	766.4	0.75	-0.62	-0.94
2,759.0	26.77	89.29	2,592.6	40.5	793.7	794.7	0.98	0.40	-2.00
2,823.0	25.37	88.49	2,650.1	41.0	821.9	822.8	2.26	-2.19	-1.25
2,886.0	24.85	88.06	2,707.2	41.8	848.6	849.5	0.87	-0.83	-0.68
2,950.0	24.20	89.04	2,765.4	42.5	875.1	876.1	1.20	-1.02	1.53
3,013.0	22.54	89.41	2,823.2	42.8	900.1	901.1	2.65	-2.63	0.59
3,077.0	21.50	88.57	2,882.5	43.3	924.1	925.1	1.70	-1.63	-1.31
3,140.0	20.69	88.91	2,941.3	43.8	946.8	947.7	1.30	-1.29	0.54
3,204.0	19.93	89.00	3,001.3	44.2	969.0	969.9	1.19	-1.19	0.14
3,267.0	19.10	89.87	3,060.7	44.4	990.0	991.0	1.40	-1.32	1.38
3,331.0	18.79	90.77	3,121.3	44.3	1,010.8	1,011.7	0.67	-0.46	1.41
3,394.0	17.53	92.35	3,181.1	43.7	1,030.4	1,031.3	2.15	-2.00	2.51
3,457.0	15.65	93.08	3,241.5	42.9	1,048.4	1,049.3	3.00	-2.98	1.16
3,520.0	13.26	92.09	3,302.5	42.2	1,064.1	1,064.9	3.81	-3.79	-1.57
3,584.0	11.19	90.39	3,365.0	41.9	1,077.7	1,078.5	3.28	-3.23	-2.66

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 28-5 #74N
Project:	SJB (NM Central)	TVD Reference:	AWS 673 @ 6768.0ft (15' DF + 6753' GL)
Site:	SEC 36-T28N-R5W	MD Reference:	AWS 673 @ 6768.0ft (15' DF + 6753' GL)
Well:	SJ 28-5 #74N	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
3,647.0	9.39	90.04	3,427.0	41.8	1,088.9	1,089.7	2.86	-2.86	-0.56
3,711.0	7.86	91.98	3,490.3	41.7	1,098.5	1,099.3	2.43	-2.39	3.03
3,775.0	6.60	90.31	3,553.8	41.5	1,106.6	1,107.3	2.00	-1.97	-2.61
3,838.0	5.69	87.04	3,616.4	41.6	1,113.3	1,114.1	1.55	-1.44	-5.19
3,902.0	5.45	85.23	3,680.1	42.0	1,119.5	1,120.3	0.46	-0.38	-2.83
3,965.0	5.12	86.37	3,742.9	42.5	1,125.3	1,126.1	0.55	-0.52	1.81
4,029.0	4.18	81.18	3,806.6	43.0	1,130.4	1,131.2	1.61	-1.47	-8.11
4,061.0	3.80	74.77	3,838.6	43.5	1,132.6	1,133.4	1.83	-1.19	-20.03
Last SDI MWD Survey									

Checked By: _____ Approved By: _____ Date: _____