District I

1625 N. French Dr. Hobbs, NM 88249

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

01100	Pit, Closed-Loop System, Below-Grade Tank, or
30PQ	Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
•	X Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: SAN JUAN 27-4 UNIT 35C	
API Number: 30-039-30413 OCD F	ermit Number:
U/L or Qtr/Qtr: <b>D(NW/NW)</b> Section: <b>26</b> Township. <b>27N</b> R	ange: 4W County: Rio Arriba
	ntude: 107.22617 °W NAD: 1927 X 1983
Surface Owner: X Federal State Private Tribal Tr	ust or Indian Allotment
2  X Pit: Subsection F or G of 19.15.17 11 NMAC  Temporary X Drilling Workover	
Permanent Emergency Cavitation P&A	
	LLDPE HDPE PVC Other
X String-Reinforced	
Liner Seams: X Welded X Factory Other Volu	me: 7000 bbl Dimensions L 120' x W 55' x D 12'
notice of intent)  Drying Pad Above Ground Steel Tanks Haul-off Bins Oth	LDPE HDPE PVD Other 12131415767
4  Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume. bbl Type of fluid:	RECEIVED 8
Tank Construction material:	oll CONS. DIV. DIST. 3
Secondary containment with leak detection Visible sidewalls, liner, 6-inc Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC	Other
Submittal of an exception request is required Exceptions must be submitted to the Sar	ta Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent put temporary pits and helow-grade tanks)		1		
Fencing: Subsection D of 19.15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.				
7		7		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8 .				
Signs: Subsection C of 19.15 17 11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15.3 103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for considerations.	eration of appr	oval		
(Fencing/BGT Liner)				
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10 Siting Criteria (regarding permitting) 19.15.17.10 NMAC	,			
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the	 			
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	□No		
- NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No		
(measured from the ordinary high-water mark).				
- Topographic map; Visual inspection (certification) of the proposed site	_			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	No		
application.		Ì		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Acrial photo; Satellite image	$  \sqcup^{NA}  $			
	l			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	LI <sub>NO</sub>		
(Applied to permanent pits)	. []NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
, , , , , , , , , , , , , , , , , , , ,				
- NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site.	1			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	No		
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality. Written approval obtained from the municipality				
Within 500 feet of a wetland.	Yes	∏No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗀	٠٠٠٠ لـــا		
Within the area overlying a subsurface mine.	Yes	No		
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division				
Within an unstable area.	Yes	No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	1			
Within a 100-year floodplain	Yes	No		
- FEMA map	🗀 🚟	٠٠٠ '-'		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15.17.9 NMAC and 19 15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Pennit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9
NMAC and 19 15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17 11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15 17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14
Proposed Closure: 19.15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place BurialOn-site Trench .
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19.15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
——————————————————————————————————————

16	10. 17. 1 N. 1 CP. 0. 1 (10.15.17.12.D.)(14.00)	•
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions Please identify the facility or facilities for the disposal of liquids.	ind <u>Steel Tanks or Haul-oft Bins Only:</u> (19.15.1/13.D NMAC) drilling fluids and drill cuttings—Use altachment if more than two	
facilities are required  Disposal Facility Name: Disposal Facility Permit #.		
Disposal Facility Name Disposal Facility Permit #:		
Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information No		1
Required for impacted areas which will not be used for future service and open  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of  Site Reclamation Plan - based upon the appropriate requirements	appropriate requirements of Subsection H of 19.15.17.13 N Subsection I of 19 15 17 13 NMAC	MAC
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 Instructions Each suing criteria requires a demonstration of compliance in the closure periain suing criteria may require administrative approval from the appropriate district office for consideration of approval Justifications and/or demonstrations of equivalency	olan Recommendations of acceptable source material are provided below office or may be considered an exception which must be submitted to the S	
Ground water is less than 50 feet below the bottom of the buried waster - NM Office of the State Engineer - iWATERS database search, USGS: I		Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No
- NM Office of the State Engineer - iWATERS database search, USGS; D	ata obtained from nearby wells	□N/A
Ground water is more than 100 feet below the bottom of the buried wa	aste.	Yes No
- NM Office of the State Engineer - (WATERS database search; USGS; D	ata obtained from nearby wells	□N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any othe (measured from the ordinary high-water mark).	r significant watercourse or lakebed, sinkhole, or playa lake	☐Yes ☐No
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or ch - Visual inspection (certification) of the proposed site; Aerial photo, satelli	••	Yes No
Within 500 horizontal fect of a private, domestic fresh water well or spring that purposes, or within 1000 horizontal fee of any other fresh water well or spring  - NM Office of the State Engineer - iWATERS database, Visual inspection	, in existence at the time of the initial application	
Within incorporated municipal boundaries or within a defined municipal fresh v pursuant to NMSA 1978. Section 3-27-3, as amended.	·	Yes No
- Written confirmation or verification from the municipality, Written appr Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Vi		Yes No
Within the area overlying a subsurface mine.		
- Written confirantion or verification or map from the NM EMNRD-Mini	- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geold Topographic map	ogy & Mineral Resources; USGS, NM Geological Society,	Yes No
Within a 100-year floodplain FEMA map		Yes No
On-Site Closure Plan Checklist: (19.15 17.13 NMAC) Instructions by a check mark in the box, that the documents are attached.	: Each of the following items must bee attached to the clo	osure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the ag	propriate requirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate re	•	
Construction/Design Plan of Burial Trench (if applicable) base		
Construction/Design Plan of Temporary Pit (for in place burial Protocols and Procedures - based upon the appropriate require		s of 19.15.17.11 NMAC
Confirmation Sampling Plan (if applicable) - based upon the a	ppropriate requirements of Subsection F of 19.15.17.13 NM	MAC
Waste Material Sampling Plan - based upon the appropriate red	quirements of Subsection F of 19.15.17.13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling		ds cannot be achieved)
Soil Cover Design - based upon the appropriate requirements of		
Re-vegetation Plan - based upon the appropriate requirements  Site Reclamation Plan - based upon the appropriate requirement		

Form C-144

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true accurate and complete to the best of my knowledge and belief.  Name (Print) Mafie E. Jaramius 7, / Title
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Signature. Date.
e-mail address: marie eliaramillo@conocophilips com Telephone 505-926-9865
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 2/25///
Title: ±n JrO Bee OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name. Disposal Facility Permit Number
Disposal Facility Name : Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliance to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Sceding Technique
Construction (Application Rates and Security Technique
Clasura Danort Attachment Charletista Zerreit - Full Cal City
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude: Longitude: NAD 1927 1983
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude: Longitude: NAD 1927 1983
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude: Longitude: NAD 1927 1983
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude: Longitude: NAD 1927 1983   Coperator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude: Longitude: NAD 1927 1983  25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude: Longitude: NAD 1927 1983  Degrator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.  Name (Print). Title
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude: Longitude: NAD 1927 1983  Degrator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.  Name (Print). Title

Form C-144

Oil Conservation Division

Page 5 of 5

## Burlington Resources San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal), BR
  can not conduct construction or similar activities during Seasonal Closures and therefore can
  not meet the closure requirements specified in the referenced rule. Completion of the well and
  Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted.
- (2<sup>ND</sup> Revised Closure Date Of 08/13/10) needed due to Surface Owner restriction and limitation.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

BR realizes this does not relieve any of the requirements of Part 17.