State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II 1301 W Grand Ave , Artesia, NM 88210 District III

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1220 S St Francis Dr. Santa Fe, NM 87505

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

#### Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

923	1
-----	---

Type of action.	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
[	Modification to an existing permit
{	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
·	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

environment Nor does approval relieve the operator of its responsibility to com	ply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#· <u>14538</u>
Address: P.O. Box 4289, Farmington, NM 87499	
Facility or well name: SAN JUAN 29-7 UNIT 53M	
API Number 30-039-30801	OCD Permit Number
U/L or Qtr/Qtr F(SE/NW) Section: 27 Township. 29	N Range: 7W County Rio Arriba
Center of Proposed Design. Latitude. 36.699702 °N	Longitude: 107.560037 °W NAD: 1927 X 1983
Surface Owner X Federal State Private	Tribal Trust or Indian Allotment
2	mil X LLDPE HDPE PVC Other  Volume 7700 bbl Dimensions L 120' x W 55' x D 12'
notice of Drying Pad Above Ground Steel Tanks Haul-off Bin	ver or Drilling (Applies to activities which require prior approval of a permit or f intent)  s Other LLDPE HDPE PVD Other
Visible sidewalls and liner Visible sidewalls only	RCVD NOV 22 '11  OIL CONS. D1V.  Iliner, 6-inch lift and automatic overflow shut-off Other Other Other Other
5  Alternative Method: Submittal of an exception request is required Exceptions must be submitted.	ed to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institu	ition or church	)
Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify		
Alternate riease specify		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19 15 17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19 15 3 103 NMAC		
9		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	eration of appr	roval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
10		
Siting Criteria (regarding permitting) 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes	□No
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	∐Yes	∐No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	;
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	l	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	∏No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
- NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	□No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	Yes	□No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No
Within an unstable area.	Yes	□No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map		⊔'''
Within a 100-year floodplain - FEMA map	Yes	□No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
Art
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan  Operating and Management Plans based was at the assurance of 10 15 17 13 NMAC.
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15 17 13 NMAC
14   Proposed Closure; 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System  Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Faculty Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize About Instructions Please identify the facility or facilities for the disposal of	ve Ground Steel Tanks or Haul-off Bins Only:(19 15 17 13 D NMAC) liquids, drilling fluids and drill cuttings—Use attachment if more than two	,			
facilities are required					
	Disposal Facility Permit #				
Disposal Facility Name	Disposal Facility Permit #				
Yes (If yes, please provide the information No		e service and			
Required for impacted areas which will not be used for future service a  Soil Backfill and Cover Design Specification - based upo  Re-vegetation Plan - based upon the appropriate requirem  Site Reclamation Plan - based upon the appropriate requirem	on the appropriate requirements of Subsection H of 19 15 17.13 Nents of Subsection I of 19 15 17 13 NMAC	NMAC			
	closure plan Recommendations of acceptable source material are provided belov district office or may be considered an exception which must be submitted to the S				
Ground water is less than 50 feet below the bottom of the buried - NM Office of the State Engineer - iWATERS database search, U		Yes No			
Ground water 1s between 50 and 100 feet below the bottom of t	he buried waste	Yes No			
- NM Office of the State Engineer - 1WATERS database search, U	SGS, Data obtained from nearby wells	∏N/A			
Ground water 1s more than 100 feet below the bottom of the but	ned waste	Yes No			
- NM Office of the State Engineer - 1WATERS database search, U		N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of a (measured from the ordinary high-water mark)		Yes No			
- Topographic map, Visual inspection (certification) of the propose					
Within 300 feet from a permanent residence, school, hospital, institution - Visual inspection (certification) of the proposed site. Aerial photo	••	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spr purposes, or within 1000 horizontal fee of any other fresh water well or - NM Office of the State Engineer - iWATERS database, Visual in	spring, in existence at the time of the initial application	Yes No			
Within incorporated municipal boundaries or within a defined municipal pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written	·	Yes No			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic in		Yes No			
Within the area overlying a subsurface mine		Yes No			
- Written confiramtion or verification or map from the NM EMNR	D-Mining and Mineral Division				
Within an unstable area - Engineering measures incorporated into the design, NM Bureau o	f Geology & Mineral Resources, USGS, NM Geological Society,	Yes No			
Topographic map Within a 100-year floodplain - FEMA map		Yes No			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instruby a check mark in the box, that the documents are attached.	ections: Each of the following items must bee attached to the cla	osure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon	the appropriate requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate of the property of the proof of Surface Owner Notice - based upon the appropriate of the proof of Surface Owner Notice - based upon the appropriate of the proof of Surface Owner Notice - based upon the appropriate of the proof of Surface Owner Notice - based upon the appropriate of the proof of Surface Owner Notice - based upon the appropriate of the proof of Surface Owner Notice - based upon the appropriate of the proof of Surface Owner Notice - based upon the appropriate of the proof of Surface Owner Notice - based upon the appropriate of the proof of Surface Owner Notice - based upon the appropriate of the proof of Surface Owner Notice - based upon the appropriate of the proof of Surface Owner Owne Owner Owne	rate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable	e) based upon the appropriate requirements of 19 15 17 11 NMA				
	burial of a drying pad) - based upon the appropriate requirement	s of 19 15.17 11 NMAC			
Protocols and Procedures - based upon the appropriate re					
	the appropriate requirements of Subsection F of 19 15 17.13 NN	MAC			
Waste Material Sampling Plan - based upon the appropri	•				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirer  Site Reclamation Plan - based upon the appropriate requi					

Operator Application Contification
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail addiess Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 1/29/1001  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed    X   Closure Completion Date:   May 19, 2011
[A] Closure Completion Date. (May 15, 2011
22 Closure Method:  Waste Excavation and Removal  Alternative Closure Method  Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23  Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliant to the items below)
Regulied for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.    X   Proof of Closure Notice (surface owner and division)     X   Proof of Deed Notice (required for on-site closure)     X   Plot Plan (for on-site closures and temporary pits)     X   Confirmation Sampling Analytical Results (if applicable)     Waste Material Sampling Analytical Results (if applicable)     X   Disposal Facility Name and Permit Number     X   Soil Backfilling and Cover Installation     X   Re-vegetation Application Rates and Seeding Technique     X   Site Reclamation (Photo Documentation)
On-site Closure Location Latitude 36.69914 °N Longitude 107.559885 °W NAD 1927 X 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Jamie Goodwin , Title Regulatory Tech
Signature and Goodwa Date 11/21/11
e-mail address / jamie   goodwin@conocophillips.com Telephone 505-326-9784

# Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 29-7 UNIT 53M

API No.: 30-039-30801

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

#### General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

The closure plan requirements were met due to rig move off date as noted on C-105.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	27.5 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	1170 ug/kG
TPH	EPA SW-846 418.1	2500	187mg/kg
GRO/DRO	EPA SW-846 8015M	500	50.6 mg/Kg
Chlorides	EPA 300.1	/1000/500	260 mg/L
	·		

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, SAN JUAN 29-7 UNIT 53M, UL-F, Sec. 27, T 29N, R 7W, API # 30-039-30801

#### Sessions, Tamra D

From:

Sessions, Tamra D

Sent:

Thursday, August 06, 2009 12:23 PM

To:

'mark\_kelly@nm.blm.gov'

Subject:

Surface Owner Notification 8/6/09

The following wells will have a temporary pit that will be closed on-site. Please let me know if you have any questions.

SAN JUAN 29-7 UNIT 53M SAN JUAN 30-6 UNIT 98B

Thank you,

Tamra Sessions
Staff Regulatory Technician
CONOCOPHILLIPS COMPANY / SJBU
505-326-9834
Tamra.D.Sessions@conocophillips.com

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II
1301 West Grand Avenue, Artesia, N.M. 86210

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd , Aztec, N.M. 87410

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

□ AMENDED REPORT

#### WELL LOCATION AND ACREAGE DEDICATION PLAT


1 API	Number			<sup>2</sup> Pool Code		<sup>3</sup> Pool Name				
						BASIN DAKOTA/BLANCO MESAVERDE				
<sup>4</sup> Property C	ode				<sup>6</sup> Property	Property Name *Well Number				
				S	AN JUAN 29-	JUAN 29-7 UNIT 53M				
OGRID No	).				*Operator	Name		•	Elevation	
			BURLI	NGTON RE	SOURCES OIL	AND GAS COMPA	NY LP		6846'	
	•				10 Surface	Location				
UL or lot no	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
F	27	29-N	7-W	1590' NORTH 2140' WEST RIO				RIO ARRIBA		
			11 Botte	om Hole	Location I	f Different Fro	om Surface		,	
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
В	27	29-N	7W		710'	10' NORTH 1980' EAST RIO ARR				
Dedicated Acres 15 Joint or Infill 16 Consolidation Code 15 Order No.										
MV 320.00	ACRES	E/2				,				
DK 320.00	ACRES	E/2	1			1				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED

16			DARD UNIT HAS E			THE DIVISION
0 05' 07" IF 2640.62'	S 89° 33° 11° E 2639.63°	1590'		59' 13' W 5.83' 1980'	₹ 0 01.00.	OPERATOR CERTIFICATION  I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working inferest or unleased mineral inferest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or a working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
\$	2140' Surf			7078424	8	Signature :
	LAT: 36'41.9817' N. LONG: 107'33.5658' W. NAD 1927  LAT: 36.699702' N. LONG: 107.560037' W. NAD 1983 Surface	— 25    -	LAT: 36'42 LONG: 107 NAD 1927 LAT: 36.70	733.3268' W. 02101' N. 7.556055' W.		18 SURVEYOR CERTIFICATION  I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my boltef.  Date of Survey.
			nu si orbaks	Loper Juan Let 1	\$	Signature and End of Processing at Surveyor:  15703  Certificate Number  15703

## BURLINGTON RESOURCES OIL & GAS COMPANY LP

SAN JUAN 29-7 UNIT 53M, 1590' FNL & 2140' FWL SECTION 27, T-29- N, R-7-W, NMPM, RIO ARRIBA COUNTY, NM GROUND ELEVATION: 6846', DATE: AUGUST 22, 2007/RSVD NOVEMBER 11, 2011



CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED VECTOR SURVEYS IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES

PIPLINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION

LATITUDE: 36° 41.9817′ N LONGITUDE: 107° 33.5658′ W

NAD27



#### EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington	Project#:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	03-31-11
Laboratory Number:	57751	Date Sampled:	03-30-11
Chain of Custody No:	11189	Date Received:	03-30-11
Sample Matrix:	Soil	Date Extracted:	03-30-11
Preservative:	Cool	Date Analyzed:	03-31-11
Condition:	Intact	Analysis Requested:	8015 TPH
		Dilution:	X2

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	20.2	0.2
Diesel Range (C10 - C28)	30.4	0.1
Total Petroleum Hydrocarbons	50.6	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 29-7 Unit 53M

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



#### EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	03-31-11
Laboratory Number:	57752	Date Sampled:	03-30-11
Chain of Custody No:	11189	Date Received:	03-30-11
Sample Matrix:	Soil	Date Extracted:	03-30-11
Preservative:	Cool	Date Analyzed:	03-31-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 29-7 Unit 53M

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



# EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

#### **Quality Assurance Report**

0.1

Client:	QA/QC		Project #:		N/A
Sample ID:	03-31-11 QA/0	QC .	Date Reported:		03-31-11
Laboratory Number:	57736		Date Sampled:		N/A
Sample Matrix:	Methylene Chlor	ide	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		03-31-11
Condition:	N/A		Analysis Requeste	ed:	TPH
	I-Cal Date	- I-Cal RE:	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	03-31-11	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	03-31-11	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Blank Conc. (mg/L - mg/l	<b>(9)</b>	Concentration		Detection Lir	niti
Gasoline Range C5 - C10		ND		0.2	

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	202	80.8%	75 - 125%
Diesel Range C10 - C28	ND	250	262	105%	75 - 125%

ND

ND - Parameter not detected at the stated detection limit.

References:

Diesel Range C10 - C28

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 57736, 57745, 57747-57753



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Benzene		27.5		0.9	
Parameter		Concentration (ug/Kg)		Det. Limit (ug/Kg)	
			Dilution:	Dot	10
Condition:	Intact		Analysis Requested:		BTEX
Preservative:	Cool		Date Extracted:		03-30-11
Sample Matrix:	Soil		Date Analyzed:		03-30-11
Chain of Custody:	11189		Date Received:		03-30-11
Laboratory Number:	57751		_Date_Sampled:		.03 <u>-</u> 30-11
Sample ID:	Reserve Pit		Date Reported:		03-31-11
Client:	Burlington		Project #:		92115-1271

Benzene	27.5	0.9
Toluene	302	1.0
Ethylbenzene	48.5	1.0
p,m-Xylene	709	1.2
o-Xylene	83.9	0.9

Total BTEX 1,170

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	103 %
	1,4-difluorobenzene	108 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 29-7 Unit 53M

Arralyst



### EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	03-31-11
Laboratory Number:	57752	Date Sampled:	03-30-11
Chain of Custody:	11189	Date Received:	03-30-11
Sample Matrix:	Soil	Date Analyzed:	03-30-11
Preservative:	Cool	Date Extracted:	03-30-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dilution:	10	
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	8.8	1.2	
o-Xylene	1.8	0.9	
Total BTEX	10.6		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96.9 %
	1,4-difluorobenzene	109 %
	Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 29-7 Unit 53M

Analyst



#### **EPA METHOD 8021 AROMATIC VOLATILE ORGANICS**

ND

0.1

Client:	N/A		Project #:		N/A
Sample ID:	0330BBLK QA/QC	>	Date Reported:		03-31-11
Laboratory Number:	57736		Date Sampled:		N/A
Sample Matrix:	Soil		Date Received:		N/A
Preservative:	N/A		Date Analyzed:		03-30-11
Condition:	N/A		Analysis:		BTEX
			Dilution:		10
Calibration and	I-Cal RF:	C-Cal RF	%Diff	Blank	Detect*
Detection Limits (ug/L)		Accept. Rar	ige 0 - 15%	Conc	Limit
Benzene	4.4478E+006	4.4567E+006	0.2%	ND	0.1
Toluene	1.5897E+006	1.5928E+006	D.2%	ND	0.1
Ethylbenzene	1.2398E+006	1.2423E+006	0.2%	ND	0.1
p,m-Xylene	2.7234E+006	2.7288E+006	0.2%	ND	0.1

1.0142E+006

0.2%

Duplicate Conc. (ug/Kg)	Sample Dú	plicate	%Diff.	Accept Range	Detect, Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	2.3	2.5	8.7%	0 - 30%	1.2
o-Xylene	3.6	3.5	2.8%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	unt Spikéd Spi	ked Sample %	Recovery	Accept Range
Benzene	ND	500	549	110%	39 - 150
Toluene	ND	500	543	109%	46 - 148
Ethylbenzene	ND	500	515	103%	32 - 160
p,m-Xylene	2.3	1000	1,060	106%	46 - 148
o-Xylene	3.6	500	521	103%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

1.0122E+006

References:

Analyst

o-Xylene

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

**Comments:** 

QA/QC for Samples 57736, 57745-57753



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	03/31/11
Laboratory Number:	57751	Date Sampled:	03/30/11
Chain of Custody No:	11189	Date Received:	03/30/11
Sample Matrix:	Soil	Date Extracted:	03/31/11
Preservative:	Cool	Date Analyzed:	03/31/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

187

59.9

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: San Juan 29-7 Unit 53M

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	03/31/11
Laboratory Number:	57752	Date Sampled:	03/30/11
Chain of Custody No:	11189	Date Received:	03/30/11
Sample Matrix:	Soil	Date Extracted:	03/31/11
Preservative:	Cool	Date Analyzed:	03/31/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

ND

59.9

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: San Juan 29-7 Unit 53M



#### **EPA METHOD 418.1** TOTAL PETROLEUM HYDROCARBONS QUALITY ASSURANCE REPORT

Client:

**QA/QC QA/QC**  Project #:

N/A

Sample ID: Laboratory Number:

03-31-TPH.QA/QC 57753

Date Reported: Date Sampled:

03/31/11 N/A

Sample Matrix:

Freon-113

Date Analyzed:

03/31/11

Preservative:

N/A

Date Extracted:

03/31/11

Condition:

N/A

Analysis Needed:

TPH

Calibration

L-Cal Date

C-Cal Date 1-Cal RF:

C-Cal RF: % Difference

Accept. Range

03/01/11

03/31/11

1,660

1,670

0.6%

+/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

**TPH** 

ND

59.9

Duplicate Conc. (mg/Kg)

Sample

**Duplicate** 

% Difference Accept Range

**TPH** 

107

127

18.7%

+/- 30%

Spike Conc. (mg/Kg) **TPH** 

Sample 107

Spike Added Spike Result % Recovery 2,000

1,860

88,3%

Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

5796 US Highway 64, Farmington, NM 87401

QA/QC for Samples 57745, 57747-57753



#### Chloride

Client: Burlington Project #: 92115-1271 Sample ID: Reserve Pit Date Reported: 03/31/11 Lab ID#: 57751 Date Sampled: 03/30/11 Sample Matrix: Soil Date Received: 03/30/11 Preservative: Cool Date Analyzed: 03/31/11 Condition: Intact Chain of Custody: 11189

Parameter Concentration (mg/Kg)

Total Chloride 260

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: San Juan 29-7 Unit 53M



#### Chloride

Client: Burlington Project #: 92115-1271 Sample ID: **Back Ground** Date Reported: 03/31/11 Lab ID#: 57752 Date Sampled: 03/30/11 Sample Matrix: Soil Date Received: 03/30/11 Preservative: Cool Date Analyzed: 03/31/11 Condition: Intact Chain of Custody: 11189

Parameter Concentration (mg/Kg)

Total Chloride 20

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: San Juan 29-7 Unit 53M

Two Copies	nate District	Office				State of Ne										rm C-105			
District I F 1625 N French Dr , Hobbs, NM 88240					ergy, l	Minerals and	l Na	tural Re	esource	S	July 17, 2008  1. WELL API NO.								
District II											30-039-308		NO.						
1301 W Grand Av District III	enue, Artesia	i, NM 88.	210			l Conservat					2 Type of L								
1000 Rio Brazos R District IV	d, Aztec, NN	M 87410				20 South St			r.		STATE FEE FED/INDIAN								
1220 S St Francis	Dr , Santa Fe	7505	Santa Fe, NM 87505							3 State Oil 8 SF-078424		Lease N	)						
WELL	COMPL	ETIO	N OR F	RECC	MPL	ETION REI													
4 Reason for fil	ıng										5 Lease Nam	e or t	Jnıt Agre	ement		<u></u>			
☐ COMPLET	ION REPO	ORT (F1	ll ın boxes	#1 throu	igh #31	for State and Fee	wells	s only)			SAN JUAN 6 Well Numl		-7 UNI	<u>I</u> `					
C-144 CLO #33, attach this a	nd the plat									und/or	53M								
7 Type of Com		WORK	OVER [	l DEEDE	NING	□PLUGBACK		DIFFERF	NT RESE	RVOII	R 🗆 OTHER								
8 Name of Oper	ator					Пессы	<u> </u>	DITTERE	VI KEGE	KVOII	9 OGRID					······			
Burlington F		oil (	Gas Com	ipany,	LP						14538								
10 Address of C PO Box 4298, Fa		NM 874	.99								11 Pool name	or W	/ildcat						
12.Location	Unit Ltr	Sec	tion	Towns	hıp	Range	Lot		Feet fro	m the	N/S Line	Fee	t from the	E/V	W Line	County			
Surface:																			
вн:																			
13 Date Spudde	d 14 Dat	te T D F	Reached		Date Rig <b>2/2010</b>	Released	-	16	Date Cor	nplete	d (Ready to Pro	duce)			evations (DF R, etc )	and RKB,			
18 Total Measur	ed Depth o	f Well		19 F	lug Bac	ck Measured Dep	oth	20	Was Dir	ection	al Survey Made	?	21 Ty	pe Ele	ectric and Ot	her Logs Run			
22 Producing In	terval(s), of	this coi	mpletion -	Top, Bot	tom, Na	ame							<u> </u>						
23	<u> </u>		<del></del>		CAS	ING REC	ORI	D (Ren	ort all	strin	os set in w	ell)							
CASING SI	ZE	WEI	IGHT LB /	FT		DEPTH SET			LE SIZE		CEMENTIN		CORD		AMOUNT	PULLED			
							_				· · · · · · · · · · · · · · · · · · ·								
<del></del>			<del></del>		ļ		+												
24.					LIN	ER RECORD			,	25	; 7	TUBI	NG REC	ORE	)				
SIZE	TOP		BO	ГТОМ		SACKS CEMI	ENT	SCREE	١	SI	ZE	D	EPTH SE	Т	PACK.	ER SET			
			_		<del> </del>							+							
26 Perforation	record (int	terval, si	ze. and nu	mber)				27 AC	ID SHC	T FR	ACTURE, CE	MEN	NT SOI	IFFZ	E ETC				
		,	,						INTERV		AMOUNT A								
<u> </u>							DD4	DDUC'	TION										
Date First Produ	ction		Product	tion Met	hod (Fle	owing, gas lift, pi				mn)	Well Statu	s (Pro	od or Shu	t-111)					
						6, 8 5,, 7						- (		,					
Date of Test	Hours '	Tested	Che	oke Size		Prod'n For Test Period		Oıl - Bb	I	Ga	as - MCF	W	/ater - Bb	1	Gas - C	Dil Ratio			
Flow Tubing Press	Casing	Pressur		culated ur Rate	24-	Oıl - Bbl		Gas	- MCF		Water - Bbl		Oil Gi	avity -	- API - <i>(Cor</i>	r)			
29 Disposition of	of Gas (Sola	, used fe	or fuel, ven	ted, etc ,	)				<del></del>			30	Test Witr	essed	Ву				
31 List Attachm	ents																		
32 If a temporar	y pit was us	sed at th	e well, atta	ch a plat	with th	e location of the	tempo	orary pit							<del></del>	·			
33 If an on-site	burial was t	ised at t	he well, rep	ort the	exact lo	cation of the on-s	ite bu	rial											
			itude 36.69		Lon	gitude 107.5598	85°W	NAD 🗆	1927 🛚	1983									
I hereby certi	fy that th	e infor	mation s	hown		<i>h sides of this</i> nted	forn	ı is true	and con	nplete	e to the best o	of my	knowle	edge	and beliej	f			
Signature	$\mathcal{M}$	ىر	book	WC		ne Jamie Go	odw	in Titl	e: Reg	ulato	ry Tech.	Date	e: 11/2	/201	1				
E-mail Addre	ss jamie	.l good	dwin@co	nocop	hillıps	.com													

# ConocoPhillips

Pit Closure Form:
Date: 5/19/11
Well Name: SJ 29-7#53M
Footages: 1590 FNL 2140 FWL Unit Letter: F
Section: 27, T-29-N, R-7-W, County: Ro Acob State: Mm
Contractor Closing Pit: Ace
Construction Inspector: 5. M-Glasson Date: 5/19/11 Inspector Signature: 5. M-Glasson Date: 5/19/11
Revised 11/4/10
Office Use Only: Subtask DSM Folder

#### Goodwin, Jamie L

From:

Payne, Wendy F

Sent: To: Wednesday, May 18, 2011 9:49 AM

Sent: Wednesday, May 10, 20

(Brandon.Powell@state nm us); Eli (Cimarron) (eliv@qwestoffice.net); GRP:SJBU

Regulatory; Mark Kelly; Randy McKee; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo com); Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W; Bowker, Terry D, Gordon Chenault; GRP.SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A, Thacker, LARRY; Work, Jim A; Corey Alfandre; 'isaiah@crossfire-Ilc.com'; Jerid Cabot (jerid@crossfire-Ilc.com); Blair, Maxwell O; Blakley, Mac; Farrell, Juanita R; Gillette, Steven L (PAC); Hines, Derek J; Maxwell, Mary Alice; McWilliams, Peggy L; Saiz, Kooper (Finney Land Co.); Seabolt, Elmo F; Stallsmith, Mark R; Thayer, Ashley A; Thompson,

Trey E (Finney Land Co.)

Cc:

Ace Services

Subject:

Reclamation Notice: San Juan 29-7 Unit 53M

Importance:

High

Attachments:

San Juan 29-7 Unit 53M.pdf

ACE Services will move a tractor to the **San Juan 29-7 Unit 53M** to start the reclamation process on Friday, May 20, 2011. Please contact Steve McGlasson (716-3285) if you have questions or need further assistance.



San Juan 29-7 Unit 53M.pdf (20...

Burlington Resources Well - Network # 10220003 - Activity Code D250 (reclamation) & D260 (pit closure) - PO:Kaitlw Rio Arriba County, NM

#### San Juan 29-7 Unit 53M - BLM surface/BLM minerals

Onsited Mike Flanken 3-14-08

Twin: San Juan 29-7 Unit 59B - existing

1590' FNL, 2140' FWL Sec. 27, T29N, R7W Unit Letter "F"

Lease # SF-078424

BH: NWNE Sec.27, T29N, R7W Latitude 36° 41' 59" N (NAD 83) Longitude. 107° 33' 36" W (NAD 83)

Elevation: 6846'

Total Acres Disturbed: 3.03 acres

Access Road: n/a API # 30-039-30801 Within City Limits. NO

Pit Lined: YES

NOTE: Arch Monitoring IS required on this location. WCRM: 326-7420

Wendy Payne ConocoPhillips-SJBU 505-326-9533

Wendy.F.Payne@conocophillips.com

# ConocoPhillips

Reclamation Form:
Date: 19/12 /11
Well Name: <u>5J29-7#53</u>
Footages: 1590FNL 2140 FWL Unit Letter:
Section: 27, T-29-N, R-7-W, County: Rink State: W
Reclamation Contractor: Acc
Reclamation Date: <u>S/II</u>
Road Completion Date: 8/1/
Seeding Date: 8/11
**PIT MARKER STATUS (When Required): Picture of Marker set needed
**PIT MARKER STATUS (When Required): Picture of Marker set needed  MARKER PLACED: 8/11 (DATE)
•
MARKER PLACED: 8/11 (DATE)  LATATUDE: 36.69986  LONGITUDE: 107.55988
MARKER PLACED: $8/11$ (DATE)  LATATUDE: $36.69986^{\circ}$ LONGITUDE: $107.55988$ Pit Manifold removed $8/11$ (DATE)
MARKER PLACED: 8/11 (DATE)  LATATUDE: 36.69986  LONGITUDE: 107.55988
MARKER PLACED: $8/11$ (DATE)  LATATUDE: $36.69986^{\circ}$ LONGITUDE: $107.55988$ Pit Manifold removed $8/11$ (DATE)
MARKER PLACED: $8/11$ (DATE)  LATATUDE: $36.69986$ LONGITUDE: $107.55988$ Pit Manifold removed $8/11$ (DATE)  Construction Inspector: $5.M-614sson$ Date: $19/12/11$

	WELL NAME:	OPEN P	IT INSPE	CTION	FORM	and the second	÷	Con	ocoPh	illins
	SJ 29-7 53M				•		T.::2-2-22			
-	DATE		JARED CHAVEZ 11/22/10	11/30/10	12/07/10	12/14/10	12/20/10	12/29/10	01/11/11	JARED CHAVEZ 01/19/11
	*Please request for pit extention after 26 weeks	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8	Week 9
	PIT STATUS	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	☑ Dniled ☐ Completed ☐ Clean-Up	☐ Dniled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up
ATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
/201	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
	Are the culverts free from debris or any object preventing flow?	☑ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
ANCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No
OMPLIA	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No
Ü	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No
RON	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No
EN	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes 🗍 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	Yes No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
ပ္ပ	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	LOCATION IS IN GOOD CONDITION	GOOD	LOCATION IS IN GOOD CONDITION	AWS #730 IS ON LOCATION	LOCATION IS IN GOOD CONDIDTION	GOOD	COULD NOT ACCESS LOCATION DUE TO WEATHER	LOCATION IS IN GOOD CONDITION	LOCATION IS IN GOOD CONDITION

	WELL NAME:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6						, , , , , , , , , , , , , , , , , , ,	i
	SJ 29-7 53M			,	• ;				-	
	INSPECTOR DATE	JARED CHAVEZ 02/02/11	E. Perry 02/09/11	E. Perry 02/15/11	E. Perry	E. Perry	E. Perry 03/04/11	E. Perry 03/11/11	E. Perry 03/21/11	E. Perry 03/28/11
$\vdash$	*Please request for pit extention after 26 weeks	Week 10	Week 11	Week 12	02/23/11 Week 13	02/28/11 Week 14	Week 15	Week 16	Week 17	Week 18
	PIT STATUS	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up
ATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No
10CA	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes □ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	☐ Yes ☑ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☑ No
COMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No
MENT	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No
EN	Are the pits free of trash and oil?	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No
	Is there a Manifold on location?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No
	is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No -
၁ ၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No
	COMMENTS	LOCATION IS IN GOOD CONDITION	Rd Rough Loc Rutted @Muddy Fence Loose	Rd Rough Loc Rutted @ Muddy	Rd @ Loc In Bad Shape Fence Loose NO CULVERTS	Rd and Loc Rough Fence Torn Up Need Culverts	Rd and Loc Rough Need Culverts	Rd and Loc Rough Need Culverts	Rd and Loc Rough Need Culverts	Road and Loc Rough Need Culverts Fence Loose

	WELL NAME:									
	SJ 29-7 53M					100 A				
ļ	INSPECTOR DATE	E. Perry 04/01/11		Fred 04/13/11	E. Perry 04/20/11	E. Perry 04/27/11	E. Perry 05/03/11	E. Perry 05/09/11	E. Perry 05/16/11	E. Perry 05/23/11
1	*Please request for pit extention after 26 weeks	Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS	☑ Drilled ☑ Completed ☐ Clean-Up	Drilled Completed Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ✓ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up
TION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
LOCATIO	Is the temporary well sign on location and visible from access road?	☑ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
*	Is the access road in good driving condition? (deep ruts, bladed)	☐ Yes ☑ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No				
	Are the culverts free from debris or any object preventing flow?	☐ Yes ☑ No	☐ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☑ No	☐ Yes ☑ No				
:	Is the top of the location bladed and in good operating condition?	☐ Yes ☑ No	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No
PLIANCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No
OMPLIA	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No
AL CO	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No
AENTA	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	☐ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No
ENVIRONMENT	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
EN	Are the pits free of trash and oil?	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes 🗌 No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes ☐ No	Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is there a Manifold on location?	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No
	Was the OCD contacted?	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	Yes V No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	Rd and Loc Rough No Culverts		Facility Crew on Loc	Road Rough Need Culverts		Road Rough Need Culverts	Road Rough Need Culverts	Sign on Facility Road Rough Need Culverts	Sign on Facility Need Culverts in main Rd

WELL NAME: SJ 29-7 53M										
	INSPECTOR  DATE	and the second	CLOSED 06/03/11	CLOSED 06/13/11	CLOSED 06/13/11	CLOSED 06/17/11	CLOSED	CLOSED	CLOSED	CLOSED 08/09/11
1	*Please request for pit extention after 26 weeks	Week 28	Week 29	Week 30	Week 31	Week 32	Week 33	Week 34	Week 35	Week 36
	PIT STATUS	✓ Drilled ✓ Completed ✓ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No
	Is the temporary well sign on location and visible from access road?	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No
ANCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
MPLI	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
AI CO	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No
MENT	Does the pit contain two feet of free board? (check the water levels)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ENVIRONMENT	Is there any standing water on the blow pit?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
EN	Are the pits free of trash and oil?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
	Is there a Manifold on location?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
၁ ၁	Was the OCD contacted?	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
	PICTURE TAKEN	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	COMMENTS	PIT CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	PIT CLOSED

# JUAN 29-7 UNIT #53M UDE 36° 41 MIN 59 SEC N (NAD83 ITUDE 107° 33 MIN 36 SEC W (NAD 83 NIT F SEC 27 T29N R07W NWNE S C 27 T29N R07 'FNL 2140' FWL / API#30-039-3080 ASE# SF-078424 ELEV. 6846' ARRIBA COUNTY, NEW MEXICO ERGENCY CONTACT: 1-505-324-5170





