

District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

30-045-29215 OPERATOR ☐ Initial Report ☒ Final Report

Name of Company	Dugan Production Corp.	Contact	Kurt Fagrelus
Address	P.O. Box 420	Telephone No.	505-325-1821
Facility Name	Luna #3	Facility Type	Permanent Pit

Surface Owner	State	Mineral Owner	State	Lease No.	LG-9801
---------------	-------	---------------	-------	-----------	---------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
C	16	23N	9W	720	North	1720	West	San Juan

Latitude 36.23237 N Longitude 107.79659 W

NATURE OF RELEASE

Type of Release	Spill Cleanup and pit closure	Volume of Release	Unknown	Volume Recovered	Unknown
Source of Release	Below grade permanent pit release	Date and Hour of Occurrence	?	Date and Hour of Discovery	Unknown
Was Immediate Notice Given?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	N/A		
By Whom?		Date and Hour			
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.			

If a Watercourse was Impacted, Describe Fully.*

N/A

Describe Cause of Problem and Remedial Action Taken.*

During permanent pit closure a chloride and TPH impact were discovered. A five-point composite sample tested 912-mg/kg chlorides and 7280-mg/kg TPH (418.1 analytic method) which exceed the threshold limits as per subsection B of 19.15.17.13(B) (1) (b). See attached sample results.

Describe Area Affected and Cleanup Action Taken.* Contamination was addressed under the "spill rule", 19.15.30. C-144 ranking=10. 36-yds of contaminated soil was dug and hauled to Envirotech landfarm. Chlorides then tested 864-mg/kg and TPH tested 286-mg/kg (8015 analytic method). Chloride and TPH releases do not pose a threat to contamination of groundwater. See attachment to "Final C-141" and invoice #26958.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature:

Kurt Fagrelus

Printed Name: Kurt Fagrelus

Approved by District Supervisor:

Janet Kelly

Title: VP Exploration

Approval Date: 12/2/2011

Expiration Date:

E-mail Address: kfagrelus@duganproduction.com

Conditions of Approval

Attached ☐

Date: November 12, 2010 Phone: 505-325-1821

* Attach Additional Sheets If Necessary

nJK1133640514

**Analytical Results For:**

DUGAN PRODUCTION
MIKE SANDOVAL
P. O. BOX 420
FARMINGTON NM, 87499
Fax To: (505) 327-4043

Received: 09/23/2010
Reported: 09/29/2010
Project Name: PIT CLOSURES
Project Number: LUNA #3 TANK & SEP PIT
Project Location: NOT GIVEN

Sampling Date: 09/21/2010
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: LUNA #3 (H020905-01)

BTX 8021B		mg/kg		Analyzed By: cms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.041	0.025	09/24/2010	ND	1.64	82.0	2.00	11.8	
Toluene*	<0.025	0.025	09/24/2010	ND	1.91	95.7	2.00	10.2	
Ethylbenzene*	<0.025	0.025	09/24/2010	ND	1.96	98.0	2.00	10.6	
Total Xylenes*	<0.075	0.075	09/24/2010	ND	5.88	98.0	6.00	9.98	

Surrogate 4-Bromofluorobenzene (PIL) 98.4 % 80-120

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	864	16.0	09/24/2010	ND	432	108	400	3.77	

TPH 418.1		mg/kg		Analyzed By: AB					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TPH 418.1	1140	100	09/24/2010	ND	970	95.1	1020	9.51	

TPH 8015M		mg/kg		Analyzed By: AB					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/26/2010	ND	173	86.6	200	1.68	
DRO >C10-C28	286	10.0	09/26/2010	ND	152	75.9	200	4.78	
Total TPH C6-C28	286	10.0	09/26/2010						

Surrogate 1-Chlorooctane 97.7 % 70-130

Surrogate 1-Chlorooctadecane 100 % 70-130

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE Liability and Damages Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab. Director/Quality Manager

Notes and Definitions

- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report


Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE Liability and Damages Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN OF CUSTODY RECORD

Page ____ of ____

Client: Dugan Prod.
Contact: Mike Sandwell
Address: _____
Phone Number: 330-0929
FAX Number: 327-8093

NOTES:

- 1) Ensure proper container packaging.
- 2) Ship samples promptly following collection.
- 3) Designate Sample Reject Disposition.

PO# LUNA#3
Project Name: Tank & Sep Pit

Table 1. - Matrix Type

1 = Surface Water, 2 = Ground Water
3 = Soil/Sediment, 4 = Rinsate, 5 = Oil
6 = Waste, 7 = Other (Specify)

FOR GAL USE ONLY

GALJOB # _____

Samplers Signature: Mike Sandwell

Lab Name: Green Analytical Laboratories (970) 247-4220 FAX (970) 247-4227		Analyses Required										Comments		
Address: 75 Suttle Street, Durango, CO 81303		Collection		Miscellaneous			Preservative(s)							
Sample ID	Date	Time	Collected by: (Init.)	Matrix Type From Table 1	No. of Containers	Sample Filtered Y/N	Unpreserved (Ice Only)	HNO3	HCL	H2SO4	NAOH		Other (Specify)	
H20905-														
1. LUNA#3	9-21-10	11:49												
2.														
3.														
4.														
5.														
6.														
7.														
8.														
9.														
10.														
Relinquished by: <u>Mike Sandwell</u>			Date: <u>9-21-10</u>	Time: <u>4:08</u>	Received by: <u>Justin Clark</u>			Date: <u>9/21/10</u>	Time: <u>11:08</u>					
Relinquished by: _____			Date: _____	Time: _____	Received by: <u>Steve Benson</u>			Date: <u>9/23/10</u>	Time: <u>9:40</u>					

* Sample Reject: ☐ Return ☐ Dispose ☐ Store (30 Days)

60C #26

Envirotech
5796 US Hwy 64
Farmington, NM 87401
Phone 505-632-0615
Fax 505-632-1865



To
Dugan Production Corp.
PO Box 420
Farmington, NM 87401

Invoice

Invoice Number: 26958
Job 06094-0075
DATE: October 6, 2010

Luna #3 - accept exempt contaminated soil
from pit closure

Ordered by: Mike Sandoval

Project Manager April Pohl

<u>Employee</u>	<u>Staff Type</u>	<u>Description</u>	<u>Units</u>	<u>Rate</u>	<u>Total</u>
09/27/2010					
Landfarm					
		BOL# 36617	1 00 EA	10 00	10.00
Paint Filter Test (LF)		BOL# 36617	1.00 EA	15 00	15.00
Chloride (LF)		BOL# 36617	36.00 CY	18 00	648 00
Contaminated Soil Reveal					
Landfarm Total:			38.00		673.00
09/27/2010 Total:			38.00		673.00

Invoice Sub-total 673.00
Sales Tax 42.48

Amount due this Invoice **\$715.48**

All invoices are due upon receipt. A late charge of 1.5% will be added to any unpaid balance after 30 days.
This may not be the final bill - if charges are received after this invoice has been mailed, you will receive a separate invoice for those costs.

Luna 3 - Sep.



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

September 29, 2010

MIKE SANDOVAL

DUGAN PRODUCTION

P. O. BOX 420

FARMINGTON, NM 87499

RE: PIT CLOSURES

Enclosed are the results of analyses for samples received by the laboratory on 09/23/10 9:40.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.


Sincerely,

Celey D. Keene
Lab Director/Quality Manager

Dugan Production
Luna #3
Seperator & Tank Pit



Reference Point: Well Head



From Reference Point Go S. **63** degrees SE. For
a Distance of **100'** to Center of Pit.

Permanent pit: Luna #3
API number: 30-045-29215

Results of sample analysis on the five-point composite sample collected on the subject permanent pit exceeded limits permissible under the "pit rule" (19.15.17.13.C) (see attached C-141 with analytic results).

The Environmental Bureau of the Oil Conservation Division (OCD) in Santa Fe is hereby provided a C-144 (closure report) and an "initial" C-141 (release notification) with analytic results of soil testing. The closure date on the C-144 (box 21) shows the date that the soil analysis did not meet pit rule standards. Also, this letter hereby provides notice that the subject permanent pit will be closed according to the requirements of the "spill rule" (19.15.30).

The OCD district office in Aztec is hereby provided a copy of the "initial report" C-141 (release notification) with analytic results of soil testing and also notice that the subject permanent pit will be closed according to the requirements of the "spill rule" (19.15.30). Assessment, clean-up and remediation of the reported spill will be done in accordance with the spill rule under the authority of the Aztec District office of the OCD. The "final report" C-141 with photo documentation of site reclamation will be sent to the Aztec District office of the OCD.

Following clean-up of the reported release and determination that the release is not a threat to groundwater contamination, the permanent pit will be closed in accordance with the approved C-144 (closure plan) and will include the following:

1. Stockpiled sub-surface soil will be used to backfill pit and re-contour (to a final or intermediate cover that blends with the surrounding topography). A minimum of four-feet of compacted, non-waste containing, earthen material will be used as backfill.
2. Stockpiled surface soil will be used as a cover over the backfilled pit and disturbed area no longer needed for production operations. The soil cover will include either the background thickness of top soil or one-foot of suitable material to establish vegetation at the site whichever is greater. The soil cover will be constructed to the sites existing grade and prevent water collection or ponding and erosion of the cover material.
3. Disturbed areas will be seeded the first growing season after the pit is closed. Seeding will be accomplished by drilling on contour whenever possible or by other division approved methods. BLM stipulated seed mixes will be used on all Federal lands and OCD approved seed mixes (administratively approved if required) will be used on all State or private lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two consecutive growing seasons. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. Seeding or planting will be continued until successful vegetative growth occurs.
4. The Aztec District office of the OCD will be notified after each re-seeding operation and after successful re-vegetation has been achieved.

Kurt Fagrelus
VP – Exploration, Dugan Production Corp.
Farmington, New Mexico 87401
505-325-1821 (O), 505-320-8248 (C)
kfagrelus@duganproduction.com

Lease Name: Luna #3						
API No.: 30-045-29215						
Site Specific Information						
Depth to	285-ft	Distance to Surface	200-ft	Wellhead Protection Area	>1000-ft	
Groundwater		Water Body		Distance from Water Source		
Total Ranking Score						
Depth to	Ranking	Distance to Surface	Ranking	Wellhead Protection Area	Ranking Score	Total Ranking
Groundwater	Score	Water Body	Score	Distance from Water Source	Yes =20, No=0	Score
<50-feet	20	<200-feet	20	<1000-feet from water source	0	
50 - 99	10	200 - 1000	10	<200-feet domestic water	0	
>100-feet	0	>1000-feet	0			10
Total Ranking Score					Sample	
		>19	10 - 19	0 - 9	Analysis	
Benzene (mg/kg)		10	10	10	0.041	
BTEX (mg/kg)		50	50	50	<0.075	
TPH (mg/kg)		100	1000	5000	286	
Chlorides (mg/kg)		N.A.	N.A.	N.A.	864	
Note: Analytical methods used for Benzene SW-846, BTEX SW-846, TPH 8015 and Chlorides 4500-C1-B.						
C-144 ranking = 10. Chloride release does not pose a threat to groundwater contamination.						

Luna #3 Below Grade Tank Hydrogeologic Report

The Luna #3 below grade tank is located on State land on the Chaco Slope area of the San Juan Basin, in San Juan County, New Mexico. The area is characterized by an arid, south and west sloping, gentle hilly terrain covered with sage, grass and isolated stands of pinon and juniper. It is well drained by numerous arroyos that carry water during seasonal periods (rainstorms and snowmelt) to the south.

A records search of the NM Office of the State Engineer –iWATERS database was conducted on a three square mile area centered on the Luna #3 below grade tank location (Exhibit 2). No water wells were located in the search area. The results of the search are shown on Exhibit 1.

The main source of stock water in the region is encountered in valley-fill deposits in existing arroyos at shallow depths of approximately 15 – 50 feet below the surface and stock tanks constructed on surface shale in the upper reaches and confluences of arroyos. The below grade tank is not located in an arroyo. The closest arroyo is 200-feet east (Exhibit 2) (See Visual Inspection Certification).

The Nacimiento Formation extends from the surface down to 285-feet. Thin silty sand can occur near the base (100-115 feet). However, the sand is discontinuous, has high silt content and would not be expected to contain significant amounts of ground water.

The Nacimiento is a source of ground water for livestock purposes and more rarely domestic use in some areas near the outcrop. With depth and distance from the outcrop, water quality decreases quickly and may be useful for livestock only (Stone, 1983).

The underlying Ojo Alamo Sandstone ranges from 285-370 feet and is comprised of a coarse grained alluvial sandstone inter-bedded with lenses of mudstone and occasional conglomeratic sandstone. The Ojo could provide a greater volume of poor quality groundwater.

Based on electric open hole logs, the iWATERS database, literature reviewed, poor quality groundwater might be found at a depth below 100 feet from, thin, discontinuous, shaly sand in the Nacimiento Formation. However, the underlying Ojo Alamo Sandstone (285-387 feet) is capable of producing a larger volume of better quality groundwater.

This Hydrogeologic Report was prepared by Mr. Kurt Fagrelus, Geologist for Dugan Production. Mr. Fagrelus has been employed as a geologist for Dugan for the past 31-years, received a MS in Geology from NMIMT in Socorro, NM and a BS in Geology from FLC in Durango, CO.

Stone, W.J., Lyford, F.P., Frenzel, P.F., Mizell, N.H., and Padgett, E.T., 1983, Hydrogeology and water resources of San Juan Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources Hydrologic Report 6, 70 p.

Brown, D.R., and Stone, W.J., 1979, Hydrogeology of Aztec quadrangle, San Juan County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Hydrogeologic Sheet 1.

Levings, G.W., Craig, S.D., Dam, W.L. Kernodle, J.M., and Thorn, C.R., 1990, Hydrogeology of the San Jose, Nacimiento, and Animas Formations in the San Juan Structural Basin, New Mexico, Colorado, Arizona and Utah: U.S. Geological Survey, Atlas HA-720-A, Sheet 1 and 2.

Thorn, C.R., Levings, G.W., Craig, S.D., Dam, W.L., and Kernodle, J.M., 1990, Hydrogeology of the Ojo Alamo Sandstone in the San Juan Structural Basin, New Mexico, Colorado, Arizona and Utah: U.S.G.S, Atlas HA-720-B, Sheet 1 and 2.



DUGAN PRODUCTION CORP.

LUNA #3

LG-9801

API # 30-045-29215

NE/4, NM/4, UNIT C


SEC. 16, T23N, R9W

LAT. 36° 13' 56" LONG. 107° 47' 48"

SAN JUAN COUNTY, NM

FOR EMERGENCY CALL (505)325-1823

Luna #3 Seperator
& Production Tank
Pit Close 11-19-10



Kurt Fagrelius

From: Kurt Fagrelius
Sent: Thursday, November 11, 2010 3 49 PM
To: Kurt Fagrelius, Powell, Brandon, EMNRD, Evan Rowland (erowland@slo.state.nm.us), dave_mankiewicz@nm.blm.gov, Mark_Kelly@nm.blm.gov, lucas_vargo@blm.gov
Cc: Johnny Lane, Mike Sandoval
Subject: RE 72-Hour Notice to Close Permanent Pits
Attachments: 72-Hour Notice to Close 11-16-2010.xls

I am sorry everyone, I failed to include the attachment on the previous mailing

Kurt Fagrelius
Dugan Production Corp
709 East Murray Drive
Farmington, New Mexico 87401
505-325-1821 (O), 505-320-8248 (C)
kfagrelius@duganproduction.com

From: Kurt Fagrelius
Sent: Thursday, November 11, 2010 11:59 AM
To: 'Powell, Brandon, EMNRD'; Evan Rowland (erowland@slo.state.nm.us); 'dave_mankiewicz@nm.blm.gov'; 'Mark_Kelly@nm.blm.gov'; 'lucas_vargo@blm.gov'
Cc: Johnny Lane; Mike Sandoval
Subject: 72-Hour Notice to Close Permanent Pits

Mr Brandon Powell, Mr Evan Rowland Mr Dave Mankiewicz, Mr Mark Kelly and Mr Lucas Vargo,

Dugan Production Corp is hereby giving notice that Dugan will be closing the permanent pits on the following well pads

- 1) Champ #7 (Separator)
- 2) Champ #7 (Production)
- 3) Champ #9
- 4) Flo Jo #2 (Separator)
- 5) Flo Jo #4
- 6) Hoss #1 (Separator)
- 7) LH #174 (Separator)
- 8) LH #174 (Production)
- 9) Luna #3

11/11/2010

Site specific and soil analysis information for each permanent pit is included in the enclosed attachment

Those highlighted in blue (#'s 1 - 6) are located on Federal Surface, and those highlighted in red (#'s 7-9) are located on NM State surface

Permanent pits will be closed starting Tuesday November 16, 2010 thru Thursday November 18, 2010

If you have any questions or require additional information, please contact me

Sincerely,

Kurt Fagrelus
Dugan Production Corp
709 East Murray Drive
Farmington, New Mexico 87401
505-325-1821 (O), 505-320-8248 (C)
kfagrelus@duganproduction.com

11/11/2010

Dugan Production Corp. Permanent Pits to be Closed on November 18, 2010

Lease Name	Champ #7 Separator	Champ #7 Production	Champ #9	Flo Jo #2 Separator	Flo Jo #4
API Number	30-045-28241	30-045-28241	30-045-29287	30-045-27441	30-045-28645
Surface Owner - Notice Sent	Federal	Federal	Federal	Federal	Federal
Location - UL, Sec , Twp, Rge	K-5-23N-10W	K-5-23N-10W	O-1-23N-10W	C-1-23N-11W	I-1-23N-11W
Latitude	36 25383 N	36.25383 N	36 25096 N	36.26100 N	36.25434 N
Longitude	107.92136 W	107.92136 W	107 84501 W	107 95636 W	107 94865 W
C-144 Ranking Score	10	10	10	0	10
Benzene (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
Betex (mg/kg)	<0.300	<0.300	0.473	<0.300	<0.300
TPH (mg/kg) - Analy Mthd	<100 - 418.1	<100 - 418.1	<20 - 8015	<100 - 418.1	<100 - 418.1
Chlorides (mg/kg)	608	864	608	992	800
Total Yards Contaminated	60-yds	60-yds	N.A.	54-yds	124-yds
Soil Hauled to Landfarm					

Dugan Production Corp. Permanent Pits to be Closed on November 18, 2010

Hoss #1 Separator	LH #174 Separator	LH #174 Production	Luna #3
30-045-29376	30-045-28533	30-045-28533	30-045-29215
Federal	State	State	State
H-11-23N-11W	A-32-23N-8W	A-32-23N-8W	C-16-23N-9W
36.24188 N	36.18909 N	36.18909 N	36.23237 N
107.9649 W	107.69714 W	107.69714 W	107.79659 W
10	10	10	10
<0.025	<0.100	<0.100	0.041
0.485	<0.300	<0.300	<0.075
<10 - 418.1	54.3 - 8015	368 - 8015	286 - 8015
176	976	416	864
90-yds	N.A.	N.A.	36-yds

Kurt Fagrelius

From: Kurt Fagrelius
Sent: Thursday, November 11, 2010 3:49 PM
To: Kurt Fagrelius, 'Powell, Brandon, EMNRD', Evan Rowland (erowland@slo.state.nm.us), 'dave_mankiewicz@nm.blm.gov', 'Mark_Kelly@nm.blm.gov', 'lucas_vargo@blm.gov'
Cc: Johnny Lane; Mike Sandoval
Subject: RE: 72-Hour Notice to Close Permanent Pits
Attachments: 72-Hour Notice to Close 11-16-2010.xls

Tracking:	Recipient	Delivery	Read
	Kurt Fagrelius	Delivered: 11/11/2010 3:49 PM	Read: 11/11/2010 3:49 PM
	'Powell, Brandon, EMNRD'		
	Evan Rowland (erowland@slo.state.nm.us)		
	'dave_mankiewicz@nm.blm.gov'		
	'Mark_Kelly@nm.blm.gov'		
	'lucas_vargo@blm.gov'		
	Johnny Lane	Delivered: 11/11/2010 3:49 PM	
	Mike Sandoval	Delivered: 11/11/2010 3:49 PM	

I am sorry everyone, I failed to include the attachment on the previous mailing

Kurt Fagrelius
Dugan Production Corp
709 East Murray Drive
Farmington, New Mexico 87401
505-325-1821 (O), 505-320-8248 (C)
kfagrelius@duganproduction.com

From: Kurt Fagrelius
Sent: Thursday, November 11, 2010 11:59 AM
To: 'Powell, Brandon, EMNRD'; Evan Rowland (erowland@slo.state.nm.us); 'dave_mankiewicz@nm.blm.gov'; 'Mark_Kelly@nm.blm.gov'; 'lucas_vargo@blm.gov'
Cc: Johnny Lane; Mike Sandoval
Subject: 72-Hour Notice to Close Permanent Pits

11/30/2010

Kurt Fagrelius

From: postmaster@duganproduction.com
Sent: Thursday, November 11, 2010 3:49 PM
To: Kurt Fagrelius
Subject: Delivery Status Notification (Relay)

Attachments: ATT14381.txt; RE: 72-Hour Notice to Close Permanent Pits



ATT14381.txt (407 RE: 72-Hour Notice
B) to Close Pe...

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

Brandon.Powell@state.nm.us

Kurt Fagrelus

From: postmaster@duganproduction.com
Sent: Thursday, November 11, 2010 3:49 PM
To: Kurt Fagrelus
Subject: Delivery Status Notification (Relay)

Attachments: ATT14372.txt, RE: 72-Hour Notice to Close Permanent Pits



ATT14372.txt (422 RE: 72-Hour Notice
B) to Close Pe...

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

erowland@slo.state.nm.us

Kurt Fagrelus

From: Lucas_Vargo@blm.gov
Sent: Tuesday, November 16, 2010 8 36 AM
To: Kurt Fagrelus
Subject: 72-Hour Notice to Close Permanent Pits

Return Receipt

Your 72-Hour Notice to Close Permanent Pits
document:

was Lucas Vargo/FFO/NM/BLM/DOI
received
by:

at: 11/16/2010 08:35:53 AM

Kurt Fagrelius

From: System Administrator
To: Kurt Fagrelius, Johnny Lane, Mike Sandoval
Sent: Thursday, November 11, 2010 3:49 PM
Subject: Delivered RE: 72-Hour Notice to Close Permanent Pits

Your message

To: Kurt Fagrelius; Powell, Brandon, EMNRD; Evan Rowland (erowland@slo.state.nm.us); dave_mankiewicz@nm.blm.gov; Mark_Kelly@nm.blm.gov; lucas_vargo@blm.gov
Cc: Johnny Lane; Mike Sandoval
Subject: RE: 72-Hour Notice to Close Permanent Pits
Sent: 11/11/2010 3:49 PM

was delivered to the following recipient(s):

Kurt Fagrelius on 11/11/2010 3:49 PM
Johnny Lane on 11/11/2010 3:49 PM
Mike Sandoval on 11/11/2010 3:49 PM