District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM 33505 AN 12
PM 1 Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

8147

### <u>Pit, Closed-Loop System, Below-Grade Tank, or</u> Proposed Alternative Method Permit or Closure Plan Application

Type of action:

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method

Existing BGT

Modification to an existing permit

Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable gov	regulations of oldinances.
Operator: XTO Energy, Inc. OGRID #:	5380
Address: #382 County Road 3100, Aztec, NM 87410	
Facility or well name: Bolack C LS #11	
API Number: 30-045-06227 - OCD Permit Number:	
U/L or Qtr/Qtr K Section 28 Township 27N Range 08W Cou	
Center of Proposed Design: Latitude 36.542530 Longitude 107.690750	
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment	
Σ.  Pit: Subsection F or G of 19.15.17.11 NMAC	
Temporary: Drilling Workover	
Permanent Emergency Cavitation P&A	
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Oth	
String-Reinforced	
Liner Seams.  Welded Factory Other Volume: bbl	Dimensions: I x W x D
bilet scalis.   Welded   Tactory   Office   Volume.   Office	Difficultions, E. A. W. A.D.
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC	
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which	ch require prior approval of a permit or notice of
intent)	require prior approval of a permit of notice of
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other	67 <b>8</b> 9
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐	Other
Liner Seams: Welded Factory Other	
4.	PECEIVED BY
Below-grade tank: Subsection I of 19.15.17.11 NMAC	5 APR 2011
Volume: 120 bbl Type of fluid: Produced Water	OIL CONS. DIV. DIST. 3
Tank Construction material: Steel	\r_0
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic over	erflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☒ Other Visible sidewalls, vaulted, autom	atic high-level shut off, no times
Liner type: Thickness mil HDPE PVC Other	-
5.	
Alternative Method:	•

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify Four foot height, steel mesh field fence (hogwire) with pipe top railing	hospital,						
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other Expanded metal or solid vaulted top  Monthly inspections (If netting or screening is not physically feasible)	,						
8.  Signs: Subsection C of 19.15.17.11 NMAC  ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  ☑ Signed in compliance with 19.15.3.103 NMAC	-						
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for						
Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying parabove-grade tanks associated with a closed-loop system.							
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ⊠ No						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ .Yes ⊠ No ☐ NA						
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☑ NA						
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ⊠ No						
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No						
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ⊠ No						
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ⊠ No						
Within a 100-year floodplain FEMA map	☐ Yes ⊠ No						

n.
Temporary Fits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
and 19.15.17.13 NMAC
<ul> <li>□ Previously Approved Design (attach copy of design)</li> <li>□ Previously Approved Operating and Maintenance Plan</li> <li>□ API Number: (Applies only to closed-loop system that use</li> </ul>
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13.
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached.
☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan's based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14. Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method: Waste Excavation and Removal
<ul> <li>☐ Waste Removal (Closed-loop systems only)</li> <li>☐ On-site Closure Method (Only for temporary pits and closed-loop systems)</li> </ul>
☐ In-place Burial ☐ On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Use Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the
closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
<ul> <li>Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> <li>Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC</li> </ul>
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.									
Disposal Facility Name:	Disposal Facility Permit Number:								
Disposal Facility Name:	Disposal Facility Permit Number:								
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below) No									
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC									
17. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmenta demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC j	e administrative approval from the appropriate disti I Bureau office for consideration of approval. Justi	rict office or may be							
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS;	a obtained from nearby wells	☐ Yes ☐ No ☐ NA							
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Database search;	a obtained from nearby wells	<ul><li>☐ Yes ☐ No</li><li>☐ NA</li></ul>							
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	☐ Yes ☐ No ☐ NA							
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	nificant watercourse or lakebed, sinkhole, or playa	Yes No							
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image									
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site									
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approv		Yes D, No							
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual	al inspection (certification) of the proposed site	☐ Yes ☐ No							
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining	g and Mineral Division `	☐ Yes ☐ No							
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map</li> </ul>	y & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No							
Within a 100-year floodplain FEMA map		☐ Yes ☐ No							
18.  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Construction/Design Plan of Temporary Pit (for in-place burial of a drying protocols and Procedures - based upon the appropriate requirements of 19.1.  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Confirmation Plan - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	uirements of 19.15.17.10 NMAC f Subsection F of 19.15.17.13 NMAC propriate requirements of 19.15.17.11 NMAC pad) - based upon the appropriate requirements of 19. 5.17.13 NMAC uirements of Subsection F of 19.15.17.13 NMAC Subsection F of 19.15.17.13 NMAC drill cuttings or in case on-site closure standards cann H of 19.15.17.13 NMAC T of 19.15.17.13 NMAC	15.17.11 NMAC							

19. Operator Application Certification:	,	
I hereby certify that the information submitted with this application is true, accurate	ata and complete to the	a host of my knowledge and heliaf
,		
Name (Print): Kim Champlin	Title:	Environmental Representative
Signature: Kim Champlin	Date:	12/29/2008
e-mail address: kim_champlin@xtoenergy com	Telephone:	(505) 333-3100
OCD Approval: Permit Application (including closure plan) Closure PA	en-(only)-//_OCD	Gonditions (see attachment)
OCD Representative Signature:	Jonatt DRel	(12/12/2011 Approval Date:
Title: Environmental Environ	OCD Permit Numb	· Vofficer
21. <u>Closure Report (required within 60 days of closure completion)</u> : Subsection  Instructions: Operators are required to obtain an approved closure plan prior to  The closure report is required to be submitted to the division within 60 days of to  section of the form until an approved closure plan has been obtained and the clo	o implementing any cl he completion of the c	losure activities and submitting the closure report. losure activities. Please do not complete this een completed.
22.		
Closure Method:	tive Closure Method	☐ Waste Removal (Closed-loop systems only)
23. <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems</u> <i>Instructions: Please indentify the facility or facilities for where the liquids, drill two facilities were utilized.</i>	That Utilize Above Cling fluids and drill cu	Ground Steel Tanks or Haul-off Bins Only: attings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Per	mit Number:
Disposal Facility Name:	Disposal Facility Per	
Were the closed-loop system operations and associated activities performed on or  Yes (If yes, please demonstrate compliance to the items below) No	•	
Required for impacted areas which will not be used for future service and operation	ons	
Site Reclamation (Photo Documentation)	<i>711.</i> 3.	
☐ Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
24. Closure Report Attachment Checklist: Instructions: Each of the following ite	ems must be attached t	to the closure report. Please indicate, by a check
mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)	•	
Proof of Deed Notice (required for on-site closure)		· · · ·
Plot Plan (for on-site closures and temporary pits)		
✓ Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for on-site closure)		
Disposal Facility Name and Permit Number		1
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude	ıde	NAD: □1927 □ 1983
	ide	177.0. [1727] 1763
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure re	eport is true, accurate a	and complete to the best of my knowledge and
belief. I also certify that the closure complies with all applicable closure requirem	ents and conditions sp	ecified in the approved closure plan.
Name (Print): James McDanle	Title: <u>EH b</u>	S Coording tor
Signature:	Date: <u></u>	1/4/11
c-mail address: James - McDanie laxberra 4.com	Telephone:	505-333-3701

District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Bis Parrag Bood, Acto, NM 87410 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Di , Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back

side of form

Form C-141

Revised October 10, 2003

			Rele	ease Notific	cation	n and Co	rrective A	ction					
						<b>OPERATOR</b> ☐ Initial Report ⊠ Final Rep							
		TO Energy,				Contact: James McDaniel							
		00, Aztec, N					No.: (505) 333-3						
Facility Na	me: Bolacl	k C LS #11 (	30-045-0	6227)		Facility Typ	e: Gas Well (M	lesaverde)					
Surface Ow	ner: Feder	al		Mineral (	Owner:			Lea	se N	lo.:			
				LOCA	ATION	N OF REI	LEASE	*					
Unit Letter	Section	Township	Range	Feet from the	North/	South Line	County						
K	28	28N	8W	1800		FSL 1550 FWL San Juan							
Latitude: 36.54230 Longitude: -107.690750  NATURE OF RELEASE													
Type of Rele	ase: Produc	ced Water		NAI	UKE	·	Release: Unknov	vn Volu	ne R	ecovered: NA			
		w Grade Tank				<del>                                     </del>	our of Occurrence			Hour of Discovery: Unknown			
	<del></del>					Unknown							
Was Immedi	ate Notice (		Yes [	] No 🛭 Not R	equired	If YES, To	Whom?						
By Whom?						Date and H			•				
Was a Watercourse Reached?   ☐ Yes ⊠ No						If YES, Volume Impacting the Watercourse.							
If a Waterco	urse was Im	pacted, Descr	ibe Fully.	k									
The below g collected ber via USEPA N BTEX, but a pursuant to the	rade tank wheath the loc Method 802 bove the tothe NMOCD	eation of the old, and for total all chloride states of Guidelines for the old of the old of the old of the old	of service and site BG and ard of 2 or the Ren	nt the Bolack C Li Γ, and submitted to s. The sample ret 250 ppm at 360 pp	for labora urned resom, conf s, Spills a	atory analysis sults below th irming that a and Releases	for TPH via USI e 'Pit Rule' spill release has occur due to a depth to	EPA Method 4 confirmation s red at this local groundwater o	18.1 tand tion.	te. A composite sample was and 8015, benzene and BTEX ards for TPH, benzene and total The site was then ranked a 20 er 100 feet, and a distance to dry			
The NMOCI	O Guidelines		ediation of							ple returned results below the (ference.			
regulations a public health should their or or the enviro	Il operators or the envir operations h nment. In a	are required to ronment. The tave failed to a	o report and acceptant acc	nd/or file certain rece of a C-141 reporting and received investigate and received.	release no ort by the remediate	otifications are NMOCD made contamination	nd perform correct parked as "Final R on that pose a threat the operator of	ctive actions for eport" does not eat to ground w responsibility f	rele reli ater	uant to NMOCD rules and cases which may endanger eve the operator of liability, surface water, human health ompliance with any other			
Signature:		// &	/_				OIL CON	SERVATIO	<u>)N</u>	DIVISION			
Printed Name	e: James Mo	Daniel		/		Approved by District Supervisor:							
Title: EH&S	Specialist				1	Approval Dat	e:	Expirat	ion I	Date:			
E-mail Addre	ess: James_l	McDaniel@xt	oenergy.c	om	(	Conditions of	Approval:			Attached			

Phone: 505-333-3701

Date: 4/14/2011

<sup>\*</sup> Attach Additional Sheets If Necessary

### XTO Energy Inc. San Juan Basin Below Grade Tank Closure Report

Lease Name: Bolack C LS #11 API No.: 30-045-06277

Description: Unit K, Section 28, Township 270N, Range 8W, San Juan County

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure requirements of below-grade tanks on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all below-grade tanks. A separate plan will be submitted for any below-grade tank which does not conform to this plan.

#### General Plan

1. XTO will close below-grade tanks within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the division requires because of imminent danger to fresh water, public health or the environment.

Closure Date is April 11, 2011

- 2. XTO will close a below-grade tank that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC.
  - Closure Date is April 11, 2011
- 3. XTO will close a permitted below-grade tank within 60 days of cessation of the below-grade tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on form C-144.
  - Required C-144 Form is attached to this document.
- 4. XTO will remove liquids and sludge from below-grade tanks prior to implementing a closure method and will dispose of the liquids and sludge in a division-approved facility. Approved facilities and waste streams include:

Envirotech Permit No. NM01-0011 and IEI Permit No. NM 01-0010B
Soil contaminated by exempt petroleum hydrocarbons
Produced sand, pit sludge and contaminated bottoms from storage of exempt wastes

Basin Disposal Permit No. NM01-005

Produced water

All liquids and sludge were removed from the tank prior to closure activities.

5. XTO will remove the below-grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves. XTO has removed the below grade tank, and will dispose of it at a division approved facility, or recycle, reclaim or reuse it in a manner that is approved by the division.

- 6. XTO will remove any on-site equipment associated with a below-grade tank unless the equipment is required for some other purpose.
  - All equipment will remain on-site for the continued production of oil and gas.
- At a minimum 5 point composite sample will be collected along with individual grab samples from any area that is wet, discolored or showing other evidence of a release. Samples will be analyzed for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or EPA method that the division approves, does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 250 mg/kg, or the background concentration, whichever is greater. XTO will notify the division of its results on form C-141.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Test Method	Limit (mg/Kg)	Results		
Benzene	EPA SW-846 8021B or 8260B	0.2	BDL mg/kg		
BTEX	EPA SW-846 8021B or 8260B	50	BDL mg/kg		
TPH	EPA SW-846 418.1	100	51 mg/kg		
Chlorides	EPA 300.1	250 or background	360 mg/kg		

- 8. If XTO or the division determines that a release has occurred, XTO will comply with 19.15.3.116 NMAC and 19.15.1.19NMAC as appropriate.
  - Due to a total chloride results of 360 ppm, it has been determined that a release has occurred at this location. The site was then ranked a 20 pursuant to the NMOCD Guidelines for the Remediation of Leaks, Spills and Releases due to a depth to groundwater of over 100 feet, and a distance to a dry wash of under 200 feet. This set the closure standard to 100 ppm TPH, 10 ppm benzene and 50 ppm total BTEX. No chloride standard is cited in the Guidelines for the Remediation of Leaks, Spills and Releases. The sample returned results below the regulatory standard for all constituents analyzed. No further action is necessary.
- 9. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, XTO will backfill the excavation with compacted, non-waste containing, earthen material; construct a division prescribed soil cover; recontour and re-vegetate the site.
  - The pit cellar was backfilled using compacted, non-waste containing earthen material, with a division prescribed soil cover.
- 10. Notice of Closure operations will be given to the Aztec Division District III office between 72 hours and one week prior to the start of closure activities via email or verbally. The notification will include the following:
  - i. Operator's name
  - ii. Well Name and API Number
  - iii. Location by Unit Letter, Section, Township, and Range

Notification was provided to Mr. Brandon Powell with the Aztec office of the OCD via email on April 5, 2011; see attached email printout.

The surface owner shall be notified of XTO's proposal to close the BGT as per the approved closure plan using certified mail, return receipt requested.

The surface owner was notified on April 5, 2011; see attached letter and return receipt.

11. Re-contouring of location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The location has been recontoured to match the above specifications.

12. A minimum of 4 feet of cover shall be achieved and the cover shall include 1 foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The site has been backfilled to match these specifications.

13. XTO will seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

The location will be reclaimed pursuant to the BLM MOU upon plugging and abandoning of this well location.

- 14. All closure activities will include proper documentation and be available for review upon request and will be submitted in closure report form to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on form C-144 and incorporate the following:
  - i. Proof of closure notice to division and surface owner; attached
  - ii. Details on capping and covering, where applicable; per OCD Specifications
  - iii. Inspection reports; attached
  - iv. Confirmation sampling analytical results; attached
  - v. Disposal facility name(s) and permit number(s); see above
  - vi. Soil backfilling and cover installation; per OCD Specifications
  - vii. Re-vegetation application rates and seeding techniques, (or approved alternative to re-vegetation requirements if applicable); Will be completed upon plugging and abandoning of this well location
  - viii. Photo documentation of the site reclamation. NA



### **COVER LETTER**

Thursday, April 07, 2011

James McDaniel XTO Energy 382 County Road 3100 Aztec, NM 87410

TEL: (505) 787-0519 FAX (505) 333-3280

RE: Bolack C #11

Dear James McDaniel:

Order No.: 1104223

Hall Environmental Analysis Laboratory, Inc. received 1 sample(s) on 4/6/2011 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. Below is a list of our accreditations. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites.

Reporting limits are determined by EPA methodology.

Please do not hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman, Laboratory Manager

NM Lab# NM9425 NM0901

AZ license # AZ0682

ORELAP Lab # NM100001

Texas Lab# T104704424-08-TX



### Hall Environmental Analysis Laboratory, Inc.

Date: 07-Apr-11

**CLIENT:** Lab Order: XTO Energy

1104223

Bolack C#11

Project: Lab ID:

1104223-01

Client Sample ID: BGT Closure Comp.

Collection Date: 4/5/2011 1:20:00 PM

Date Received: 4/6/2011

Matrix: SOIL

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed
EPA METHOD 418.1: TPH					Analyst: JB
Petroleum Hydrocarbons, TR	51	20	mg/Kg	1	4/7/2011

#### Qualifiers:

- Value exceeds Maximum Contaminant Level
- Е Estimated value
- Analyte detected below quantitation limits
- NC Non-Chlorinated
- PQL Practical Quantitation Limit

- В Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded Η
- MCL Maximum Contaminant Level
- ND Not Detected at the Reporting Limit
- Spike recovery outside accepted recovery limits

Date: 07-Apr-11

### **QA/QC SUMMARY REPORT**

Client:

XTO Energy

Project: Bolack C #11

Work Order:

1104223

Analyte	Result	Units	PQL	SPK Va S	SPK ref	%Rec L	owLimit Hi	ghLimit	%RPD	RPDLimit	Qual
Method: EPA Method 418.1:	трн										
Sample ID: MB-26282		MBLK				Batch ID:	26282	Analys	is Date:		4/7/201
Petroleum Hydrocarbons, TR	ND	mg/Kg	20								
Sample ID: LCS-26282		LCS				Batch ID:	26282	Analys	is Date:		4/7/201
Petroleum Hydrocarbons, TR	100.5	mg/Kg	20	100	0	101	81.4	118			
Sample ID: LCSD-26282		LCSD				Batch ID:	26282	Analys	is Date:		4/7/201
Petroleum Hydrocarbons, TR	105.9	mg/Kg	20	100	0	106	81.4	118	5.25	8.58	

Qualifiers:

E Estimated value

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded

NC Non-Chlorinated

R RPD outside accepted recovery limits

### Hall Environmental Analysis Laboratory, Inc.

### Sample Receipt Checklist

Client Name XTO ENERGY			Date Received	:	4/6/2011
Work Order Number 1104223		1 1	Received by:	LNM	10
Checklist completed by:		416111 Date	Sample ID lat	els checked l	by: Initials
Matrix:	Carrier name: <u>Gr</u>	eyhound			
Shipping container/cooler in good condition?	Ye	s 🗸	No 🗌	Not Present	
Custody seals Intact on shipping container/coole	or? Ye	s 🗹	No 🗌	Not Present	Not Shipped
Custody seals intact on sample bottles?	Ye	s 🗌	No 🗆	N/A	
Chain of custody present?	Ye	s 🗸	No 🗌		
Chain of custody signed when relinquished and	received? Ye	s 🗹	No 🗆		
Chain of custody agrees with sample labels?	Ye	s 🗸	No 🗆		
Samples in proper container/bottle?	Ye	s 🗹	No 🗆		
Sample containers intact?	Ye	s 🔽	No 🗆		
Sufficient sample volume for indicated test?	Ye	s 🗹	No 🗆		
All samples received within holding time?	Ye	s 🔽	No 🗆		Number of preserved bottles checked for
Water - VOA vials have zero headspace?	No VOA vials submitted	d 🗹	Yes $\square$	No 🗌	pH:
Water - Preservation labels on bottle and cap ma	atch? Ye	s 🗌	No 🗆	N/A 🗹	
Water - pH acceptable upon receipt?	Ye	s 🗌 ,	No 🗆	N/A 🗹	<2 >12 unless noted below.
Container/Temp Blank temperature?	:		<6° C Acceptable		выом.
COMMENTS:		11	f given sufficient t	ime to cool.	
				====	
•					
Client contacted	Date contacted:		Perso	n contacted	
Contacted by:	Regarding:	<del></del>			
Comments:	***		····		
					18-11-11-11-11-11-11-11-11-11-11-11-11-1
Corrective Action					
<del></del>					

C	Chain-of-Custody Record Turn-Around Time:					, ,						, T F			<b></b>	AIT					
Client:	XTD			☐ Standard	<b>,</b>	NEXT	DAY		7		HA AN										
Mailing	Address:	38	2 Parap 3,000	<b>+</b> , +,				www.hallenvironmental.com 4901 Hawkins NE - Albuquerque, NM 87109							•						
	<u> </u>		1 87410	Project #:							-345-3			•	•	-	4107				
				1												4					
email o	r Fax#: 😿	20me ( )	moderniel @ x th	Project Mana	ger:				-					And Section 1	\$* - 5** 	77.5				1, 20	
Phone #: 505 - 787 - 0519  email or Fax#: Gres - mcdanifl@ k to energy.com  QA/QC Package:  A Standard  □ Level 4 (Full Validation)			Sampler: BRAD GRIFFITH On ice: No. 1				(8021)	TPH (Gas only)	(Gas/Diesel)				04,80	PCB's							
Accredi		· -		Sampler: 13	ZAO 12	(CC) DH		TMB's	Ĭ	Ö	_   _			02,6	382						
□ NELAP □ Other			On Ice	ZVes	No.		F	1	8015B	418.1) 504.1)	PAH)		3,2	/ 8(		8				Z Z	
□ EDD	(Type)_			Sample Tem		7	\$	H H	<u> </u>	8	d 5.	or P.	tals	N.	des		\ \ \ \ \				ە ك
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEA	No.	BTEX + MTBE	BTEX + MTBE	TPH Method	TPH (Method 418.1) EDB (Method 504.1)	8310 (PNA or	RCRA 8 Metals	Anions (F,CI,NO3,NO2,PO4,SO4)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)				Air Bubbles (Y or N)
		Soil	BLOT CLOSUFE COM	1 402	Cool					1	$\lambda$								1	1	
																			$\bot$	$\perp$	
			,																		
									$\dashv$	$\top$	1								+	+	-
						<u> </u>	~~		$\dashv$	$\dashv$				<b>-</b>				$\dashv$	$\dashv$	+	+
	1			<del>                                     </del>		<u> </u>			$\dashv$	+		$\vdash$		-				$\dashv$	-+	+	
	1							-	-	_	+	┼						$\dashv$	+	-	
	-					<u> </u>		-		+	-		_		_			$\dashv$	_	+	_
	<del>                                     </del>				ļ	<del> </del>			$\dashv$	$\dashv$	_	-		ļ		_			$\dashv$	$\bot$	
	-			<u> </u>		<del> </del>				$-\downarrow$				<u> </u>					_	$\perp$	
Date:	Time	Relinguish	od bys	Received by.			Time					<u> </u>								$\bot$	
Date:    -5 -   1     Date:	Time:	Relinquish	6HR	Received by:		Date Date	Time C12	Ken	narks	:											
	If necessary.	samples sub	mitted to Hall Environmental may be sub	contracted to other	ccredited laboratori	ies. This serves	as notice of the	s possit	oility. A	ny sub	-contract	ed data	will b	e clear	tv nota	ated or	the a	nalvtica			



12065 Lebanon Rd. Mt Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D 62-0814289

Est 1970

James McDannel XTO Energy - San Juan Division 382 Road 3100 Aztec, NM 87410

#### Report Summary

Thursday April 07, 2011

Report Number: L509673
Samples Received: 04/06/11
Client Project:

Description: Bolack C11

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards , ESC Representative

#### Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487 GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140 NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233 AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A, TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures 060302, 060303, and 060304



#### YOUR LAB OF CHOICE

12065 Lebanon Rd Mt Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D 62-0814289

Est 1970

REPORT OF ANALYSIS

April 07,2011

James McDaniel XTO Energy - San Juan Division 382 Road 3100 Aztec, NM 87410

Date Received : April 06, 2011 Description : Bolack C11

ESC Sample # : L509673-01 Site ID · BGT CLOSURE

Project # ·

: BGT CLOSURE Sample ID

Collected By Collection Date Brad Griffith 04/05/11 13:20

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil
Chloride	360	13.	mg/kg	9056	04/06/11	1
Total Solids	78.		8	2540G	04/07/11	1
Benzene Toluene Ethylbenzene Total Xylene TPH (GC/FID) Low Fraction Surrogate Recovery-%	BDL BDL BDL	0.0032 0.032 0.0032 0.0096 0.64	mg/kg mg/kg mg/kg mg/kg mg/kg	8021/8015 8021/8015 8021/8015 8021/8015 GRO	04/06/11 04/06/11 04/06/11 04/06/11 04/06/11	5 5 5 5 5
a,a,a-Trifluorotoluene(FID) a,a,a-Trifluorotoluene(PID)	96.1 100.		% Rec. % Rec.	8021/8015 8021/8015	04/06/11 04/06/11	5 5
TPH (GC/FID) High Fraction	22.	5.1	mg/kg	3546/DRO	04/07/11	1
Surrogate recovery(%) o-Terphenyl	62.3		% Rec.	3546/DRO	04/07/11	1

Results listed are dry weight basis. BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC. The reported analytical results relate only to the sample submitted Reported: 04/07/11 16.58 Printed: 04/07/11 17:05

#### Attachment A List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
					<del></del>
L509673-02	WG529544	SAMP	o-Terphenyl	R1641069	<b>J</b> 7

#### Attachment B Explanation of QC Qualifier Codes

Qualifier

Meaning

Surrogate recovery limits cannot be evaluated, surrogates were diluted out

#### Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data Because of the wide range of constituents and variety of matrices incorporated by most EPA methods,it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

- Definitions

  Accuracy The relationship of the observed value of a known sample to the true value of a known sample Represented by percent recovery and relevant to samples such as control samples, matrix spike recoveries, surrogate recoveries, etc
- Precision The agreement between a set of samples or between duplicate samples Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate Organic compounds that are similar in chemical composition, extraction, and chromotography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses
- TIC Tentatively Identified Compound. Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.



#### YOUR LAB OF CHOICE

XTO Energy - San Juan Division James McDaniel 382 Road 3100

Aztec, NM 87410

12065 Lebanon Rd. Mt Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I D 62-0814289

Est. 1970

Quality Assurance Report Level II

L509673

April 07, 2011

	<del> </del>									
Analyte	Result		oratory B	lank % Rec		Limit		Batch	Date	Dunlined.
Analyce	Result	UII.	LUS	* Rec		PIMIL		Batti	Date	Analyzed
Benzene	<0005	mq,	/kg			.*		WG529669	04/06	5/11 16 32
Ethylbenzene	< .0005	mg,	/kg	- 4						5/11 16 32
Toluene	< 005	mq	/kg					WG529669	04/06	5/11 16:32
TPH (GC/FID) Low Fraction	< .1	mg,	/kg	1		1	,	WĞ529669	04/06	5/11 16:32
Total Xylene	< 0015	mg,	/kg	•	-			WG529669	04/06	5/11 16:32
a,a,a-Trifluorotoluene(FID)		₹ I	Rec.	97.3	6	59-128		WG529669	04/06	5/11 16 32
a,a,a-Trifluorotolueñe(PID)	*	% I	Rec.	101.5		54-144		WG529669	04/06	5/11 16 32
Chloride	< 10	mg,	/kg					WG529778	04/06	5/11 16 34
Total Solids	. ' ' < 1	8		7		,		WG529765	04/07	7/11 11 25
TPH (GC/FID) High Fraction	< 4	ppr	n					WG529544	04/07	7/11 10·23
o-Terphenyl			Rec.	78.5	2	50-150				7/11 10 23
			Duplicat	e						
Analyte	Units	Result	Dupli	cate	RPD	Limit		Ref Sam	p	Batch
Chloride	mg/kg	300.	280.	Ī	5.89	20		L509673	-01	WG529778
Total Solids	8	81 0	82 3		1 63	5		L509673	-02	WG529765
		Laborate	ory Contr	ol Samo	le					
Analyte	Units	Known 1		Res		% Rec		Limit		Batch
Benzene	.mg/kg	.05		0.047	2	94 5		76-113		WG529669
Ethylbenzene	mg/kg	05		0 047	4	94.8		78-115		WG529669
Toluene	mg/kg	05		0.047	1	94 2		76-114		WG529669
Total Xylene	mg/kg	. 15		0.142		94 9		81-118		WG529669
a,a,a-Trifluorotoluene(PID)						100 8		54-144		WG529669
TPH (GC/FID) Low Fraction	mg/kg	5.5		4 98		90.5		67-135		WG529669
a,a,a-Trifluorotoluene(FID)				1		102.4		59-128		WG529669
Chloride	mg/kg	200		203.		102		85-115		WG529778
Total Solids	8	50		50 2		100		85-155		WG529765
TPH (GC/FID) High Fraction, o-Terphenyl	ppm	60		47 3	٠,	78.8 78.93		50-150 50-150		WG529544 WG529544
0-Telphenyl						70.33		30 130	· · · · · · · ·	W0323311
		aboratory Co			plicate					
Analyte	Units	Result 1	Ref	%Rec		Limit	RPD	Lai	mıt	Batch
Benzene	mg/kg °		0 0472	93 0		76-113	1.39	20		WG529669
Ethylbenzene			0 0474	92.0		78-115	2 89	20		WG529669
Toluene	mg/kg	0 0458	0 0471	92 0		76-114	2.81	20		WG529669
Total Xylene	mg/kg	0 138	0.142	92.0		81-118	2 82	20		WG529669
a,a,a-Trifluorotoluene(PID)				100 8		54-144				WG529669
TPH (GC/FID) Low Fraction	mg/kg	5 26	4 98	96.0		67-135	5 50	. 20		WG529669
a,a,a-Trifluorotoluene(FID)	-			102 5		59-128		**		, WG529669

<sup>\*</sup> Performance of this Analyte is outside of established criteria For additional information, please see Attachment A 'List of Analytes with QC Qualifiers '



382 Road 3100

Aztec, NM 87410

YOUR LAB OF CHOICE XTO Energy - San Juan Division James McDaniel

Quality Assurance Report Level II

L509673

12065 Lebanon Rd. 12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I D 62-0814289

Est 1970

April 07, 2011

				l Sample Dupl	icate				-
Analyte	Units	Result	Ref	%Rec		Limit	RPD	Limit	Batch
Chloride	mg/kg	200	203	100.		85-115	1 49	20	WG52977
TPH (GC/FID) High Fraction o-Terphenyl	ppm	40 4	47 3	67.0 64 95		50-150 50-150	15 6	20	WG52954 WG52954
			Matrix	Spike					
Analyte	Units	MS Res			% Rec	Limit		Ref Samp	Batch
Benzene	mq/kg	0.220	.0	.05 (	88 0	32-13	7	L509673-01	WG52966
Ethylbenzene	mg/kg	0.209	o O	05	83 8	10-15	)	L509673-01	WG52966
Toluene	mg/kg	0 217	0	. 05	86:9	20-14:	2	L509673-01	WG52966
Total Xylene	mg/kg	0,632	0	.15,	84 2	16-14	l	L509673-01	WG52966
a,a,a-Trifluorotoluene(PID)	•	•		•	99 55	54-14	1		WG52966
TPH (GC/FID) Low Fraction	mg/kg	19.5	0	5 5	70.9	55-10	9	L509673-01	WG52966
a,a,a-Trifluorotoluene(FID)				1	100 3	59-12	3		WG52966
		Mat:	rıx Spik	e Duplicate					
Analyte ·	Units	MSD	Ref	%Rec	Limit	RPD	Limit	Ref Samp	Batch
Benzene , .	, mg/kg	0.231	0.220	°92 3 ·	32-137	4.70	39	L509673-01	WG52966
Ethylbenzene	mg/kg	0.214	0.209	85 5	10-150	2 12	44	L509673-01	WG52966
Toluene	mg/kg	0 221	0.217	88 5	20-142	. 1 82	42	L509673-01	WG52966
Total Xylene	mg/kg	0 637	0 632	84.9	16-141	0.810	46	L509673-01	WG52966
a,a,a-Trifluorotoluene(PID)				99.69	54-144				WG52966
TPH (GC/FID) Low Fraction	mg/kg	19 2	19 5	69.8	55-109	1 56	20	L509673-01	WG52966
a,a,a-Trifluorotoluene(FID)				100.2	59-128				WG52966

Batch number /Run number / Sample number cross reference

WG529769 R1639909 L509673-01 02 WG529778 R1640049 L509673-01 02 WG529765 R1640684 L509673-01 02

Page 7 of 8

 <sup>\*</sup> Calculations are performed prior to rounding of reported values
 \* Performance of this Analyte is outside of established criteria

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers '



#### YOUR LAB OF CHOICE

XTO Energy - San Juan Division James McDaniel 382 Road 3100

Aztec, NM 87410

Quality Assurance Report Level II

L509673

12065 Lebanon Rd Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I D. 62-0814289

Est 1970

April 07, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier

Company Name/Address			Alternate B	illing				Anal	ysis/Conta	ainer/Presen	/ative	Chain of Custody
XTO ENERGY, IN 382 County Road 3100 AZTEC, NM 87410	NC.							*			William State of the Control of the	Pageof  Prepared by  ENVIRONMENTAL  SCIENCE CORP
			Report to Jar	mes McDaniel			- 1000 A 1000 A 1000 A	*				12065 Lebanon Road
			E-mail to Jami	es_mcdaniel@xte	penergy com		- 1 2 1 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	* *		1 160 h 2 18 1 52		Mt. Juliet TN 37122
Project Description BOLAC	'K C' #11	11.00	·	Crty/St	ate Collected	_		6			89 14 12 15 14 1481	Phone (615)758-5858
PHONE 505-333-3701 FAX	Client Project I	No.		Lab Project#					h- (400 f p- (400 f a (500 f			Phone (800) 767-5859 . FAX (615)758-5859
Collected by Brad Gnffith	Site/Facility ID#	# BGT CLO	SURE	PO#			. 144, T					CACAGO (Jabuse off)
Collected by(signature)  BLAAK		ab MUST be lext Day WO Day hree Day	. 100% 50%	Date Results  Email?No FAX?No	_XYes	No of		1	<u>chlorides</u>			CoCode (lab use only)  XTORNM Template/Prelogin Shipped Via Fed Ex
Packed on Ice NY_X Sample ID	Comp/Grab	Matrix	Depth	Date	Time	Cntrs	8015	8021	hlor			Remarks/contaminant Sample # (lab only)
BGT CLOSURE	COMP	SOIL	Берш	4/5/11	1320	1	X		X		iteria Por	65096732/
BIO PILE	COMP	SOIL		4/5/11	1320	1	X	Z				02
								25. 3		573		
						<u> </u>					(NA)	無いるのでありからない。 できています。 できていきています。 できています。 できています。 できています。 できています。 できています。 できています。 できていきていきていきでいきでいきています。 できていきています。 できていきていきています。 できていきていきていきています。 できていきていきていきていきていきています。 できていきていきていきています。 できていきていきていきていきていきています。 できていきていきていきていきでいきていきていきていきています。 できていきていきていきでいきでいきでいきでいきでいきでいきでいきでいきでいきでいきでいきでいきでい
						<u> </u>	240	1	14 (A)		9480 C	
				,				s .		100 m D 141		
						↓_	120			(Series	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The statement of the st
								1			Pains	Takha Marin Ing Takhar
Matrix. SS-Soil/Solid GW-Ground Remarks "ONLY 1 COC Per Sit		stewater D	_	Water OT-Oth	ner						pH	TempOther
Relinquisher by (Signature Relinquisher by (Signature	Date 9/5/1/	Time: 1540	Received by (		- V			196-E	1489-3466	edEx_X_UPS	ceived:	Condition: (lab use only)
Relinquisher by (Signature	Date	Time	Received for	lật bỳ (Signature) Marm		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Date	3.1		7 Time 845	<u>da</u>	pH Checked NCF.



James McDaniel /FAR/CTOC 04/05/2011 12:54 PM

To brandon.powell@state.nm.us

CC

bcc

Subject Bolack C LS #11 BGT Closure

#### Brandon,

We are closing a BGT at the Bolack C LS #11 well site (api # 30-045-06227) located in Unit K, Section 28, Township 27N, Range 8W, San Juan County, New Mexico. This BGT is being closed due to lack of use. Currently, this well site has two BGTs. It has one near the on-site production tanks, and one off of the separator. The one by the production tanks is being closed. According to our records, only one of the BGTs was permitted. We would like to close this BGT using the closure plan already submitted for this location. We will send you a copy of the closure plan for this location ASAP. Thank you for your time in regards to this matter.





April 5, 2011

Mark Kelly, Bureau of Land Management – Farmington Field Office 1235 La Plata Highway Farmington, New Mexico, 87401

Re: Bolack C LS #11 – API # 30-045-06227

Unit K, Section 28, Township 27N, Range 8W, San Juan County, New Mexico

Dear Mr. Kelly,

This submittal is pursuant to Rule 19.15.17.13 requiring operators to notify surface owners of the closure of a below grade tank pit. XTO Energy, Inc. (XTO) is hereby providing written documentation of our proposal to close the below grade tank pit associated with the above mentioned well site by waste excavation and removal.

Should you have questions or require additional information, please feel free to contact me at your convenience at (505) 333-3100. Thank you for your time in regards to this matter.

Respectfully Submitted,

James McDaniel EH&S Specialist XTO Energy, Inc. San Juan Division

	•
+E2E	U.S. Postal Service Mail Only; No Insurance Coverage Provided)  For delivery information visit our website at www.usps.comp
6 <del>4</del> 3 6	OFFICIAL USE  Postage \$ ORA VISTA
000	Certified Fee Return Receipt Fee (Endorsement Required)  APR Postmark Here 2014
0420	Restricted Delivery Fee (Endorsement Required)  Total Pt  BLMPF Og 7A
7010	Street, At 1235 LA PLATA HWY
	City, State FARMINGTON NM 87401  PS Form 3800, August 2006  See Reverse for Instructions

,

SENDER: COMPLETE THIS SEC	TION	COMPLETE THIS S	ECTION ON DEL	IVERY
<ul> <li>Complete items 1, 2, and 3. Also item 4 if Restricted Delivery is defined Print your name and address on so that we can return the card to Attach this card to the back of the or on the front if space permits.</li> <li>Article Addressed to:</li> </ul>	esired. the reverse you.	A. Signature  X  B. Received by ( Pri.  D. Is delivery address If YES, enter delivery	s different from ite	
BLM-FFO MARK KELL	Y	,. 		
1235 LA PLATA : FARMINGTON NM		3. Service Type  Certified Mall Registered Insured Mail	☐ Express Ma☐ Return Rec☐ C.O.D.	ail eipt for Merchandise
		4. Restricted Deliver	ry? (Extra Fee)	☐ Yes
Article Number     (Transfer from service label)	7010 0780	0001 F43F	9734	<del></del>
PS Form 3811, February 2004	Domestic Ref	urn Receipt		102595-02-M-1540

.

٠ ,



Division

Farmington

Dates

12/30/2008 - 03/30/2009

Туре

Route Stop

В

Type Value

RouteName FAR NM Run 748		StopName BOLACK C		Pumper Thompson, Trever	Foreman Mulnix, John	WellNam BOLACK			APIWellNumber 3004506227	Section 28	Range 8W	Township 27N	
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation PitTyp	e Notes			
RA	01/14/2009	01 00	No	No	No	No	No	4	Well Water Pit Below	Gr <sub>1</sub>			
RA	02/18/2009	02 00	No	No	No	No	No	3	Well Water Pit Below	Gr <sub>1</sub>			•



Division Farmington

Dates 03/30/2009 - 06/30/2009

Type Route Stop

Type Value B

RouteName FAR NM Run 74B		StopName BOLACK C		Pumper Thompson, Trever	Foreman Mulnix, John	WeliName BOLACK			APIWellNumber 3004506227	Section 28	Range 8W	Township 27N
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation PitType	Notes	·	· ·
KWA	03/31/2009	02 57	No	No	Yes	Yes	No	5	Well Water Pit Below G	Sin.		· · · · · · · · · · · · · · · · · · ·
KWA	04/03/2009	11 38	No	No	Yes	Yes	No	3	Well Water Pit Below G	6r4/4/09		
KWA	04/04/2009	11 34	No	No	Yes	Yes	No	5	Well Water Pit Below G	ir		
KWA	05/11/2009	11 34	No	No	Yes	Yes	No	3	Well Water Pit Below G	5r05/12/09		
KWA	05/12/2009	11 31	No	No	Yes	Yes	No	5	Well Water Pit Below G	ir.		
VM	06/02/2009	11 45	No	No	Yes	Yes	No	3	Well Water Pit Below G	in		



Division Farmington

Dates 06/30/2009 - 09/30/2009

Type Route Stop

Type Value B

RouteName FAR NM Run 74B		StopName BOLACK C		Pumper Thompson, Trever	Foreman Mulnix, John	WellName BOLACK			APIWellNuml		Section 28	Range 8W	Township 27N
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation	PitType	Notes		
VM	07/14/2009	02 16	No	No	Yes	Yes	No	5	Well Water P	it Below G	r <sub>i</sub>		
KA	08/25/2009	10 22	No	No	Yes	Yes	No	3	Well Water P	ıt Below G	r,		
∨M	09/21/2009	11 55	No	No	Yes	Yes	No	3	Well Water P	ıt Below G	r <sub>'</sub>		



Division Farmington

Dates

09/30/2009 - 12/30/2009

Туре

Route Stop

Type Value

RouteName FAR NM Run 74B		StopName BOLACK C	011	Pumper Thompson, Trever	Foreman Mulnix, John	WellName BOLACK			APIWellNumber 3004506227	Section 28	Range 8W	Township 27N
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation PitType	Notes		
KWA	10/22/2009	08 22	No	No	Yes	Yes	No	3	Well Water Pit Below 0	SrProduction Pit		
KWA	11/26/2009	14 50	No	No	Yes	Yes	No	5	Well Water Pit Below 0	GrOil Tank Drain	Pit	
KWA	12/28/2009	09 43	No	No	Yes	Yes	No	5	Well Water Pit Below 0	GrProduction Pit		



Division

Farmington

Dates

12/30/2009 - 03/30/2010

Туре

Route Stop

Type Value

lue B

RouteName FAR NM Run 748		StopName BOLACK C		Pumper Thompson, Trever	Foreman Mulnix, John	WellName BOLACK			APIWellNumber 3004506227	Section 28	Range 8W	Township 27N
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation PitType	Notes		
KWA	01/29/2010	09 57	No	No	Yes	Yes	No	5	Well Water Pit Below G	rOil tank drain p	ut	
KWA	02/08/2010	11 15	No	No	Yes	Yes	No	4	Well Water Pit Below G	rProduction Pit		
KWA	03/22/2010	11.24	No	No	Yes	Yes	No	5	Well Water Pit Below G	rOil Tank Drain	Pıt	





Division Farmington

Dates 93/30/2010 - 06/30/2010

Type Route Stop

Type Value

RouteName FAR NM Run 74B		StopName BOLACK C	011	Pumper Thompson, Trever	Foreman Mulnix, John	WellName BOLACK			APIWellNumber 3004506227	Section 28	Range 8W	Township 27N
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation PitType	Notes		
KWA	04/15/2010	11 00	No	No	Yes	Yes	No	5	Well Water Pit Below C	rProduction Pit		
ds	05/11/2010	11 00	No	No	Yes	Yes	No	2	Well Water Pit Below 0	orProduction Pit		
ds	06/16/2010	12 11	No	No	Yes	Yes	No	3	Well Water Pit Below 0	Production Pit		



Division

Farmington

Dates

06/30/2010 - 09/30/2010

Type

Route Stop

В

Type Value

RouteName FAR NM Run 74B		StopName BOLACK C 011		Pumper Thompson, Trever	Foreman Mulnix, John	WellName BOLACK C LS 11			APIWellNumber 3004506227	Section 28	Range 8W	Township 27N
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation PitType	Notes		
KWA	07/06/2010	12 15	No	No	Yes	Yes	No	3	Well Water Pit Below C	rProduction Pit		
ds	08/22/2010	12 15	No	No	Yes	Yes	No	3	Well Water Pit Below G	rProduction Pit		
KWA	09/27/2010	12 21	No	No	Yes	Yes	No	3	Well Water Pit Below G	r-Production Pit		



Division Farmington

Dates 09/30/2010 - 12/30/2010

Type Route Stop

Type Value B

RouteName FAR NM Run 74B		StopName BOLACK C 011		Pumper Thompson, Trever	Foreman Mulnix, John	WellName BOLACK C LS 11			APIWellNumber 3004506227	Section 28	Range 8W	Township 27N
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation PitType	Notes		
KWA	10/08/2010	13 58	No	No	Yes	Yes	No	3	Well Water Pit Below G	rProduction Pit		
KWA	11/01/2010	09 00	No	No	Yes	Yes	No	3	Well Water Pit Below G	rProduction Pit		
KWA	12/02/2010	10 11	No	No	Yes	Yes	No	3	Well Water Pit Below G	r-Production Pit		

### XTO Energy, Inc. Bolack C LS #11

Section 28, Township 27N, Range 8W Closure Date: 4/11/2011




Photo 1: Bolack C LS #11 after Backfill (View 1)




Photo 2: Bolack C LS #11 after Backfill (View 2)