State of New Mexico Energy Minerals and Natural Resources

Form C-144 July 21, 2008

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent puts and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Fe, NM 87505

Type of action Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method	Operator Bur	rlington Resources Oil & Gas Company, LP OGRID# 14538
Proposed Alternative Method Permit or Closure Plan Application Type of action Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,		
Proposed Alternative Method Permit or Closure Plan Application Type of action Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,	Instructions	s: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative reques
Type of action Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method		
Proposed Alternative Method Permit or Closure Plan Application Type of action Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method		Modification to an existing permit
Dromogod Alternative Mathed Downit on Classes Plan Augiliation	0	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Dromogod Alternative Mathed Downit on Classes Plan Augiliation	8	Type of action Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	\sim	Proposed Alternative Method Permit or Closure Plan Application
		Pit, Closed-Loop System, Below-Grade Tank, or

Operator Burlington Resources Oil & Gas Company, LP OGRID# 14538
Address: P.O. Box 4289, Farmington, NM 87499
Facility or well name: CANYON LARGO UNIT 292F
API Number 30-039-30952 OCD Permit Number
U/L or Qtr/Qtr: J(NW/SE) Section 10 Township 25N Range: 6W County Rio Arriba
Center of Proposed Design Latitude: 36.411718 °N Longitude. 107.450997 °W NAD 1927 X 1983
Surface Owner: X Federal State Tribal Trust or Indian Allotment
2
Permanent Emergency Cavitation P&A
X Lined Unlined Liner type Thickness 20 mil X LLDPE PVC Other
X String-Reinforced
Liner Seams X Welded X Factory Other Volume 7700 bbl Dimensions L 120' x W 55' x D 12'
Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation
Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)							
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet							
Alternate Please specify							
7							
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)							
Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)							
8 Signs: Subsection C of 19 15 17 11 NMAC							
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers							
X Signed in compliance with 19 15 3 103 NMAC							
9 Administrative Approvals and Exceptions:							
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance							
Please check a box if one or more of the following is requested, if not leave blank:	1	1					
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	ieration of app	rovai					
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval							
10							
Siting Criteria (regarding permitting) 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable							
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the							
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria							
does not apply to drying pads or above grade-tanks associated with a closed-loop system.							
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Yes	No					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No					
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site							
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No					
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA						
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image							
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	∐Yes □NA	∐No					
(Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	LINA						
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No					
- NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site.							
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No					
- Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland.	Yes	□No					
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site							
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	∐Yes	∐No					
Within an unstable area.	Yes	□No					
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map		.					
Within a 100-year floodplain	Yes	□No					

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15 17 9 NMAC						
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached						
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Puts), based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9						
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC						
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC						
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC						
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC						
Previously Approved Design (attach copy of design) API or Permit						
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC						
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9						
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC						
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC						
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC						
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC						
Previously Approved Design (attach copy of design) API						
Previously Approved Operating and Maintenance Plan API						
13						
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17.9 NMAC						
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17 9 NMAC						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC						
Climatological Factors Assessment						
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC						
☐ Dike Protection and Structural Integrity Design—based upon the appropriate requirements of 19 15 17 11 NMAC ☐ Leak Detection Design—based upon the appropriate requirements of 19 15 17 11 NMAC						
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC						
Quality Control/Quality Assurance Construction and Installation Plan						
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC						
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC						
Nuisance or Hazardous Odors, including H2S, Prevention Plan						
Emergency Response Plan						
Oil Field Waste Stream Characterization						
Monitoring and Inspection Plan						
Erosion Control Plan						
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC						
14 Proposed Closure: 19 15 17 13 NMAC						
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.						
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System						
Alternative Proposed Closure Method Waste Excavation and Removal						
Waste Excavation and Reinoval Waste Excavation and Reinoval Waste Excavation and Reinoval Waste Excavation and Reinoval						
On-site Closure Method (only for temporary pits and closed-loop systems)						
In-place Burial On-site Trench						
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)						
15						
Waste Excavation and Removal Closure Plan Checklist (19 15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.						
Please indicate, by a check mark in the box, that the documents are attached.						
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17 13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						
Site regulation rian - based upon the appropriate requirements of subsection 0 of 17 17 17 19 William						

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Personal Cleanus For Cleand Ion Systems That Heliza About Cround Steel Tanks on Hard off Pin Only (10 15 17 12 D NMAC)						
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings Use attachment if more than two facilities are required	,					
Disposal Facility Name Disposal Facility Permit #						
Disposal Facility Name Disposal Facility Permit #						
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future Yes (If yes, please provide the information No						
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15.17 13 N Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	IMAC					
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Soffice for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance						
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtained from nearby wells	Yes No					
Ground water is between 50 and 100 feet below the bottom of the buried waste	☐ ☐Yes ☐No					
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells						
Commend weaton or many those 100 first halow the heattern of the human weaton						
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes No					
·	∐N/A					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	│					
- Topographic map, Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	Yes No					
	Yes No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No					
 Written confirmation or verification from the municipality. Written approval obtained from the municipality Within 500 feet of a wetland 	│ □Yes □No					
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site						
Within the area overlying a subsurface mine	Yes No					
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division						
Within an unstable area	Yes No					
 Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society. Topographic map 						
Within a 100-year floodplain - FEMA map	Yes No					
On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must bee attached to the cloby a check mark in the box, that the documents are attached.	osure plan. Please indicate,					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC						
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17 11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15 17 11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NM	ИAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standar	ds cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 12/19/2011 Title: OCD Conditions (see attachment) OCD Permit Number:
CON PRIOR CAPACITY
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: September 19, 2011
22
Closure Method: Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location Latitude 36.412193 °N Longitude 107.45129 °W NAD 1927 X 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is tine, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print): Jamie Goodwin Title Regulatory Tech Signature Date.
e-mail address <u>jamie i goodwin@conocophilips com</u> Telephone 505-326-9784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: CANYON LARGO UNIT 292F

API No.: 30-039-30952

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

The closure plan requirements were met due to rig move off date as noted on C-105.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	102 ug/kG
TPH	EPA SW-846 418.1	2500	1790mg/kg
GRO/DRO	EPA SW-846 8015M	5Q0	71.8 mg/Kg
Chlorides	EPA 300.1	1000/500	120 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, CANYON LARGO UNIT 292F, UL-J, Sec. 10, T 25N, R 6W, API # 30-039-30952

Busse, Dollie L

From:

Busse, Dollie L

Sent:

Tuesday, March 09, 2010 10:34 AM Mark_Kelly@blm.gov Jaramillo, Marie E

To: Cc:

Subject:

Surface Owner Notification

The following locations will have a temporary pit closed on-site:

Neudecker 2S Canyon Largo Unit 292F Sanchez A 2N

Please let me know if you have any questions.

Thanks!

Dollie L. Busse

ConocoPhillips Company-SJBU Regulatory Staff Regulatory Tech 505-324-6104 505-599-4062 (fax) Dollie L. Busse@conocophillips.com

"Before sameone's tamorrow has been taken away, cherish those you love, approciate them today"

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240 State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 West Grand Avenue, Artesia, N.M. 88210

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410

☐ AMENDED REPORT

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number		ol Name N DAKOTA
Property Code	⁶ Property Name	• Well Number
	CANYON LARGO UNIT	292F
OGRID No.	⁸ Operator Name	⁹ Elevation
	BURLINGTON RESOURCES OIL & GAS COMPANY LP	6712'


¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	10	25-N	6-W		1830	SOUTH	1560	EAST	RIO ARRIBA

¹¹ Bottom Hole Location If Different From Surface


Bottom note botation in binerent from buriace									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
						,			oomit,
						l			<u></u>
18 Dedicated Acre	8		15 Joint or	Infill	¹⁴ Consolidation C	ode	¹⁵ Order No.		
DI 700 00		- /0							
DK 320.00	ACKES E	:/2							
1		•	J		J				
li i			l .						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION




BURLINGTON RESOURCES OIL & GAS COMPANY LP

CANYON LARGO UNIT #292F, 1830' FSL & 1560' FEL SECTION 10, T-25-N, R-6-W, NMPM, RIO ARRIBA COUNTY, NM GROUND ELEVATION: 6712', DATE: MAY 13, 2010



NOTES:

- VECTOR SURVEYS IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.
- RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW 3' WIDE AND 1' ABOVE SHALLOW SIDE).





EPA METHOD 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Burlington	Project #:	92115-1271
Reserve Pit	Date Reported:	08-11-11
59207	Date Sampled:	08-09-11
11996	Date Received:	08-09-11
Soil	Date Extracted:	08-10-11
Cool	Date Analyzed:	08-10-11
Intact	Analysis Requested:	8015 TPH
	Reserve Pit 59207 11996 Soil Cool	Reserve Pit Date Reported: 59207 Date Sampled: 11996 Date Received: Soil Date Extracted: Cool Date Analyzed:

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	17.6	0.2
Diesel Range (C10 - C28)	54.2	0.1
Total Petroleum Hydrocarbons	71.8	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

Canyon Largo Unit 292E and 292F

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	08-11-11
Laboratory Number:	59208	Date Sampled:	08-09-11
Chain of Custody No:	11996	Date Received:	08-09-11
Sample Matrix:	Soil	Date Extracted:	08-10-11
Preservative:	Cool	Date Analyzed:	08-10-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

Canyon Largo Unit 292E and 292F

Review

5796 US Highway 64 Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	08-10-11 QA/QC	Date Reported:	08-11 - 11
Laboratory Number:	59206	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-10-11
Condition:	N/A	Analysis Requested:	TPH

	n 1		-		,
	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	08/10/11	9.996E+02	1.000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	08/10/11	9.977E+02	9.981E+02	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	2.0	0.2
Diesel Range C10 - C28	1.2	0.1

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	264	106%	75 - 125%
Diesel Range C10 - C28	ND	250	263	105%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 59206-59208, 59211-59212

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	08-11-11
Laboratory Number:	59207	Date Sampled:	08-09-11
Chain of Custody:	11996	Date Received:	08-09-11
Sample Matrix:	Soil	Date Analyzed:	08-10-11
Preservative:	Cool	Date Extracted:	08-10-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	12.2	1.0	
Ethylbenzene	11.5	1.0	
p,m-Xylene	56.5	1.2	
o-Xylene	21.5	0.9	
Total BTEX	102		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	83.5 %
	1,4-difluorobenzene	91.3 %
	Bromochlorobenzene	98.6 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Canyon Largo Unit 292E and 292F

Anerlyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	08-11-11
Laboratory Number:	59208	Date Sampled:	08-09-11
Chain of Custody:	11996	Date Received:	08-09-11
Sample Matrix:	Soil	Date Analyzed:	08 - 10-11
Preservative:	Cool	Date Extracted:	08-10-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dilution:	10
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	2.1	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	2.7	1.2
o-Xylene	1.7	0.9
Total BTEX	6.5	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	90.0 %
,	1,4-difluorobenzene	96.0 %
	Bromochlorobenzene	97.8 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Canyon Largo Unit 292E and 292F



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A		Project#:	N/A	
Sample ID:			Date Reported:		10-11
Laboratory Number:	59210		Date Sampled:		\
Sample Matrix:	Soil		Date Received:		
Preservative:	N/A	N/A Date Analyzed:		Date Analyzed: 08-10-11	
Condition:	N/A	Analysis:		BTEX	
		Dilution: 10			
Calibration and	I-Cal RF:	C-Cal RF:	%Diff.	Blank	Detect.
Detection Limits (ug/L)	responsable to the second and the se	Accept. Ran	ge 0 - 15%	Conc.	Limit
Benzene	3.1225E+006	3.1287E+006	0.2%	ND	0.1
Toluene	3.2991E+006	3.3057E+006	0.2%	ND	0.1
Ethylbenzene	2.9798E+006	2.9858E+006	0.2%	ND	0.1
p,m-Xylene	8.1947E+006	8.2111E+006	0.2%	ND	0.1
o-Xylene	2.8190E+006	2.8247E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample .	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	7.9	7.8	1.3%	0 - 30%	1.0
Ethylbenzene	20.3	19.7	3.0%	0 - 30%	1.0
p,m-Xylene	178	161	9.7%	0 - 30%	1.2
o-Xylene	55.3	57.8	4.5%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	500	476	95.2%	39 - 150
Toluene	7.9	500	491	96.6%	46 - 148
Ethylbenzene	20.3	500	507	97.5%	32 - 160
p,m-Xylene	178	1000	1,160	98.5%	46 - 148
o-Xylene	55.3	500	527	94.9%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

V<mark>QC for Samples 59206-59208, 59210, 59218-59219</mark>



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	08/11/11
Laboratory Number:	59207	Date Sampled:	08/09/11
Chain of Custody No:	11996	Date Received:	08/09/11
Sample Matrix:	Soil	Date Extracted:	08/10/11
Preservative:	Cool	Date Analyzed:	08/10/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

1,790

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Canyon Largo Unit 292E and 292F Comments:

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	08/11/11
Laboratory Number:	59208	Date Sampled:	08/09/11
Chain of Custody No:	11996	Date Received:	08/09/11
Sample Matrix:	Soil	Date Extracted:	08/10/11
Preservative:	Cool	Date Analyzed:	08/10/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

30.4

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: Canyon Largo Unit 292E and 292F

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS QUALITY ASSURANCE REPORT

Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	08/11/11
Laboratory Number:	08-10-TPH.QA/QC 59208	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	08/10/11
Preservative:	N/A	Date Extracted:	08/10/11
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF: %		Accept. Range
	07/25/11	08/10/11	1,810	1,750	3.3%	+/- 10%

Blank Conc. (mg/Kg)	Concentration		Detection Lim	it
TPH	27.5		5.0	
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	30.4	2,000	1,880	92.6%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 59207-59208

Review



Chloride

Client: Burlington
Sample ID: Reserve Pit
Lab ID#: 59207
Sample Matrix: Soil
Preservative: Cool

Intact

 Project #:
 92115-1271

 Date Reported:
 08/11/11

 Date Sampled:
 08/09/11

 Date Received:
 08/09/11

 Date Analyzed:
 08/11/11

 Chain of Custody:
 11996

Parameter

Condition:

Concentration (mg/Kg)

Total Chloride

120

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Canyon Largo 292E and 292F

nalyst

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



Chloride

Client: Burlington Project #: 92115-1271 Sample ID: **Back Ground** Date Reported: 08/11/11 Lab ID#: 59208 Date Sampled: 08/09/11 Sample Matrix: Soil Date Received: 08/09/11 Preservative: Cool Date Analyzed: 08/11/11 Condition: Intact Chain of Custody: 11996

Maranatar	
Parameter	Concentration (mg/Kg)

Total Chloride

40

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Canyon Largo 292E and 292F

Review

Submit To Appropriate Two Copies District 1	nate District Of	fice	State of New Mexico Energy, Minerals and Natural Resources						Form C-105 July 17, 2008						
1625 N French Dr District II									1. WELL API NO. 30-039-30952						
1301 W Grand Av District III 1000 Rio Brazos R			Oil Conservation Division 1220 South St. Francis Dr.						2 Type of Le	ease					
District IV 1220 S St Francis			Santa Fe, NM 87505						STATE FEE FED/INDIAN 3 State Oil & Gas Lease No						
			<u> </u>						SF - 07888	5					
WELL COMPLETION OR RECOMPLETION F 4 Reason for filing						ANE	LOG		5 Lease Nam	e or U	nit Agreer	nent Na	ma		
_	COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells								CANYON	LAR	-		inc		
						• ,			6 Well Number 292F						
C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #3 #33, attach this and the plat to the C-144 closure report in accordance with 19 15 17 13 K NMAC)								or	2721						
7 Type of Completion ☐ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER															
8 Name of Opera	itor			J LI LUGBACI	<u>, П рі</u>	FFERE	VI KESEKV		9 OGRID						
Burlington R		Oil Gas Co	mpany, LP						14538	or Wi	ldcat				
PO Box 4298, Fa	rmington, N	И 87499							11 1 001 manie		idout				
12.Location	Unit Ltr	Section	Township	Range	Lot		Feet from the	he	N/S Line	Feet	from the	E/W L	ine	County	
Surface:															
BH:	1 14 Dete	F.D. Barahad	16 Days I	Delegad		116	Data Canad	-4 - 4	(Danderto Dan		117	Florest	(DE	I DVD	
13 Date Spudded	14 Date	ΓD Reached	4/16/2011	tig Released		10	Date Compi	etea	(Ready to Prod	iuce)		Fievati Γ, GR, et		and RKB,	
18 Total Measur	ed Depth of V	Vell	19 Plug F	lack Measured Dep	oth	20	Was Directi	iona	l Survey Made?	}	21 Type	e Electric	c and Ot	ther Logs Run	
22 Producing Int	erval(s), of th	us completion	- Top, Bottom,	Name											
23				SING REC	ORD			in							
CASING SI	ZE	WEIGHT LI	3 /FT	DEPTH SET		НС	LE SIZE		CEMENTIN	G REC	CORD	AM	IOUNT	PULLED	
			· · · · · · · · · · · · · · · · · · ·				·		<u> </u>						
24	Imon	T-		NER RECORD				25.			G RECO		S. cr		
SIZE	TOP	E	ОТТОМ	SACKS CEM	EMENT SCREEN		1	SIZ	.ZE		DEPTH SET		PACKER SET		
		,													
26 Perforation	record (inter	val, size, and	umber) 27 ACID, SHC DEPTH INTERV						ACTURE, CE I AMOUNT A						
				Ľ				TIMOUNT TIND MIND MIN BRING 0022							
28					PRO	DIIC'	TION		1						
Date First Produc	ction	Prod	uction Method (Flowing, gas lift, p				,	Well Status	(Prod	or Shut-	ın)			
Date of Test	Hours Te	sted (Choke Size	Prod'n For Test Period		Oıl - Bb		Gas	s - MCF	Water - Bbl		Gas - Oil Ratio		Oil Ratio	
Flow Tubing Press	Casing P		Calculated 24- Hour Rate	Oıl - Bbl		Gas	- MCF	ı	Water - Bbl	-	Oıl Grav	vity - AP	PI - (Cor	r)	
29 Disposition o	ຸ່ f Gas <i>(Sold, າ</i>	ised for fuel, v	ented, etc)							30 T	est Witne	ssed By			
31 List Attachm			·							<u> </u>					
32 If a temporar	y pit was used	l at the well, a	ttach a plat with	the location of the	tempora	ry pit									
33 If an on-site l	ourial was use	ed at the well,	report the exact	ocation of the on-	site buria	ıl	 								
I havebe seed	h, that the	Latitude 36	.412193°N	ongitude 107.451 oth sides of this	1290°W	NAD [1927 🛛 19	983	to the best o	fm	knowlas	lae ana	l holio	<u> </u>	
Signature (- P	nn sides of inis rinted ame Jamie Go			le: Regul				: 12/9/2		. venej		
	E-mail Address jamie.l.goodwin@conocophillips.com														

ConocoPhillips

Pit Closure Form:
Date: 9/19 / 11
Well Name: Canyon Largo Unit 292E ! CLY 292F Footages: 18605(1495 FF) 1830FS(1560 FEC Unit Letter: J
Footages: 1860Sc1498 FEL 1830 FSL 1860 FEC Unit Letter: J
Section: 10, T-45-N, R-6-W, County: Ro Arche State:
Contractor Closing Pit: 1
Construction Inspector: 5. Mc lasson Date: 9/20/11 Inspector Signature: 4.
Revised 11/4/10
Office Use Only: Subtask

DSM_____Folder____

Goodwin, Jamie L

From: Payne, Wendy F

Sent: Thursday, September 01, 2011 11 42 AM

To: (Brandon Powell@state nm us), GRP SJBU Regulatory, Eli (Cimarron)

(Blandoff Foweli@state fiffi ds), GRF 3380 Regulatory, Eli (Clinarion)

(eliv@qwestoffice net), James (Cimarron) (jwood@cimarronsvc com), Mark Kelly, Randy

McKee, Robert Switzer, Sherrie Landon, Bassing, Kendal R; Berenz

(mxberenz@yahoo com), Chavez Darrell (dchavez0330@yahoo com), Crawford, Lea A, Elmer Perry, Faver Norman, Fred Martinez, Jared Chavez, Lowe, Terry, McDonald Johnny (jr_mcdonald@msn com), Payne, Wendy F, Smith, Mike W, Spearman, Bobby E, Steve McGlasson, Tally, Ethel, Becker, Joey W, Bowker, Terry D, Frost, Ryan M, Goosey, Paul P, Gordon Chenault, Green, Cary J, GRP SJBU Production Leads, Hockett, Christy R, Johnson, Kirk L, Bassing, Kendal R, Kennedy, Jim R, Lopez, Richard A, Nelson, Garry D, O'Nan, Mike J, Peace, James T, Pierce, Richard M, Poulson, Mark E, Schaaphok, Bill, Smith, Randall O, Souther, Tappan G, Spearman, Bobby E, Stamets, Steve A, Thacker, LARRY, Thibodeaux,

Gordon A, Work, Jim A, Corey Alfandre, 'isaiah@crossfire-llc com', Jerid Cabot

(jerid@crossfire-llc com), Blair, Maxwell O, Blakley, Mac, Farrell, Juanita R, Gillette, Steven L (PAC), Hines, Derek J, Maxwell, Mary Alice, McWilliams, Peggy L, Saiz, Kooper (Finney Land

Co), Seabolt, Elmo F, Thayer, Ashley A, Thompson, Trey E (Finney Land Co)

Cc: 'acedragline@yahoo com'

Subject: Reclamation Notice Canyon Largo Unit 292E & Canyon Largo Unit 292F (Area 26 * Run 652)

Importance: High

Attachments: Canyon Largo Unit 292E pdf, Canyon Largo Unit 292F pdf

ACE Services will move a tractor to the **Canyon Largo Unit 292E & Canyon Largo Unit 292F** to start the reclamation process on Wednesday, September 7, 2011 Please contact Steve McGlasson (716-3285) if you have any questions or need further assistance (*Please split all charges between both wells*)





Canyon Largo Unit Canyon Largo Unit 292E.pdf (19... 292F.pdf (19...

Burlington Resources Well - Network # 10301419 - Activity Code D250 (reclamation) & D260 (pit closure)-PO Kaitlw Rio Arriba County, NM

Canyon Largo Unit 292E - BLM surface/BLM minerals

Onsite Craig Willems - 6/29/10
Twin Canyon Largo Unit 226 (P&A) and Canyon Largo Unit 292F
1860' FSL, 1495' FEL
Sec 10, T25N, R6W
Unit Letter " J "
Lease # SF-078885
Unit # NMNM78383D
BH NESE Sec 10, T25N, R6W
Latitude 36° 24' 43" N (NAD 83)
Longitude 107° 27' 03" W (NAD 83)
Elevation 6716'
Total Acres Disturbed 4 09
Access Road 547 72 feet
API # 30-039-30951
Within City Limits: NO

Pit Lined: YES

Note: Arch monitoring is NOT required on this location.

Burlington Resources Well - <u>Network # 10296607 - Activity Code D250 (reclamation) & D260 (pit closure)-</u>PO Kaitlw Rio Arriba County, NM

Canyon Largo Unit 292F - BLM surface/BLM minerals

Onsite Craig Willems - 6/29/10
Twin Canyon Largo Unit 226 (P&A) and Canyon Largo Unit 292E 1830' FSL, 1560' FEL
Sec 10, T25N, R6W
Unit Letter " J " Lease # SF-078885 Unit # NMNM78383D Latitude 36° 24' 43" N (NAD 83) Longitude 107° 27' 04" W (NAD 83) Elevation 6712' Total Acres Disturbed see above Access Road see above API # 30-039-30952 Within City Limits NO Pit Lined YES

Note: Arch monitoring is NOT required on this location.

Wendy Payne ConocoPhillips-SJBU 505-326-9533 Wendy.F.Payne@conocophillips.com

ConocoPhillips

Reclamation Form:
Date: 11/10/11
Well Name: Gayon Largo Unit 292E Canyon Largo Unit 292. CLU292E CLU292F Footages: 1860 FSL 1495 FEL 1830 FSL 1560 FEL Unit Letter:
Footages: 1860 FSL 1495 FEL 1830 FIL 1560 FEL Unit Letter:
Section: 10, T-25-N, R-6-W, County Riv Amb. State:
Reclamation Contractor:
Reclamation Date: 9/16/1/
Road Completion Date: $\frac{9/21///}{}$
Seeding Date: 9/22///
**PIT MARKER STATUS (When Required): Picture of Marker set needed
**PIT MARKER STATUS (When Required): Picture of Marker set needed MARKER PLACED: 9/22/// (DATE)
a/1
MARKER PLACED: $\frac{9/22/1/}{2000}$ (DATE) LATATUDE: $\frac{36.4121/}{2000}$
MARKER PLACED: 9/22/1/ (DATE) LATATUDE: 36.41211 LONGITUDE: 107.45118
MARKER PLACED: $9/22/1/$ (DATE) LATATUDE: $36.4121/$ LONGITUDE: $107.451/8$ Pit Manifold removed $9/7/1/$ (DATE)
MARKER PLACED: $9/22/1/$ (DATE) LATATUDE: $36.4121/$ LONGITUDE: $107.451/8$ Pit Manifold removed $9/7/1/$ (DATE) Construction Inspector: $5.46/8507$ Date: $11/8/1/$
MARKER PLACED: $9/22/1/$ (DATE) LATATUDE: $36.4121/$ LONGITUDE: $107.451/8$ Pit Manifold removed $9/7/1/$ (DATE)

BUELINGTON

ANYON LARGO UNIT #292E
1860' FSL 1495' FEL
UNIT J SEC 10 T25N R06W
H: NESE SEC 10 T25N R06W
H: #30-039-30951 ELEV. 6716'
SE # SF-078885 UNIT# NMNM78383D
ITUDE 36° 24 MIN. 43 SEC. N (NAD 83)
NGITUDE 107° 27 MIN. 03 SEC. W (NAD 83)







	WELL NAME:	OPEN P	PIT INSPE	CTION	ConocoPhillips					
L.	Canyon Largo Unit 292E & 292F		•	•	OWAL		. v -	Conocophilips		
			JARED CHAVEZ		JARED CHAVEZ	E. Perry	E. Perry	E. Perry	E. Perry	E. Perry
	DATE	, ,	04/12/11		04/27/11	05/04/11	05/10/11	05/13/11	05/24/11	06/01/11
<u> </u>	*Please request for pit extention after 26 weeks	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8	Week 9
		☐ Drilled	☑ Drilled	☐ Drilled	☑ Drilled	✓ Drilled	☑ Drilled	☑ Drilled	☑ Drilled	☑ Dnlled
	PIT STATUS	Completed	Completed		Completed	Completed	Completed	Completed	Completed	Completed
		☐ Clean-Up	☐ Clean-Up	☐ Clean-Up	☐ Clean-Up	☐ Clean-Up	☐ Clean-Up	Clean-Up	Clean-Up	Clean-Up
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes No	☑ Yes ☐ No
700T	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes	✓ Yes 🗌 No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	☐ Yes ☐ No	Yes No	Yes No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
LIANCE	Is the top of the location bladed and in good operating condition?	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	✓ Yes ☐ No
	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No
Ü	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No
WENT/	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
EN	Are the pits free of trash and oil?	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No
	Is there a Manifold on location?	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗹 No
	PICTURE TAKEN	☐ Yes ☑ No	Yes No	Yes No	Yes No	Yes No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	PIT AND LOCATION IS IN GOOD CONDITION	AWS #673 IS ON LOCATION		AWS 673 IS ON LOCATION	Stains on loc Fence Loose	Stains on Loc	Stains on Loc	Stains on Loc Pit something Floating to surface	ОК

	WELL NAME:	2		y dive		Te " Livi		, att	>	, , ,
	Canyon Largo Unit 292E & 292F				<u> </u>					
	INSPECTOR DATE		E. Perry 06/15/11	E. Perry 06/21/11	E. Perry 06/29/11	E. Perry 07/06/11	E. Perry 07/11/11	JON BERENZ 07/18/11	E. Perry 07/26/11	E. Perry 08/02/11
h-	*Please request for pit extention after 26 weeks	Week 10	Week 11	Week 12	Week 13	Week 14	Week 15	Week 16	Week 17	Week 18
PIT STATUS		☑ Dnilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up				
VIION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
10C/	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
	ls the top of the location bladed and in good operating condition?	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No
OMPLIAN	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
Ü	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
MENTA	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	Yes 🗹 No
EN	Are the pits free of trash and oil?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes No	☐ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes 🗌 No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
၁၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	ОК	ОК	OK	ALL GOOD	GOOD			Completion Rig on Loc	Fence Loose

	WELL NAME:		y 200		* * * * * * * * * * * * * * * * * * *					
	Canyon Largo Unit 292E & 292F				,					
\vdash	INSPECTOR DATE		E. Perry 08/16/11	Fred 08/23/11	Fred 08/30/11	E. Perry 09/06/11				
	*Please request for plt extention after 26 weeks	Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS	✓ Drilled ✓ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up
CATION	ls the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
7001	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
1	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
NGE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
OMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
U	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
RON	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
EN	Are the pits free of trash and oil?	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
	Is there a Manifold on location?	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
L	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
၁ ၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	Yes No	☐ Yes ☐ No
	COMMENTS	Fence Repaired Loc GOOD	Location Ok	Fence Loose	Sign on FacilityFadility Crew will Reoair Fence	SIGN on Facility				