## Dis ct I 1625 N French Dr, Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office	
	Pit, Closed-Loop System, Below-Grade Tank, or	
Propo	osed Alternative Method Permit or Closure Plan Application	
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method	
1	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method	
	Modification to an existing permit	
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method	
Instructions: Please submit one ap	pplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative reques	it
environment Nor does approval relie	of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the leve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances	
Operator: Burlington Resources Oil	il & Gas Company, LP OGRID#: 14538	_
Address: PO Box 4289, Farmingto	on, NM 87499	_
Facility or well name: Quitzau 7		_
	0-045-05503 OCD Permit Number	-
U/L or Qtr/Qtr: D(NW/NW) Section		_
Center of Proposed Design: Latitude: Surface Owner: X Federal	:: <u>36.257212 °N</u> Longitude: <u>107.4024024 °W</u> NAD: <u>1927 X 198</u> State Private Tribal Trust or Indian Allotment	53
	State   Tilvate   Tilvate	
Pit: Subsection F or G of 19 15 17	7 11 NMAC RCUD DEC 19 1	11
Temporary Drilling Worl	rkover OIL CONS. DIV	
Permanent Emergency C	Cavitation P&A	* *
Lined Unlined Lii	iner type Thickness mil LLDPE HDPE PVC Other DIST. 3	
String-Reinforced		
	actory Other Volume bbl Dimensions Lx Wx D	
Liner Seams Welded Fa		
Liner Seams Welded Fa  X Closed-loop System: Subsecti	tion H of 19.15 17 11 NMAC  Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or	
Liner Seams Welded Fa  X Closed-loop System: Subsecti	tion H of 19.15 17 11 NMAC	
Liner Seams Welded Fa  X Closed-loop System: Subsective Type of Operation X P&A  Drying Pad X Above Groun	tion H of 19.15 17 11 NMAC  Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  and Steel Tanks Haul-off Bins Other	
Liner Seams Welded Fa  X Closed-loop System: Subsective Type of Operation X P&A  Drying Pad X Above Ground Lined Unlined Liner	tion H of 19.15 17 11 NMAC  Drilling a new well  Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  and Steel Tanks  Haul-off Bins Other  trype Thicknessmil LLDPE HDPE PVD Other	
Liner Seams Welded Fa    Welded Fa   Welded Fa   Welded Fa   Subsection   Welded Fa   Subsection   Welded Fa   Welded Fa   Subsection   Welded Fa   Su	tion H of 19.15 17 11 NMAC  Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  and Steel Tanks Haul-off Bins Other	
Liner Seams Welded Fa    X	tion H of 19.15 17 11 NMAC  Drilling a new well  Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  and Steel Tanks  Haul-off Bins  Other  er type  Thickness  mil  LLDPE  HDPE  PVD Other actory Other	
Liner Seams Welded Fa  X Closed-loop System: Subsection Type of Operation X P&A  Drying Pad X Above Groun Lined Unlined Liner Liner Seams Welded Fa  Below-grade tank: Subsection I	tion H of 19.15 17 11 NMAC  Drilling a new well  Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  and Steel Tanks  Haul-off Bins  Other  er type  Thickness  mil  LLDPE  HDPE  PVD Other actory Other	
Liner Seams Welded Fa  X Closed-loop System: Subsection Type of Operation X P&A  Drying Pad X Above Groun Lined Unlined Liner Liner Seams Welded Fa  Below-grade tank: Subsection I	tion H of 19.15 17 11 NMAC  Drilling a new well  Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  and Steel Tanks  Haul-off Bins Other  Trype Thickness mil LLDPE HDPE PVD Other  actory Other	
Liner Seams Welded Fa    X	tion H of 19.15 17 11 NMAC  Drilling a new well	
Liner Seams Welded Fa    Subsection   Welded Fa   Weld	tion H of 19.15 17 11 NMAC  Drilling a new well	
Liner Seams Welded Fa     X	tion H of 19.15 17 11 NMAC  Drilling a new well	
Liner Seams Welded Fa    Subsection   Welded Fa   Weld	tion H of 19.15 17 11 NMAC  Drilling a new well	
Liner Seams Welded Fa    X	tion H of 19.15 17 11 NMAC  Drilling a new well	

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify		
7		-
Netting: Subsection E of 19.15.17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC		
9		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15.17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of ap	proval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	_	i
10 Siting Criteria (regarding permitting). 19.15.17 10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Yes	□No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	_	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	No
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site</li> </ul>	Yes	□No
Within the area overlying a subsurface mine.	☐Yes	No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.	Yes	No
<ul> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society, Topographic map</li> </ul>		
Within a 100-year floodplain - FEMA map	Yes	□No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Understand the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19 15.17 13 NMAC
Previously Approved Design (attach copy of design)  API  or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17 11 NMAC
□ Dike Protection and Structural Integrity Design. based upon the appropriate requirements of 19 15.17 11 NMAC □ Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19 15.17 13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System  Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only; (19 15 17 13 D NM.	AC)			
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more that facilities are required				
Disposal Facility Name Disposal Facility Permit #				
Disposal Facility Name Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for full Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	NMAC			
17				
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC  Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - tWATERS database search, USGS Data obtained from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	∐N/A			
Ground water is more than 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	Yes No			
	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No			
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland</li> </ul>	Yes No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine	Yes No			
- Written confinantion or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,	Yes No			
Topographic map Within a 100-year floodplain - FEMA map	Yes No			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the by a check mark in the box, that the documents are attached.	closure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMA	С			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requiremen	ts of 19 15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NI	MAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standa	rds cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address: Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  X Closure Completion Date: 6/23/2010
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Talogo Date B 12/15/11
e-mail address <u>crystal tafoya@conocophillips com</u> Telephone (505) 326-9837