

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

3734

**Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application**

- Type of action: ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
☒ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Modification to an existing permit
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: Coleman Oil & Gas, Inc. OGRID #: 4838
Address: P.O. Drawer 3337, Farmington, NM 87499
Facility or well name: Juniper Com 6 #21
API Number: 30-045-33925 OCD Permit Number: _____
U/L or Qtr/Qtr C Section 6 Township T24N Range R10W County: San Juan
Center of Proposed Design: Latitude N36.34658 Longitude W107.93998 NAD: ☐ 1927 ☒ 1983
Surface Owner: ☐ Federal ☐ State ☐ Private ☒ Tribal Trust or Indian Allotment

2.
☒ **Pit:** Subsection F or G of 19.15.17.11 NMAC
Temporary: ☒ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A
☒ Lined ☐ Unlined Liner type: Thickness 20 mil ☒ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
☒ String-Reinforced
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____ Volume: _____ bbl Dimensions: L _____ x W _____ x D _____

3.
☐ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC
Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other _____
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____

4.
☐ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC
Volume: _____ bbl Type of fluid: _____
Tank Construction material: _____
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other _____
Liner type: Thickness _____ mil ☐ HDPE ☐ PVC ☐ Other _____

5.
☐ **Alternative Method:**
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.



6.

Fencing: Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)

- ☐ Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
- ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
- ☐ Alternate. Please specify _____

7.

Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- ☐ Screen ☐ Netting ☐ Other _____
- ☐ Monthly inspections (If netting or screening is not physically feasible)

8.

Signs: Subsection C of 19.15.17.11 NMAC

- ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☐ Signed in compliance with 19.15.3.103 NMAC

9.

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- ☐ Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.
- ☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: *The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.*

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to temporary, emergency, or cavitation pits and below-grade tanks</i>) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to permanent pits</i>) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

11.

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
☐ Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12.

Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
☐ Previously Approved Design (attach copy of design) API Number: _____
☐ Previously Approved Operating and Maintenance Plan API Number: _____ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13.

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Climatological Factors Assessment
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Quality Control/Quality Assurance Construction and Installation Plan
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan
☐ Emergency Response Plan
☐ Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan
☐ Erosion Control Plan
☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14.

Proposed Closure: 19.15.17.13 NMAC**Instructions:** Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: ☒ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☐ Closed-loop System
☐ Alternative
 Proposed Closure Method: ☐ Waste Excavation and Removal
☐ Waste Removal (Closed-loop systems only)
☒ On-site Closure Method (Only for temporary pits and closed-loop systems)
☒ In-place Burial ☐ On-site Trench Burial
☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15.

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16.

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)

Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please provide the information below) ☐ No

Required for impacted areas which will not be used for future service and operations:

☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

17.

Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 50 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☒ No

☐ NA

Ground water is between 50 and 100 feet below the bottom of the buried waste

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☒ No

☐ NA

Ground water is more than 100 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☒ Yes ☐ No

☐ NA

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☒ No

Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.

- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

☐ Yes ☒ No

Within 500 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within the area overlying a subsurface mine.

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☒ No

Within an unstable area.

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

☐ Yes ☒ No

Within a 100-year floodplain.

- FEMA map

☐ Yes ☒ No

18.

On-Site Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

☐ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC

☐ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC

☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19.

Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): _____ Title: _____

Signature: _____ Date: _____

e-mail address: _____ Telephone: _____

20.

OCD Approval: ☐ Permit Application (including closure plan) ☒ Closure Plan (only) ☐ OCD Conditions (see attachment)

OCD Representative Signature: Jonathan D. Kelly Approval Date: 12/23/2011

Title: Compliance Officer OCD Permit Number: _____

21.

Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☒ Closure Completion Date: 04/02/2009

22.

Closure Method:

☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
☐ If different from approved plan, please explain.

23.

Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:

Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations:

- ☐ Site Reclamation (Photo Documentation)
☐ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique

24.

Closure Report Attachment Checklist: *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- ☒ Proof of Closure Notice (surface owner and division)
☒ Proof of Deed Notice (required for on-site closure)
☒ Plot Plan (for on-site closures and temporary pits)
☐ Confirmation Sampling Analytical Results (if applicable)
☒ Waste Material Sampling Analytical Results (required for on-site closure)
☒ Disposal Facility Name and Permit Number
☒ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique
☒ Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude N36.34658 Longitude W107.93998 NAD: ☐ 1927 ☒ 1983

25.

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Michael T. Hanson Title: Operations Engineer

Signature: Michael T. Hanson Date: 7/6/2009

e-mail address: mhanson@cog-fmn.com Telephone: (505) 327-0356

Lease Name: Juniper Com 6 #21
API No.: API # 30-045-33925
Description: C, Section 6, T24N, R10W

In accordance with Rule NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144.

- Proof of Closure Notice
- Proof of Deed Notice
- Plot Plan
- C-105
- Sampling Results
- Details on Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation Photos (Including Steel Marker)

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division-approved facility or recycled, reused, or reclaimed in a manner that the Aztec Division office approves.

Fluids were pulled from reserve pit and sent to an approved disposal.

2. The referred method of closure for all temporary pits will be on-site, in-place burial, assuming that all criteria listed in Subsection (B) of 19.15.17.13 are met.

On-site in-place burial was approved by the Aztec office on December 10, 2008.

3. The surface owner shall be notified of Coleman Oil and Gas proposed closure plan using a means that provided proof of notice, i.e., Certified Mail, return receipt requested.

Surface Owner Navajo Allotted FIMO Farmington office was notified of Coleman's proposed closer plan in the Surface Use Plan of APD process and again by certified letter dated November 8, 2008. BLM Farmington was notified by sundry notice dated March 19, 2009.

4. Within 6 months of Rig Off status occurring Coleman Oil and Gas will ensure that temporary pits are closed, re-contoured, and reseeded.

Released Rotary Tools on January 30, 2009; Reserve pit was reclaimed and re-contoured April 2, 2009. Coleman Oil & Gas, Inc. requested a six month extension via sundry to complete this well. Approval for

extension was granted to October 1, 2009. Coleman plans on seeding location shortly after completion process or prior October 1, 2009.

5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's Name
 - ii. Well Name and API Number
 - iii. Location by Unit Letter, Section, Township, Range

Aztec OCD was given notice of temporary pit closer via email on March 26, 2009.

6. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve appropriate solidification. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part contents.

Pit contents were mixed with non-waste containing earthen material in order to achieve appropriate solidification. The solidification process was accomplished using a combination of natural drying and mechanically mixing using a dozer and track-hoe. Pit contents were mixed with non-waste material to a consistency that was deemed safe and stable. The mixing ration did not exceed three parts clean soil to one part pit contents.

7. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed within six inches of mud line. After removal of pit liner it was hauled to and disposed of at the San Juan County Land Farm.

8. A five point composite sample will be taken using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e. dig and haul. Disposal facilities to be utilized should this method be required will be Envirotech Permit No. NM01-0011 or IEI, Permit No. NM01-0010B.

A five point composite sample was taken and submitted to Envirotech, see attached analysis.

9. Upon completion of solidification and testing, the pit area will be backfilled and compacted, non-waste containing earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

Upon completion of solidification and testing, the pit area was backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover was achieved and the cover included just one foot of background topsoil suitable for establishing vegetation at the site.

10. Re-contouring of the location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, ponding prevention, and erosion prevention. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with a smooth surface, fitting the natural landscape.

Re-contouring of location matches fit, shape, line form and texture of the surrounding area. Re-shaping of the location included drainage control, ponding prevention and erosion prevention. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final re-contouring will be done after completion phase or prior to October 1, 2009.

11. Notification will be sent to OCD when the reclaimed area is seeded.

Notification via copy of BLM sundry after seeding will be sent to Aztec OCD office.

12. Coleman Oil and Gas shall seed the disturbed areas the first growing season after the pit is closed. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM of Forest Service stipulated seed mixes will be used on Federal Lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Notification via copy of BLM sundry after reclaimed area successfully achieves re-vegetation for two successive growing seasons will be sent to Aztec OCD office.

13. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the on-site burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of the wells on the pad are abandoned. The operator's information will include the following: Operator's Name, Lease Name, Well Name and Number, Unit Number, Section, Township, Range and an indicator that the marker is an on-site burial location.

The temporary pit was located with a steel marker four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial with a threaded collar on top. The following information was welded on a twelve inch by twelve inch plate and screwed into a four inch collar (Coleman Oil & Gas, Inc., Juniper Com 6 #21, Unit C, Section 6, T24N, R10W).

14. Coleman Oil and Gas shall file a deed notice identifying the exact location of the on-site burial with the county clerk in the county where the on-site burial occurs.

Temporary pit closer notification was sent to surface owner via certified mail and a deed notice was filed with the San Juan County Clerks Office.

Proof of Closure Notice

PERMITS WEST INC.

PROVIDING PERMITS for LAND USERS

37Verano Loop, Santa Fe, New Mexico 87508

(505) 466-8120

November 8, 2008

Federal Indian Minerals Office
1235 LaPlata highway, Suite B
Farmington, NM 87401

As required by NMOCD pit rule Subsection F of 19.15.17.13 NMAC, I am notifying FIMO that Coleman Oil & Gas, Inc. plans to close its temporary (reserve) pit (after it is built and used) using on site closure (burial) in the same pit. The well is staked at 1400 FNL & 1730 FWL 6-24n-10w. The well is on lease NO-G-9904-1349. API number is 30-045-33925.

Please call me if you have any questions.

Sincerely,



Brian Wood

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)
For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$ 40.42
Certified Fee	\$ 2.70
Return Receipt Fee (Endorsement Required)	\$ 2.20
Restricted Delivery Fee (Endorsement Required)	\$ 0.00
Total Postage & Fees	\$ 45.32

0991
POST OFFICE EXPRESS SANTA FE, NM
Postage Here
11/08/08 87605-5458

Sent To FIMO
Street, Apt. No.,
or PO Box No.
City, State, ZIP+4

PS Form 3800, August 2006 See reverse for instructions

659 9500 4000 0336 8593
7008 1830 0004 0336 8593

EXHIBIT J

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTBureau of Land Management
Farmington Field OfficeFORM APPROVED
OMB No. 1004-0137
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

Lease Serial No

NO-G-9904-1349

6 If Indian, Allottee or Tribe Name

Navajo Allotted

7 If Unit or CA/Agreement, Name and/or No

NMNM - 110497

8 Well Name and No

Juniper Com 6 #21

9 API Well No

30-045-33925

10 Field and Pool, or Exploratory Area

Basin Fruitland Coal

11 County or Parish, State

San Juan, New Mexico

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1 Type of Well

☐ Oil Well☒ Gas Well☐ Other

2 Name of Operator

Coleman Oil & Gas, Inc.

3a Address

P.O. Drawer 3337

3b Phone No (include area code)

505-327-0356

4 Location of Well (Footage, Sec., T., R., M., or Survey Description)

1400' FNL, 1730' FWL C, Section 6, T24N, R10W Latitude 36° 20'48", Longitude 107° 56' 22"

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

- 13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

COLEMAN OIL & GAS, INC. PLANS ON RECLAIMING RESERVE PIT IN THE NEXT SEVERAL WEEKS, SEE ATTACHED INFORMATION.

COLEMAN OIL & GAS, INC. WOULD LIKE TO REQUEST A SIX MONTH EXTENSION TO COMPLETE THIS WELL, WE ARE CURRENTLY WORKING ON TRYING TO INCREASE DISPOSAL CAPACITY.

SPUD WELL JANUARY 19, 2009
RELEASED ROTARY TOOLS JANUARY 30, 2009


This approval expires 10/1/2009

14 I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

MICHAEL T. HANSON

Title OPERATIONS ENGINEER

Signature



Date

March 19, 2009

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Troy L. Solness

Title PE

Date 3/27/2009

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

FFO

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

OPERATOR

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1 Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5 Lease Serial No NO-G-9904-1349
2 Name of Operator Coleman Oil & Gas, Inc.		6 If Indian, Allottee or Tribe Name Navajo Allotted
3a Address P.O. Drawer 3337		7 If Unit or CA/Agreement, Name and/or No NMNM - 110497
3b Phone No. (include area code) 505-327-0356		8 Well Name and No Juniper Com 6 #21
4 Location of Well (Footage, Sec., T., R., M., or Survey Description) 1400' FNL, 1730' FWL C, Section 6, T24N, R10W Latitude 36° 20' 48" . Longitude 107° 56' 22"		9 API Well No 30-045-33925
		10 Field and Pool, or Exploratory Area Basin Fruitland Coal
		11 County or Parish, State San Juan, New Mexico

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

COLEMAN OIL & GAS, INC. RECLAIMED RESERVE PIT, SEE ATTACHED INFORMATION.

**SPUD WELL JANUARY 19, 2009
RELEASED ROTARY TOOLS JANUARY 30, 2009**

14 I hereby certify that the foregoing is true and correct Name (Printed/Typed) MICHAEL T. HANSON		Title OPERATIONS ENGINEER
Signature <i>Michael T. Hanson</i>		Date <i>April 20, 2009</i>

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Title APR 24 2009	Date APR 24 2009
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.		

(Instructions on page 2)

OPERATOR

P.O. DRAWER 3337
FARMINGTON, NM 87499

OFFICE: 505-327-0356
FAX: 505-327-9425



COLEMAN OIL & GAS, INC.

Bryan Lewis
e-mail: cogblewis@yahoo.com
Direct Line: 505 564.3911

CERTIFIED RETURN RECEIPT REQUESTED
7006 0810 0005 2445 8112

Tuesday, June 02, 2009

Bureau Of Indian Affairs DOI
1235 La Plata Highway, Suite B
Farmington, NM 87401-1805

RE: PIT CLOSURE NOTIFICATION
Township 24 North, Range 10 West
Section 06: NW/4

Please be advised that, in accordance with Section 19.15.17.13.F (1) (b) of the NMAC, Coleman Oil & Gas, Inc. as operator is hereby providing notice to the current surface owner of an on-site burial of a temporary pit at the following location(s):

Well Name:	Juniper Com 6 # 21
API Number:	30-045-33925
Lease Number:	NOG 9904-1349
Latitude (HDDD.DDDDD ⁰):	N 36.34658°
Longitude (HDDD.DDDDD ⁰):	W 107.93998°
Unit Letter (¼ ¼):	C (NENW)
Section:	06
Township & Range:	24 North, 10 West
County & State:	San Juan, New Mexico

Sincerely,

Bryan Lewis
Landman

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT
OF THE RETURN ADDRESS; FOLD AT DOTTED LINE

CERTIFIED MAIL™



7006 0810 0005 2445 8112
7006 0810 0005 2445 8112

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Postage & Fees	\$	

Sept 10
BIA-DET
Street, Apt. No.
or P.O. Box No. 1235 La Plata Highway Suite B
City, State, ZIP+4 Farmington NM 87401
PS Form 3800, July 2002 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Bureau of Indian
Affairs
1235 La Plata Hwy,
Suite B
Farmington NM 87401

2.

7006 0810 0005 2445 8112

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

- ☐ Agent
☐ Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No

3. Service Type

- ☒ Certified Mail ☐ Express Mail
☐ Registered ☒ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee)

☐ Yes

PO DRAWER 3337
FARMINGTON, NM 87499

OFFICE 505-327-0356
FAX 505-327-9425



COLEMAN OIL & GAS, INC.

Bryan Lewis
e-mail cogblewis@yahoo.com

Wednesday, June 10, 2009

Postmaster
United States Postal Service
Farmington, NM 87401

RE: Certified Return Receipt Requested
7006 0810 0005 2445 8112

Dear Postmaster:

On June 02, 2009 I sent a letter addressed to the following entity via Certified Return Receipt Requested.

Bureau Of Indian Affairs – DOI
1235 La Plata Highway, Suite B
Farmington, NM 87410
Article: 7006 0810 0005 2445 8112

I received the signed PS Form 3811 green card however the date of delivery was not included on the green card. Please provide me with the date the item of mail was signed for.

I send mail and pay for Certified Return Receipt Requested for two reasons. The first reason is to KNOW that the addressee received the mail and; (2) to know WHEN the article was delivered. For your easy reference I have attached a photocopy of the PS Form 3811 green card in question.

Sincerely,

A handwritten signature in black ink that reads 'Bryan Lewis'. The signature is written in a cursive, flowing style.

Bryan Lewis
Landman



Track/Confirm - Intranet Item Inquiry - Domestic

Tracking Label: 7006 0810 0005 2445 8112

Destination	ZIP Code: 87401	City: FARMINGTON	State: NM
Origin	ZIP Code:	City:	State:

Event	Date/Time	Location	Scanner ID
DELIVERED	06/03/2009 10:36	FARMINGTON, NM 87401	030SHFQ986

Input Method: Scanned[Request Delivery Record](#)[View Delivery Signature and Address](#)

Enter Request Type and Item Number:

Quick Search ☒ Extensive Search ☐[Explanation of Quick and Extensive Searches](#)

Version 1.0

Inquire on multiple items.Go to the Product Tracking System [Home Page](#).

Proof of Deed Notice

PO DRAWER 3337
FARMINGTON, NM 87499

OFFICE 505-327-0356
FAX 505-327-9425



COLEMAN OIL & GAS, INC.

Bryan Lewis
e-mail cogblewis@yahoo.com
Direct Line 505 564 3911

Monday, June 01, 2009

San Juan County Clerk & Recorder
Post Office Box 550
100 South Oliver Drive, Suite 200 (87410-2433)
Aztec, NM 87410-0550

RE: ITEMS FOR RECORDING

Enclosed you will find eight (8) RECORDATION NOTICE OF PIT BURIAL documents for recording along with our check number 035324 in the amount \$72.00 to pay for the fees. Please return the recorded documents to my attention at the letterhead address

Sincerely,

A handwritten signature in black ink that reads 'Bryan Lewis'. The signature is written in a cursive, flowing style.

Bryan Lewis
Landman

STATE OF NEW MEXICO }
 }
COUNTY OF SAN JUAN }


RECORDATION NOTICE OF PIT BURIAL

In accordance with Section 19.15.17.13.F.1.f of the NMAC, operator hereby provides notice in the public record of an on-site burial of a temporary pit at the following location:

Well Name:	Juniper Com 6 # 21
API Number:	30-045-33925
Latitude (HDDD.DDDDD⁰):	N 36.34658 ⁰
Longitude (HDDD.DDDDD⁰):	W 107.93998 ⁰
Unit Letter (¼ ¼):	C (NENW)
Section:	06
Township:	24 North
Range:	10 West
County:	San Juan
State:	New Mexico


IN WITNESS WHEREOF, this Recordation Notice of Pit Burial has been executed on the date indicated below by the undersigned.


COLEMAN OIL & GAS, INC.


Michael T. Hanson - Operations Engineer

STATE OF NEW MEXICO }
 }
COUNTY OF SAN JUAN }

This instrument was acknowledged before me this 01st day of June, 2009, by Michael T. Hanson as Operations Engineer for Coleman Oil & Gas, Inc.




Bryan Lewis - Notary Public

Plot Plan

RCVD OCT 30 '08
OIL CONS. DIV.

DIST. 3

Form 3160-3
(August 1999)

UNITED STATES 2006 SEP 1 PM 12:04

DEPARTMENT OF THE INTERIOR RECEIVED
BUREAU OF LAND MANAGEMENT
FARMINGTON NM
APPLICATION FOR PERMIT TO DRILL OR REENTER

FORM APPROVED
OMB NO 1004-0136
Expires November 30, 2000

1a TYPE OF WORK ☒ DRILL ☐ REENTER
b TYPE OF WELL ☐ OIL ☒ GAS WELL ☐ OTHER ☐ SINGLE ZONE ☐ MULTIPLE ZONE

2 Name of Operator

Coleman Oil & Gas, Inc.

3a Address

P O Drawer 3337, Farmington N.M. 87499

3b Phone No (include area code)

(505) 327-0356

4 Location of well (Report location clearly and in accordance with any State requirements. *)

At surface

1400' FNL, 1730' FWL Latitude 36° 20' 48", Longitude 107° 56' 22"

At proposed prod zone

5 Lease Serial No

NO-G-9904-1349

6 If Indian, Allottee or Tribe Name

Navajo Allotted

7 If Unit or CA Agreement, Name and No

NMNM-110497

8 Lease Name and Well No

Juniper Com 6 #21

9 API Well No

30-045-33925

10 Field and Pool, or Exploratory

Basin Fruitland Coal

11 Sec., T., R., M., or Blk. And Survey or Area

C Section 6, T24N, R10W

14 DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

South East of Farmington New Mexico on County RD. 7520 approximately 40 miles.

12 County or Parish

San Juan

13 State

NM

15 Distance from proposed*

location to nearest
property or lease line, ft
(Also to nearest drlg unit line, if any)

1400

16 No. of Acres in lease

160

17 Spacing Unit dedicated to this well

334 80 ACRES N/2

18 Distance from proposed location*

to nearest well, drilling, completed,
applied for, on this lease, ft

NA

19 Proposed Depth

1715'

20 BLM/ BIA Bond No. on file

BIA Blanket Bond #08510607

21 ELEVATIONS (Show whether DF, RT, GR, etc.)

6802'

22 Approximate date work will start*

October-06

23 Estimated Duration

2 Weeks

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1 shall be attached to this form

- 1 Well plat. certified by a registered surveyor
- 2 A Drilling Plan
- 3 A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office)

- 4 Bond to cover the operations unless covered by existing bond on file (see item 20 above)
- 5 Operator certification
- 6 Such other site specific information and/ or plans as may be required by the authorized officer

25 Signature

Michael T. Hanson

Name (Printed/ Typed)

Michael T. Hanson

DATE

31-Aug-06

Title

Operations Engineer

Approved By (Signature)

FFO

Name (Printed/ Typed)

FFO

DATE

10/28/08

Title

Office

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which operations thereon

Conditions of approval, if any, are attached

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212 make it a crime for any person knowingly and willfully to make to any district States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

*See Instructions On Reverse Side

A COMPLETE C-144 MUST BE SUBMITTED TO AND APPROVED BY THE NMOCD FOR A PIT, CLOSED LOOP SYSTEM, BELOW GRADE TANK, OR PROPOSED ALTERNATIVE METHOD, PURSUANT TO NMOCD PART 19.15.17, PRIOR TO THE USE OR CONSTRUCTION OF THE ABOVE APPLICATIONS.

NOTICE AZTEC OCD 24 HRS.
PRIOR TO CASING & CEMENT

This action is subject to technical and procedural review pursuant to 43 CFR 3165.3 and appeal pursuant to 43 CFR 3165.4

NMOCD

NOV 07 2008

DRILLING OPERATIONS AUTHORIZED ARE SUBJECT TO COMPLIANCE WITH ATTACHED GENERAL REQUIREMENTS.

District I
PO Box 1980, Hobbs, NM 88241-1980

District II
PO Drawer 00, Artesia, NM 88211-0719

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Form C-102
Revised February 21, 1994

Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number 30045-33925		*Pool Code 71629	*Pool Name BASIN FRUITLAND COAL
*Property Code 33346	*Property Name JUNIPER COM 6		*Well Number 21
*GRID No 4838	*Operator Name COLEMAN OIL & GAS, INC.		*Elevation 6802'


¹⁰ Surface Location

UL or lot no	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	6	24N	10W		1400	NORTH	1730	WEST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Dedicated Acres 334.80 Acres (N/2)					¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION
UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A
NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief

Michael T. Hanson
Signature

Michael T. Hanson
Printed Name

Operations Engineer
Title

August 16, 2006
Date

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief





Survey Date APRIL 25, 2005

Signature and Seal of Professional Surveyor




Jason C. Edwards
Certificate Number 15269

COLEMAN OIL & GAS, INC. JUNIPER COM 6 #21
 1400' FT & 1730' FWL, SECTION 6, T. J, R10W
 NMPM, SAN JUAN COUNTY, NEW MEXICO
 GROUND ELEVATION: 6802'



Note Contractor should call One-Call for location of any marked or unmarked buried pipelines or cables on well pad and/or access road at least two (2) working days prior to construction

C-105

Submit To Appropriate District Office Two Copies District I 1625 N French Dr, Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 July 17, 2008								
		1. WELL API NO. 30-045-33925								
		2. Type of Lease <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> FED/INDIAN								
		3. State Oil & Gas Lease No								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing <input type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input checked="" type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19 15 17 13 K NMAC)		5. Lease Name or Unit Agreement Name Juniper Com 6								
		6. Well Number #21								
7. Type of Completion <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER										
8. Name of Operator Coleman Oil & Gas, Inc		9. OGRID 4838								
10. Address of Operator P O Drawer 3337, Farmington, NM 87499		11. Pool name or Wildcat Basin Fruitland Coal								
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	6	24N	10W		1400	N	1730	W	San Juan
BH:										
13. Date Spudded January 19, 2009	14. Date T D Reached January 23, 2009	15. Date Rig Released January 30, 2009		16. Date Completed (Ready to Produce) WOCT			17. Elevations (DF and RKB, RT, GR, etc)			
18. Total Measured Depth of Well		19. Plug Back Measured Depth		20. Was Directional Survey Made?			21. Type Electric and Other Logs Run			
22. Producing Interval(s), of this completion - Top, Bottom, Name										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB /FT		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
28. PRODUCTION										
Date First Production		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>)					Well Status (<i>Prod or Shut-in</i>)			
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl	Gas - Oil Ratio			
Flow Tubing Press	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl	Oil Gravity - API - (<i>Corr</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc</i>)							30. Test Witnessed By			
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit										
33. If an on-site burial was used at the well, report the exact location of the on-site burial										
Latitude N 36.34658 Longitude W 107.93998 NAD 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Michael T. Hanson			Title Operations Engineer		Date July 6, 2009		
E-mail Address mhanson@cog-fmn.com										

Sampling Results



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


Client:	Coleman Oil & Gas	Project #:	05206-0001
Sample ID:	Reserve Pit	Date Reported:	03-13-09
Laboratory Number:	49278	Date Sampled:	03-10-09
Chain of Custody No:	6504	Date Received:	03-10-09
Sample Matrix:	Soil	Date Extracted:	03-11-09
Preservative:	Cool	Date Analyzed:	03-12-09
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	8.2	0.1
Total Petroleum Hydrocarbons	8.2	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Juniper Com 6 #21.**

Analyst 

Review 



EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client	QA/QC	Project #.	N/A
Sample ID:	03-12-09 QA/QC	Date Reported:	03-13-09
Laboratory Number:	49286	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed	03-12-09
Condition	N/A	Analysis Requested:	TPH

	Lab Date	Lab Ref	C-Cal Ref	% Difference	Accept Range
Gasoline Range C5 - C10	05-07-07	9.9851E+002	9.9891E+002	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.5516E+002	9.5554E+002	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	245	97.8%	75 - 125%
Diesel Range C10 - C28	ND	250	247	98.8%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References. Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 49267 - 49270, 49277 - 49280, 49286, and 49288.

Analyst 


Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	Coleman Oil & Gas	Project #:	05206-0001
Sample ID:	Reserve Pit	Date Reported:	03-13-09
Laboratory Number:	49278	Date Sampled:	03-10-09
Chain of Custody:	6504	Date Received:	03-10-09
Sample Matrix:	Soil	Date Analyzed:	03-12-09
Preservative:	Cool	Date Extracted:	03-11-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96.0 %
	1,4-difluorobenzene	96.0 %
	Bromochlorobenzene	96.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Juniper Com 6 #21.

Analyst

Review

Client	N/A	Project #	N/A
Sample ID	03-12-BT QA/QC	Date Reported	03-13-09
Laboratory Number	49286	Date Sampled	N/A
Sample Matrix	Soil	Date Received	N/A
Preservative	N/A	Date Analyzed	03-12-09
Condition	N/A	Analysis	BTEX

Calibration and Detection Limits (ug/L)	Cal. R ²	Cal. R ²	Cal. R ²	Cal. R ²	Detect. Limit
	Conc	Conc	Conc	Conc	
Benzene	5.5071E+004	5.5181E+004	0.2%	ND	0.1
Toluene	5.2032E+004	5.2136E+004	0.2%	ND	0.1
Ethylbenzene	4.7809E+004	4.7905E+004	0.2%	ND	0.1
p,m-Xylene	1.0595E+005	1.0616E+005	0.2%	ND	0.1
o-Xylene	4.6951E+004	4.7045E+004	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	% Diff	Accept Range	Detect Limit
Benzene	13.5	14.7	8.9%	0 - 30%	0.9
Toluene	14.6	13.7	6.2%	0 - 30%	1.0
Ethylbenzene	4.7	4.6	2.1%	0 - 30%	1.0
p,m-Xylene	11.2	9.5	15.2%	0 - 30%	1.2
o-Xylene	9.1	8.0	12.1%	0 - 30%	0.9


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	13.5	50.0	59.1	93.1%	39 - 150
Toluene	14.6	50.0	61.6	95.4%	46 - 148
Ethylbenzene	4.7	50.0	53.7	98.2%	32 - 160
p,m-Xylene	11.2	100	109	98.2%	46 - 148
o-Xylene	9.1	50.0	56.8	96.1%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
 Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments: QA/QC for Samples 49267 - 49270, 49276 - 49280, and 49286.

Analyst 

Review 



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Client:	Coleman Oil & Gas Inc	Project #:	05206-0001
Sample ID:	Reserve Pit	Date Reported:	03-13-09
Laboratory Number:	49278	Date Sampled:	03-10-09
Chain of Custody No:	6504	Date Received:	03-10-09
Sample Matrix:	Soil	Date Extracted:	03-11-09
Preservative:	Cool	Date Analyzed:	03-11-09
Condition:	Intact	Analysis Needed:	TPH-418.1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	92.3	5.0

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Juniper Com 6 #21.

Monica H
Analyst

Christopher W. Wetters
Review



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS
QUALITY ASSURANCE REPORT

Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	03-13-09
Laboratory Number:	03-11-TPH.QA/QC 49276	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	03-11-09
Preservative:	N/A	Date Extracted:	03-11-09
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
	03-09-09	03-11-09	1,373	1,430	4.2%	+/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	16.5


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	1,870	2,030	8.5%	+/- 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	1,870	2,000	3,510	90.7%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 49276 - 49282, 49286 and 49290.


Analyst


Review



Chloride

Client:	Coleman Oil & Gas, Inc.	Project #:	05206-0001
Sample ID:	Reserve Pit	Date Reported:	03-13-09
Lab ID#:	49278	Date Sampled:	03-10-09
Sample Matrix:	Soil	Date Received:	03-10-09
Preservative:	Cool	Date Analyzed:	03-12-09
Condition:	Intact	Chain of Custody:	6504

Parameter


Concentration (mg/Kg)


Total Chloride

65

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Juniper Com 6 #21**


Analyst


Review

CHAIN OF CUSTODY RECORD

6504

Client: <i>Coleman Oil & Gas, Inc.</i>			Project Name / Location: <i>Juniper Cam 6 #21</i>			ANALYSIS / PARAMETERS													
Client Address: <i>P.O. Drawer 3337</i>			Sampler Name: <i>Mike Hanson</i>			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
Client Phone No.: <i>505-327-0356</i>			Client No.: <i>05206-0001</i>																
Sample No / Identification	Sample Date	Sample Time	Lab No.	Sample Matrix	No / Volume of Containers	Preservative HgCl ₂ HCl													
<i>Reserve Pit</i>	<i>3/10/09</i>	<i>12:30 PM</i>	<i>49278</i>	<i>Soil</i> Sludge Solid Aqueous	<i>1</i>														
				Soil Solid Aqueous															
				Soil Solid Aqueous															
				Soil Solid Aqueous															
				Soil Solid Aqueous															
				Soil Solid Aqueous															
				Soil Solid Aqueous															
				Soil Solid Aqueous															
				Soil Solid Aqueous															
				Soil Solid Aqueous															
				Soil Solid Aqueous															
Relinquished by: (Signature) <i>Mike Hanson</i>					Date <i>3/10/09</i>	Time <i>1430</i>	Received by: (Signature) <i>Christine M. Waller</i>					Date <i>3/10/09</i>	Time <i>1430</i>						
Relinquished by: (Signature)							Received by: (Signature)												
Relinquished by: (Signature)							Received by: (Signature)												

EMAIL RESULTS

ENVIROTECH INC.

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505-632-0615

Temporary Pit Inspection Form

The Following Drilling Reserve Pit Was Inspected By Me Or Under My Direct Supervision On A Daily Basis While The Drilling Rig Was On Location The Following Visuals Inspections Were Made As Required By The Current Pit Rule, Free Board, Integrity Of Pit Liner And Fluids.

Lease Name. Juniper Com 6 #21

Legal: C Section 6 Township 24N Range 10W

API# 30-045-33925


Lease# NO-G-9904-1349

		MTH	DC	BT		Comments
1/17/2009		<i>MTH</i>	<i>DC</i>			
1/18/2009			<i>DC</i>			
1/19/2009			<i>DC</i>			
1/20/2009			<i>DC</i>			
1/21/2009			<i>DC</i>			
1/22/2009			<i>DC</i>			
1/23/2009			<i>DC</i>			
1/24/2009			<i>DC</i>			
1/25/2009			<i>DC</i>			
1/26/2009			<i>DC</i>			
1/27/2009			<i>DC</i>			
1/28/2009			<i>DC</i>			
1/29/2009			<i>DC</i>			
1/30/2009			<i>DC</i>			


MTH Michael T. Hanson, Operations Engineer
DC Donald Coleman; Drilling Supervisor
BT Bruce Taylor, Production Foreman

1


Site Reclamation Photos




Coleman oil & Gas, Inc.
Juniper Com 6 #21
API# 30-045-33925
July 6, 2009



Coleman oil & Gas, Inc.
Juniper Com 6 #21
API# 30-045-33925
July 6, 2009



Coleman oil & Gas, Inc.
Juniper Com 6 #21
API# 30-045-33925
July 6, 2009



Coleman oil & Gas, Inc.
Juniper Com 6 #21
API# 30-045-33925
July 6, 2009