District II
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1200 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

20	0	•	$\overline{}$
\mathcal{L}	()	ĺ	

<u>Pit, Closed-Loop System, Below-Grade Tank, or</u> <u>Proposed Alternative Method Permit or Closure Plan Application</u>

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method

Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Huntington Energy, L.L.C. OGRID #: 208706 . Address: 908 N.W. 71 st St., Oklahoma City, OK 73116 Facility or well name: Canyon Largo Unit #491 API Number: 30-039-30054 OCD Permit Number:
2. Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness 20 mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: 7000 bbl Dimensions: L 140' x W 65' x D 10'
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other Other 4.
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:
5. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8. Signs: Subsection C of 19.15.17.11 NMAC □ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers □ Signed in compliance with 19.15.3.103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district approval.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No				
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No				
Within a 100-year floodplain FEMA map	☐ Yes ☐ No				

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Preeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Groun Instructions: Please indentify the facility or facilities for the disposal of liquid facilities are required.						
Disposal Facility Name:	Disposal Facility Permit Number:					
Disposal Facility Name:						
Will any of the proposed closed-loop system operations and associated activities ☐ Yes (If yes, please provide the information below) ☐ No						
Required for impacted areas which will not be used for future service and operated Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Site Rec	ate requirements of Subsection H of 19.15.17.13 NMA on I of 19.15.17.13 NMAC	С				
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requested an exception which must be submitted to the Santa Fe Environment demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	ne closure plan. Recommendations of acceptable soun wire administrative approval from the appropriate dist tal Bureau office for consideration of approval. Just	rict office or may be				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	☐ Yes ☐ No ☐ NA				
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	Yes No				
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	☐ Yes ☐ No ☐ NA				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other s lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	ignificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No				
Within 300 feet from a permanent residence, school, hospital, institution, or chur - Visual inspection (certification) of the proposed site; Aerial photo; Satell		☐ Yes ☐ No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that lowatering purposes, or within 1000 horizontal feet of any other fresh water well on NM Office of the State Engineer - 1WATERS database; Visual inspection	r spring, in existence at the time of initial application.	☐ Yes ☐ No				
Within incorporated municipal boundaries or within a defined municipal fresh was adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approx	·	☐ Yes ☐ No				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Vis	sual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mini	ng and Mineral Division	☐ Yes ☐ No				
Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geold Society; Topographic map	gy & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No				
Within a 100-year floodplain FEMA map		☐ Yes ☐ No				
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC						

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 12/19/2011 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
☐ Closure Completion Date:_8/7/2009
Closure Method: ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only) ☐ If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations. Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached. ☐ Proof of Closure Notice (surface owner and division) ☐ Proof of Deed Notice (required for on-site closure) ☐ Plot Plan (for on-site closures and temporary pits) ☐ Confirmation Sampling Analytical Results (if applicable) ☐ Waste Material Sampling Analytical Results (required for on-site closure) ☐ Disposal Facility Name and Permit Number ☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique ☐ Site Reclamation (Photo Documentation) ☐ On-site Closure Location: Latitude36.38958° N Longitude107.49590° W NAD: ☐ 1927 ☐ 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print):Catherine Smith Title:Regulatory Signature: Date:8/17/09
e-mail address:csmith@huntingtonenergy.com Telephone:405-840-9876

Cathy Smith

From:

Cathy Smith

Sent:

Monday, July 27, 2009 10:01 AM

To:

'brandon.powell@state.nm.us'; 'mark_kelly@nm.blm.gov'

Cc:

Alan McNally

Subject: CLU 491 - Notice of Pit Closure

Pit Closure Notification as per NMOCD pit rule:

Canyon Largo Unit #491 API#: 30-039-30054 Lease #: NMSF 078882 NWNW Sec 20, T25N-R6W Rio Arriba Co., NM

Rig Release: 5/26/09

Please contact me if you need any additional information.

Thank you!

Cathy Smith (405) 840-9876 ext. 129 (405) 840-2011 Fax



Two Copies	l _		State of Ne					Form C-105					
District I 1625 N French Dr , Hobbs, NM 88240	En	ergy, l	Minerals and	d Na	itural R	esources		July 17, 2008 1. WELL API NO.					
District II 1301 W Grand Avenue, Artesia, NM 88210		0.1	1.0		<u>.</u>			1. WELL API NO. 30-039-30054					
District III			l Conservat					2. Type of Lease					
1000 Rio Brazos Rd., Aztec, NM 87410 District IV			20 South St			Or.		☐ STATE ☐ FEE ☒ FED/INDIAN					
1220 S. St. Francis Dr , Santa Fe, NM 87505			Santa Fe, N	M	87505			3. State Oil &	& Gas	Lease No			
WELL COMPLETION O	RRECO	OMPL	ETION REI	POI	RT AN	D LOG			44900				
4. Reason for filing:								5 Lease Nam			ment Na	me	
COMPLETION REPORT (Fill in bo	xes #1 thro	igh #31	for State and Fee	e well	s only)			Canyon Largo 6 Well Numb					
,		•			• ,			491	<i>,</i>				
□ C-144 CLOSURE ATTACHMENT #33; attach this and the plat to the C-144 cl							/or						
7. Type of Completion	osure repor	in acco	idance with 19.1	3.17.	13 K INIVI	10)							
NEW WELL WORKOVER	☐ DEEP	ENING	□PLUGBAC	<u> </u>	DIFFERE	NT RESERV	/OIF		200=				
8. Name of Operator Huntington Energy, L.L.C.								9. OGRID	2087	06			
10. Address of Operator 908 N.W 71st St., Oklahoma City, OK 731	16				, .			11 Pool name	or W	ildcat			
12 Location Unit Ltr Section	Toum	hin	Danga	Lot		Fact from t	tho	N/S Line	Foot	from the	E/W L	ina	County
12.Location Unit Ltr Section Surface:	Town	sinp	Range	Lot		Feet from t	nie	IN/S LINE	reel	. Hom the	E/W L	ine	County
				_		ļ			-		ļ		
BH:			<u> </u>		1				<u> </u>		<u></u>		
13. Date Spudded 14. Date T.D. Reache	5/26	/09	Released			•		l (Ready to Proc		R	T, GR, et	ic.)	and RKB,
18. Total Measured Depth of Well			k Measured Dep	oth	20	. Was Direct	iona	al Survey Made?	<u>'</u>	21. Typ	e Electri	c and Ot	her Logs Run
22. Producing Interval(s), of this completic	n - Top, Bo	ttom, Na	ame										
23.			ING REC	OR			ring						
CASING SIZE WEIGHT I	B./FT.		DEPTH SET		H	OLE SIZE		CEMENTIN	G RE	CORD	AM	10UNT	PULLED
								+					
		ļ											
								<u> </u>					
24.		LIN	ER RECORD				25.	. T	UBI	NG REC	ORD		
SIZE TOP	BOTTOM		SACKS CEMI	ENT	SCREE	N	SIZ	ZE	DI	EPTH SE	Γ	PACK	ER SET
					<u> </u>				_				
26 Perforation record (interval, size, and	number		L		27 40	TOUS CIL	ED	ACTURE, CE	MEN	IT SOLI		TC	
20 Ferioration record (interval, size, and	number)					INTERVAL		AMOUNT A					
								72.110 011111				00	
								-					,
28.			•	PR	ODUC	TION							
Date First Production Pro	duction Me	hod (Flo	owing, gas lift, pi	umpir	ig - Size a	nd type pump,)	Well Status	(Pro	d. or Shut	-in)		
Date of Test Hours Tested	Choke Size	;	Prod'n For Test Period		Oil - Bl	ol	Ga	s - MCF	w	ater - Bbl		Gas - C	Dil Ratio
Flow Tubing Casing Pressure Press.	Calculated 24- Oil - Bbl. Gas - MCF Water - Bbl Oil Gravity - API - (Corr.) Hour Rate					r.)							
29. Disposition of Gas (Sold, used for fuel,	vented, etc.) 30. Test Witnessed By												
31. List Attachments		-							l				
32. If a temporary pit was used at the well,	32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.												
33. If an on-site burial was used at the well	report the	exact loc	cation of the on-s	ite bu	irial:								
		,	Latitude	<u></u>		,	1	Longitude	<u></u>	, ,	,	NA	D 1927 1983
I hereby certify that the information Signature	n shown]	Printed						f my				•
allumson	Signature Name Catherine Smith Title Regulatory Date 8/17/09 E-mail Address csmith@huntingtonenergy.com												

P.O. Bert 1980, Hobbs, N.V. 88241-1980

State of New Mexico Diergy, Minerals & Natural Resources Department

Porm C-102 Revised October 12, 200 Instructions on bar Submit to Appropriate District Offic

DISTRICT II 1301 E, Grand Avenna, Ariesta, N.N. 55210

DIL CONSERVATION DIVISION 1220 South St Francis Dr. Santa Fe. NM 87504-2088


State Lease - 4 Copie Fee Lease - 3 Copie

DESTRICT III 1000 Rao Branca Rd., Arisc, N.M. 87410

☐ AMENDED REPORT

1720 South St. Francis Dr., Santa Fa, HN 87506 WELL LOCATION AND ACREAGE DEDICATION PLAT * Pool Code 1 API Humber Basin Dakota, 71599 *Property Name 'Yell Number *Property Code CANYON LARGO UNIT 491 6886 *Operator Name Devation OCRUD No. 208706 HUNTINGTON ENERGY, LLC 6696 10 Surface Location-Newth/South time Part /Yest line Pool from the Jest from the Lot Ide County Section Township Range UL or lot no. 1035 NORTH 980' WEST RIO ARRIBA 20 25-N 6-W D "Bottom Hole Location If Different From Surface Feet from the North/South has Feet from the Lan /Year Ime Range Lot ldn County UL or lot no. Section Township Digit or Infill - Consolidation Code ™Order No. "Dedicated Acres W/320 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATE OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION N BB-28-00 E WITNESS COR. OPERATOR CERTIFICATIO FD 3 1/4 .FD 3 1/4° B.L.M. BC 2638.20' (M) I hereby certify that the inform B.L.M. BC 1035 1965 is true and complete to the back of may be 1965 13.20 FT. CALC'D COR. right to write their work at their location y construct with on money of rack a managed or sport LAT: 36.38955 N. (NAD B3) LONG: 107.49590; W. (NAD B3) 980 2587.50' (M) 00-05-51 FD 3 1/4" 18 SURVEYOR CERTIFICATION B.LM. BC 1965 or plotted from field notes of actual surveys an and correct to the best of my bottes. MARCH B. POR

HUNTINGTON ENERGY, LLC CANYON LARGO UNIT No. 491, 1035 FNL 980 FWL SECTION 20, T-25-N, R-6-W, N.M.P.M., RIO ARRIBA COUNTY, N.M. GROUND ELEVATION: 6696' DATE: MARCH 8, 2006



RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE). BLOW PIT: OVERFLOW PIPE HALFWAY BETWEEN TOP AND BOTTOM AND TO EXTEND OVER PLASTIC LINER AND INTO BLOW PIT.

DAGGETT ENTERPRISES, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. NEW MEXICO ONE CALL TO BE NOTIFIED 48 HOURS PRIOR TO EXCAVATION OR CONSTRUCTION. NOTE: ELEV. A-A' C/L 6710 6700 6690 6680 C/ ELEV. B-B' 6710 6700 Services NM 87499 6690 Daggett Enterprises, D. Box 510 ·Farmington, NM re (505) 326-1772 · Fax (505) 32 NEW MEXICO L.S. No. 8894 6680 Oil Field C/L ELEV. C-C' 6710 6700 ö 6690 6680 NOTE: CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.

Huntington Energy, L.L.C. Canyon Largo Unit #491 Sec 20, T25N-R6W Rio Arriba Co., NM

Soil Backfilling and Cover Installation

Upon completion of solidification and testing standards being passed (see attached test results) a minimum of 4 ft of cover is achieved including a suitable layer of material to establish vegetation at the site. All re-contouring of location will match fit shape, line, and texture of the surrounding area.

Re-Vegetation and Seeding Technique

Seeding shall commence on or about April 1st, or the first available growing season barring weather. BLM stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover consisting of at least three native plant species, including at least one grass, and maintain that cover through two successive growing seasons. Repeated seeding or planting will be continued until successful growth occurs.

Temporary Pit Marker

A steel marker will be placed at the center of the on-site burial. The steel marker will not be less than 4" in diameter and be cemented in a 3' hole. Marker shall extend 4' above ground level. Engraved into the marker will be the operator's name, and legal location. This marker shall not be removed. Note: during active operations, a ground level marker will be employed due to safety concerns; upon abandonment, the 4" x 4' marker will be employed.

Disposal Facility

Facility Name: IEI Permit #: NM-010010B



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client:	Huntington Energy	Project #:	06111-0002
Sample ID:	1	Date Reported:	07-22-09
Laboratory Number:	50927	Date Sampled:	07-20-09
Chain of Custody No:	7473	Date Received:	07-20-09
Sample Matrix:	Soil	Date Extracted:	07-21-09
Preservative:		Date Analyzed:	07-22-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	60.7	0.2
Diesel Range (C10 - C28)	112	0.1
Total Petroleum Hydrocarbons	173	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Canyon Largo Unit 491 Reserve Pit

5796 US Highway 64, Farmington, NM 87401 Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

0 - 30%

0 - 30%

Client:	QA/QC		Project #:		N/A
Sample ID:	07-22-09 QA/QC	;	Date Reported:		07-22-09
Laboratory Number	50924		Date Sampled		N/A
Sample Matrix:	Methylene Chlorid	e	Date Received.		N/A
Preservative:	N/A		Date Analyzed:		07-22-09
Condition.	N/A		Analysis Requeste	d:	TPH
	(Fleatibility)	PCal RE	is C.Caj RF.	Difference	Accept Range
Gasoline Range C5 - C10	05-07-07	1.0605E+003	1.0610E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	1 0641E+003	1.0646E+003	0.04%	0 - 15%
Blank@one, (mg/L - mg/Kg).		Concontration	C C	atection:Limit	
Gasoline Range C5 - C10		ND		0.2	-
Diesel Range C10 - C28		ND		0.1	
Total Petroleum Hydrocarbons		ND		0.2	
Duplicate Genc: (mg/kg)	- Sample	Digijeate	⁴ % Difference - A	ccapt Range	

Spike/Cone/(mg/kg)/	. Sample fin	Spike Ardica	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	238	95.2%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100%	75 - 125%

ND

ND

0.0%

0.0%

ND - Parameter not detected at the stated detection limit.

References:

Gasoline Range C5 - C10

Diesel Range C10 - C28

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 50924 and 50927.

ND

ND

Analyst

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Huntington Energy	Project #:	06111-0002
Sample ID:	1	Date Reported:	07-22-09
Laboratory Number:	50927	Date Sampled:	07-20-09
Chain of Custody:	7473	Date Received:	07-20-09
Sample Matrix:	Soil	Date Analyzed:	07-22-09
Preservative.		Date Extracted:	07,21-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
		
Benzene	18.1	0.9
Toluene	21.4	1.0
Ethylbenzene	41.6	1.0
p,m-Xylene	343	1.2
o-Xylene	68.3	0.9
Total BTEX	492	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Canyon Largo Unit 491 Reserve Pit

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Sample ID: Laboratory Number: Sample Matrix:	N/A 07-22-BT QA/QC 50924 Soil	Project #: Date Reported: Date Sampled: Date Received:	N/A 07-22-09 N/A N/A
Preservative: Condition:	N/A N/A	Date Received: Date Analyzed: Analysis:	07-22-09 BTEX

Calibration and *** **Detection Elmits (ug/L) ***	Ogres Dankelli 2	्रि G-Caj RF की क ZAccept Ran	+ 1 % Diff 2 0 + 15%	Blank Conc	Detect Limit
Benzene	5.2263E+006	5.2367E+006	0.2%	ND	0.1
Toluene	4.8309E+006	4.8406E+006	0.2%	ND	0.1
Ethylbenzene	4.2679E+006	4 2765E+006	0.2%	ND	0.1
p,m-Xylene	1 0919E+007	1.0941E+007	0.2%	ND	0.1
o-Xylene	4.1039E+006	4.1122E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	La Sample 11 and	iplisate	%Diffe	- Accept Range	Detect Limit
Benzene	6.5	6.8	4.6%	0 - 30%	0.9
Toluene	8.1	8.4	3.7%	0 - 30%	1.0
Ethylbenzene	10.8	11.3	4.6%	0 - 30%	1.0
p,m-Xylene	56.2	60.1	6.9%	0 - 30%	· 1.2
o-Xylene	22.2	22.4	0.9%	0 - 30%	0.9

Spike Gons (ug/Kg)	, Sample A And	unt Spiked = Spik	ed Sample	:%Recovery	Accept Range
Benzene	6.5	50.0	55.0	97.3%	39 - 150
Toluene	8.1	50.0	56.6	97.4%	46 - 148
Ethylbenzene	10.8	50.0	59.3	97.5%	32 - 160
p,m-Xylene	56.2	100	155	99.0%	46 - 148
o-Xylene	22.2	50.0	70.7	97.9%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA.

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 50924, 50926, and 50927.

Analyst

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Huntington Energy	Project #:	06111-0002
Sample ID:	1	Date Reported:	07-22-09
Laboratory Number:	50927	Date Sampled:	07-20-09
Chain of Custody No:	7473	Date Received:	07-20-09
Sample Matrix:	Soil	Date Extracted:	07-22-09
Preservative:		Date Analyzed:	07-22-09
Condition:	Intact	Analysis Needed:	TPH-418.1

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

593

29.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Canyon Largo Unit 491 Reserve Pit

Analyst

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

QA/QC Client: Project #: N/A Sample ID: QA/QC Date Reported: 07-22-09 Laboratory Number: 07-22-TPH.QA/QC 50926 Date Sampled: N/A Sample Matrix: Freon-113 Date Analyzed: 07-22-09 Preservative: N/A Date Extracted: 07-22-09 Condition: N/A Analysis Needed: TPH

Blank Conc. (mg/Kg) Concentration Detection Limit TPH ND 29.6

Duplicate Conc. (mg/Kg)SampleDuplicate% DifferenceAccept. RangeTPH14211916.7%+/- 30%

Spike Conc. (mg/Kg) Sample Spike Added Spike Result % Recovery Accept Range TPH 142 2,000 2,020 94.3% 80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 50926 - 50927.

Analyst



Chloride

Client:	Huntington Energy	Project #:	06111-0002
Sample ID:	1	Date Reported:	07-22-09
Lab ID#:	50927	Date Sampled:	07-20-09
Sample Matrix:	Sail	Date Received:	07-20-09
Preservative:		Date Analyzed:	07-21-09
Condition:	Intact	Chain of Custody:	7473

Paramet	te	r			Cond	centratio	n (mg/Kg)	

Total Chloride 790

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Canyon Largo Unit 491 Reserve Pit

alyst Re

CHAIN OF CUSTODY RECORD

7473

Client:	-	F	Project Name / L	ocation	:	1	De	کوترکه	-					ANAL	YSIS	/ PAR	AME ⁻	rers				
Husuling Too !	SNEW L	1 (Project Name / Location: Canyon Largo unit 49/ Pit Sampler Name:														_		 			
Client Address:		8	Sampler Name:						2	21)	6											
lose Na). 71st						TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	<u>s</u>	_		م ا						Ì	ٔ سا			
Client Phone No.: [2]	ing Alch	ally !	Client No.: 🔾							ţ.) bc	eta	jė		Ĭ		 =	Ш			g	tac
405-767-358	36	1	505-328	-68	78 1	Oblil-	8	ರಿಎ	/let	Ğ	Met	8 N	A/		ěiř		418	읉			Ö	e In
Sample No./	Sample				Sample	No./Volum	ie Pre	eservat	ive S		ပ္	RCRA 8 Metals	Cation / Anion		TCLP with H/P	ェ	TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
Identification	Date	Time	Lab No.		Matrix	of Container	s HgCl	Į HCi	유	BT	8	윤	್ದ	RC!	2	PAH	片	ᇰ			Sa	Sa
Ì	72009	2:00p.	50927	Solid	Sludge Aqueous	1-402	- 1		X	X							X	X				V
				Soil Solid	Sludge Aqueous																	
				Soll Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
			-	Soil Solid	Sludge Aqueous			+-		-		<u> </u>										
				Soil	Sludge		-															
				Solid Soil	Aqueous Sludge		-	+	+			_					-				-	
		ļ	-	Solid	Aqueous	 	-	++			<u> </u>	ļ	ļ									
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																ļ	
Relinquished by: (Signa	iture)			٠	Date	Time	<u> </u>	Recei	ved by	: (Sign	ature)				L	·	J 		ate	Tir	
	74,	to	Nular	12	7-10 19	4:00	او				/		-1	7_	<u> </u>				7/2	0/59	16	.:00
Relinquished by: (Signa	iture)	<u> </u>	· www.p	1	1/-2020/	7.0	I	Recei	ved by	(Sign	ature))		<u>/</u>		D				7 - 7		
Relinquished by: (Signa	*****			<u></u> -			۰			'0 '												
reiniquistied by. (Signa	lure)							Hecel	ved by	: (Sigr	ature,)									ı	
Call Daviz	J sults	dmi	oralesa Sybonenesy	ion	3	en'	₩ nal	Î [O (] @	C rato	h ry							 <u> </u>	<u></u> !		
				-40	W 64 a Formin								h inn a	om.								

CLU49/

