

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator
BURLINGTON
RESOURCES OIL & GAS COMPANY LP

3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M
380' FNL, 2310' FWL, Sec.17, T-27-N, R-5-W, NMPM

5. Lease Number
NMSF-079392

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

San Juan 27-5 Unit
Well Name & Number
San Juan 27-5 U #114F
API Well No.
30-039-26594
Field and Pool
Blanco MV/Basin DK
County and State
Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment

Type of Action

☐ Abandonment
☒ Recompletion
☐ Plugging Back
☐ Casing Repair
☒ Altering Casing
☒ Other - Commingle
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut off
☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to recomplate the subject well to the Mesaverde formation according to the procedure below and the attached wellbore diagram. The well will then be down hole commingled. A down hole commingle will be submitted for approval.

Move in, rig up. Trip out of hole with tubing. Trip in hole, set cast iron bridge plug at approximately 7516'. Pressure test casing to 3000 psi for 15 minutes. Perforate and fracture stimulate the Point Lookout, Menefee and Cliff House formations. Flow back well. Mill out frac plugs and cast iron bridge plug over Dakota. Clean out as required. Land tubing. Rig down, move off. Return well to production.

CONDITIONS OF APPROVAL
Adhere to previously issued stipulations.

2005 MAR 8 PM 2 37
RECEIVED
OTO FARMINGTON NM

14. I hereby certify that the foregoing is true and correct.

Signed Nancy Olthmanns Title Senior Staff Specialist Date 3/8/05

(This space for Federal or State Office use)

APPROVED BY Jim Webb Title Pet. Eng Date 3/18/05
CONDITION OF APPROVAL, if any:

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV1220 S. St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102


Permit 7916

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-039-26594	Pool Name BLANCO-MESAVERDE (PRORATED GAS)	Pool Code 72319
Property Code 7454	Property Name SAN JUAN 27 5 UNIT	Well No. 114F
OGRID No. 14538	Operator Name BURLINGTON RESOURCES OIL & GAS CO	Elevation 6591

Surface And Bottom Hole Location

UL or Lot C	Section 17	Township 27N	Range 05W	Lot Idn	Feet From 380	N/S Line N	Feet From 2310	E/W Line W	County Rio Arriba
Dedicated Acres 320.41		Joint or Infill		Consolidation Code		Order No.			

**OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Electronically Signed By: *Nancy Oltmanns*

Title: Senior Staff Regulatory Specialist

Date: 3/8/05

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Neale Edwards

Date of Survey: 09/19/2000

Certificate Number: 6857

San Juan 27-5 Unit #114F

380' FNL , 2310' FWL

Unit C, Section 17, T27N, R05W

Rio Arriba County, NM

LAT: 36 deg 34.8' min

LONG: 107 deg 22.98 min

GL = 6,591'

KB= 6,603'

Current Wellbore Diagram

Surface Casing:

9-5/8" 32.3# H-40
Set @ 221'
TOC @ circ to surf

Intermediate Casing:

7" 20# J-55
Set @ 3,562'
TOC @ circ to surf
1st stage: 178 sx, circ 4bbl to surf
2nd stage: DV tool @ 2849'
453 sx, circ 79 bbl to surf

Tubing:

2-3/8" 4.7# J-55
Set @ 7695

Production Liner:

4-1/2" 10.5# J-55
4-1/2" Casing Cut @ 3380'
Set @ 7815'
TOC @ 3468'


Ojo Alamo	2,804'
Kirtland	2,887'
Fruitland	2,966'
Pictured Cliffs	3,384'
Cliffhouse	4,946'
Menefee	5,188'
Point Lookout	5,537'
Mancos	5,906'
Gallup	6,530'
Greenhorn	7,474'
Graneros	7,537'
Two Wells	7,562'

Existing Stimulation:

Dakota

7566' - 7792'

40,000# sand, 91,644 gal slickwater



PBTD= 7,813'

TD= 7,815'

CLS

03/03/05