District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1	Q.	14
١	, - \	11

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank	s, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance.

Operator Energen Resources	OCDID # 162028
Address 2010 Afton Place, Farmington, New Mexico 87401	OURID#102928
API Number 3004523659 OCD Permit Number	
U/L or Qtr/Qtr J Section 36 Township 26N Range	
Center of Proposed Design Latitude 36 4412 Longitude -107	<u>)7 95097</u> NAD □1927 ⊠ 1983
Surface Owner Federal State Private Tribal Trust or Indian Allotment	<u>t</u>
2	
Pit: Subsection F or G of 19 15 17 11 NMAC	
Temporary Drilling Workover	
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A	
Lined Unlined Liner type Thicknessmil LLDPE HDF	DPE PVC Other
☐ String-Reinforced	
Liner Seams	umebbl Dimensions Lx Wx D
3	
Closed-loop System: Subsection H of 19 15 17 11 NMAC	
Type of Operation P&A Drilling a new well Workover or Drilling (Applintent)	pu Mus
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other	401112137472
☐ Lined ☐ Unlined Liner type Thicknessmil ☐ LLDPE ☐ F	HDPE PVC Other
Liner Seams	& RECEIVED &
4	m Marine N
X Below-grade tank: Subsection I of 19 15 17 11 NMAC	2 00 2
Volumebbl Type of fluidProduced Water	\\\ -14 D[0]. 3 \\\
Tank Construction material	lift and automatic overflow shut-off
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch li	lift and automatic overflow shut-off

☐ Visible sidewalls and liner 🏋 Visible sidewalls only ☐ Other	
Usible sidewalls and liner Visible sidewalls only ☐ Other ☐ Liner type Thickness ☐ mil ☐ HDPE ☐ PVC ☐ Other ☐	

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify Alternate Please specify	hospital,
Netting: Subsection E of 19.15.17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19 15 17 11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19 15 3 103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	office for
Siting Criteria (regarding permitting): 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptant material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	ppriate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society, Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC Previously Approved Design (attach copy of design) API Number or Permit Number		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NM and 19 15 17 13 NMAC Previously Approved Design (attach copy of design) API Number. Previously Approved Operating and Maintenance Plan API Number. (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)	IAC	
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15.17 11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Burcau for consideration)		
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15.17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC		

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee Instructions: Please indentify the facility or facilities for the disposal of liquids, drilli facilities are required.		
Disposal Facility Name Disposal Facility Name.	posal Facility Permit Number	
Disposal Facility Name Disp		
Will any of the proposed closed-loop system operations and associated activities occur of Yes (If yes, please provide the information below) \(\bigcap \) No	on or in areas that will not be used for future service and	d operations?
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of Re-vegetation Plan - based upon the appropriate requirements of Subsection Countries of Subsection	19 15 17 13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19 15 17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure provided below. Requests regarding changes to certain siting criteria may require additional considered an exception which must be submitted to the Santa Fe Environmental Burdemonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for grant strength of the santa feet of the san	ministrative approval from the appropriate district offi reau office for consideration of approval. Justification	ice or may be
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obt		′es □ No JA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obt	ained from nearby wells	'es □ No IA
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obta	ained from nearby wells	'es □ No IA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significal lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	ant watercourse or lakebed, sinkhole, or playa	es 🗌 No
Within 300 feet from a permanent residence, school, hospital, institution, or church in ex- Visual inspection (certification) of the proposed site, Aerial photo, Satellite ima		es 🗌 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that watering purposes, or within 1000 horizontal feet of any other fresh water well or spring - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	g, in existence at the time of initial application	cs No
Within incorporated municipal boundaries or within a defined municipal fresh water we adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval ob-	_	es 🗌 No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map, Visual ins		es 🗌 No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and	Mineral Division	es 🗌 No
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & N Society. Topographic map	Mineral Resources, USGS; NM Geological	es 🗌 No
Within a 100-year floodplain - FEMA map	□ Y	es 🗌 No
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the folioby a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Sub-Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - Protocols and Procedures - based upon the appropriate requirements of 19.15.17 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection H of Re-vegetation Plan - based upon the appropriate requirements of Subsection I of Site Reclamation Plan - based upon the appropriate requirements of Subsection I of	nents of 19 15 17 10 NMAC section F of 19 15 17 13 NMAC briate requirements of 19 15 17 11 NMAC based upon the appropriate requirements of 19 15 17 1 3 NMAC nents of Subsection F of 19 15 17 13 NMAC section F of 19 15 17.13 NMAC cuttings or in case on-site closure standards cannot be ac 19 15 17 13 NMAC	I NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 17/2012
Approvar Date: // //2012
Title: Compliance O(Fice) OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: 3/9/09
Closure Method: X Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name NO EXCAVATION OR DISPOSAL NECESSARY Disposal Facility Permit Number Disposal Facility Name Disposal Facility Permit Number Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan Name (Print): Ed Hasely Title Sr. Environmental Engineer Signature Date 3/10/09
a mail address and hasaly@energen.com Telephone (505) 324-4131



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

)			
Client:	Energen	Project #:	03022-0001
Sample ID.	Burrough St. #2E	Date Reported:	03-03-09
Laboratory Number:	49108	Date Sampled:	02-23-09
Chain of Custody No:	6403	Date Received:	02-24-09
Sample Matrix:	Soil	Date Extracted:	02-27-09
Preservative:	Cool	Date Analyzed:	03-02-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	6.2	0.1
Total Petroleum Hydrocarbons	6.2	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments: BGT.

Analyst

Mister Mitales Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen	Project #:	03022-0001
Sample ID:	Burrough St. #2E	Date Reported:	03-03-09
Laboratory Number:	49108	Date Sampled ¹	02-23-09
Chain of Custody:	6403	Date Received:	02-24-09
Sample Matrix:	Soil	Date Analyzed:	03-02-09
Preservative:	Cool	Date Extracted:	02-27-09
Condition	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	1.0	0.9	
Toluene	2.8	1.0	
Ethylbenzene	1.5	1.0	
p,m-Xylene	5.6	1.2	
o-Xylene	3.4	0.9	
Total BTEX	14.3		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96.0 %
	1,4-difluorobenzene	96.0 %
	Bromochlorobenzene	96.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

BGT

Analyst

Christian Wester



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen	Project #;	03022-0001
Sample ID:	Burrough St. #2E	Date Reported:	03-03-09
Laboratory Number:	49108	Date Sampled:	02-23-09
Chain of Custody No:	6403	Date Received:	02-24-09
Sample Matrix;	Soil	Date Extracted:	03-02-09
Preservative:	Cool	Date Analyzed:	03-02-09
Condition:	Intact	Analysis Needed:	TPH-418.1

1		Det.
	Concentration `	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

36.0

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

BGT.

Arralyst Arraci M

Mustum Waters



Chloride

Client:	Energen	Project #:	03022-0001
Sample ID:	Burrought St #2E	Date Reported:	03-03-09
Lab ID#:	49108	Date Sampled:	02-23-09
Sample Matrix:	Soil	Date Received:	02-24-09
Preservative:	Cool	Date Analyzed:	02-26-09
Condition:	Intact	Chain of Custody:	6403

Pa	arameter	Concentration (mg/Kg)	

Total Chloride 260

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: BGT.

Mones Jales (Review Review

Ed Hasely

From: Ed Hasely

Sent: Wednesday, March 04, 2009 9 32 AM

To: 'Powell, Brandon, EMNRD'

Subject: Burroughs State Com #2E - BGT Closure

Brandon - This is to notify you that Energen plans to close the below grade tank on the subject well location in the near future The well is in Unit Letter J, Section 36 - T26N - R11W. Let me know if you need additional information. Thanks

Ed Hasely

Energen Resources Corporation

Sr Environmental Engineer ed hasely@energen.com
Office (505) 324-4131
Cell (505) 330-3584

BELOW-GRADE TANK CLOSURE REPORT

ENERGEN RESOURCES

Burroughs State Com #2E

CLOSURE STEPS:

- (1) Notified the surface owner (State) by certified mail, return receipt requested, of the plans to close the below-grade tank ---- Letter Attached
- (2) Notified the Aztec OCD office by Email prior to the planned closure operation. ---- Email Attached
- (3) The tank contained no liquids at the time of the work.
- (4) Removed the below-grade tank for re-use in an above-ground setup.
- (5) Tested the soils beneath the below-grade tank to determine whether a release has occurred
 - Collected a five point, composite sample;

Analyzed for BTEX, TPH and chlorides: ---- Analyses Attached

- Benzene concentration 0 001
- Total BTEX concentration 0 0143 ppm
- TPH concentration 36 ppm
- Chloride concentration 260 ppm (exceedance of determining a release)
- (6) The soil analyses showed that the soils slightly exceeded the chloride concentration specified in 19.15.17 NMAC as an indication of a release. Remediated per 19 15.3 116 NMAC.
- (7) Backfilled the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion.
- (8) The area is needed for operations as a tank was set above ground in the same location. Seeding and final reclamation will take place upon P&A

FINAL CLOSURE REPORT:

Submitted a closure report on form C-144, with necessary attachments to document all closure activities including sampling results, within 60 days of closure completion.

\

