District I 1625 N French Dt , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

State of New Mexico **Energy Minerals and Natural Resources** 

Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

1000 Rio Brazos Rd , Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe			
District IV 1220 S St Francis Dr , Santa Fe, NM 87505		Environmental Bureau office and provide a copy to the appropriate NMOCD District Office			
Pit, Close	ed-Loop System, Below-Grad	le Tank, or			
Proposed Alter	rnative Method Permit or Clos	sure Plan Application			
Type of action: Permit o	f a pit, closed-loop system, below-grade to	ank, or proposed alternative method			
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
Modifica	ation to an existing permit				
	· · · · · · · · · · · · · · · · · · ·	tted or non-permitted pit, closed-loop system,			
	rade tank, or proposed alternative method				
Please be advised that approval of this request does	s not relieve the operator of liability should operations r	op system, below-grade tank or alternative request result in pollution of surface water, ground water or the governmental authority's rules, regulations or ordinances			
Operator: Burlington Resources Oil & Gas Com	ipany, LP	OGRID#: 14538			
Address: PO Box 4289, Farmington, NM 8749	9				
Facility or well name: Howell M 1					
API Number: 30-045-09101	OCD Permit Number	er			
U/L or Qtr/Qtr: N(SE/SW) Section: 30	Township: 30N Range:	8W County: San Juan			
Center of Proposed Design: Latitude: 3	<b>6.7776 °N</b> Longitude:	<b>107.71684 °W</b> NAD: <b>X</b> 1927 1983			
Surface Owner: X Federal State	Private Tribal Trust or India	n Allotment			
Lined Unlined Liner type Tl	P&A hickness mil LLDPE  Other Volume	## RCVD JAN 13 '12  OIL CONS. DIV.  HDPE PVC Other DIST. 3			
X Closed-loop System: Subsection H of 19 15 Type of Operation P&A Drilling a new Drying Pad X Above Ground Steel Tanks Lined Unlined Liner type The Liner Seams Welded Factory Oth	w well X Workover or Drilling (Applies to notice of intent)  Haul-off Bins Other  ickness mil LLDPE1	activities which require prior approval of a permit or - HDPE PVD Other			
Tank Construction material  Secondary containment with leak detection	I NMAC of fluid  Visible sidewalls, liner, 6-inch lift and auto sidewalls only  Other  HDPE  PVC  Other	omatic overflow shut-off			
5 Alternative Method:					
Submittal of an exception request is required Exception	ons must be submitted to the Santa Fe Environ	mental Bureau office for consideration of approval			

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  (Fencing/BGT Liner)  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting): 19 15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site		□No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	□NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - tWATERS database search; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	∐Yes	∐No			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
<ul> <li>Within an unstable area,</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS, NM Geological Society; Topographic map</li> </ul>	Yes	No			
Within a 100-year floodplain - FEMA map	Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15 17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19.15.17 13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17 11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19 15 17.13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Remoyal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Ha					
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill facilities are required	cultings Use attachment if more than two				
Disposal Facility Name Disposal Facil	Disposal Facility Name Disposal Facility Permit #				
Disposal Facility Name Disposal Facil					
Will any of the proposed closed-loop system operations and associated activities occur on or in Yes (If yes, please provide the information No	in areas that will not be used for future service and				
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain sting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance					
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtained from nearth	Yes N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes	□No			
- NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby	y wells N/A				
Ground water is more than 100 feet below the bottom of the buried waste	Yes	□No			
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby		<b>□</b>			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse (measured from the ordinary high-water mark)	or lakebed, sınkhole, or playa lake	□No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the teacher - Visual inspection (certification) of the proposed site; Aerial photo, satellite image		∐No ·			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five household purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the pro- Within incorporated municipal boundaries or within a defined municipal fresh water well field covered	of the initial application oposed site	□No			
pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the m					
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certificat	Yes (In a proposed site )	□No			
Within the area overlying a subsurface mine	Yes	No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources Topographic map	, USGS, NM Geological Society,	No			
Within a 100-year floodplain - FEMA map	Yes	No			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following by a check mark in the box, that the documents are attached.	ng items must bee attached to the closure plan. Pl	ease indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements	of 19 15 17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 1					

Form C-144

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 17/2012  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  [X] Closure Completion Date: 10/4/2011
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations    Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location  Latitude  Longitude.  NAD 1927 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Dollie L Busse Title Staff Regulatory Technician
Signature. Date 1-12-12
e-mail address dollie l.busse@conocophillips.com Telephone. (505) 324-6104