Form 3160-5 (February 2005)

**UNITED STATES** DEPARTMENT OF THE INTERIOR DEC 16 2011

FORM APPROVED OMB No. 1004-0137 Expires March 3 0167. 3

BUREAU OF LAND MANAGEMEN Tarmington Field Office

Bureau of Land Management 5 Lease Serial No.

SUNDRY NOTICES ANI	Jicarilla Apache Contract #93						
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.			6 If Indian, Allottee or Tribe Name  Jicarilla Apache Nation				
SUBMIT IN TRIPLICATE – Other instructions on page 2.			7. If Unit of CA/Agreement, Name and/or No.				
1 Type of Well							
Oil Well Gas Well Other				8. Well Name and No Jicarilla 93 #14			
Name of Operator     Williams Production Company, LLC		9. API Well No. 30-039-29876					
3a. Address         3b. Phone No. (include area code)           PO Box 640         Aztec, NM 87410         505-333-1808			10. Field and Pool or Exploratory Area  Blanco MV				
4 Location of Well (Footage, Sec., T., R, M, or Survey Description) 1935' FNL & 105' FEL, Sec. 32, T27N, R3W			11. Country or Parish, State Rio Arriba, NM				
12. CHECK THE APPROPRIA	ΓΕ BOX(ES) ΤΟ INDICATE N	IATURE OF NOTICE, R	EPORT OR OTHI	ER DATA			
TYPE OF SUBMISSION TYPE OF ACTION							
Notice of Intent  Acidize Deepen Alter Casing Fracture Treat		Production (Start/Resume) Reclamation		Water Shut-Off Well Integrity			
Subsequent Report Casing Repair	New Construction	Recomplete	İ	Other Perform MIT Test_			
Change Plans Final Abandonment Notice Convert to Injecti	Plug and Abandon  On Plug Back	ndon Temporarily Abandon  Water Disposal					
duration thereof If the proposal is to deepen dire all pertinent markers and zones. Attach the Bond subsequent reports must be filed within 30 days frecompletion in a new interval, a Form 3160-4 m requirements, including reclamation, have been completed.	under which the work will be p following completion of the inve ust be filed once testing has been	performed or provide the olved operations. If the open completed, Final Aban	Bond No. on file w peration results in a donment Notices r	ith BLM/BIA Required a multiple completion or nust be filed only after all			
Due to non productive pay zone Williams P procedure below, attached MIT chart ar		quest TA status for t	his well. The Mi	IT was done per			
12/2/11 - MIRU Hurricane #6			-				
12/3/11 thru 12/6/11 - TOOH with tubing							
12/7/11 – Finish TOOH with tubing. Set Ow inhibitor. Tested well to 550 psi for 30 m	ninutes. Casing tested goo			15 gals of corrosion			
14 I hereby certify that the foregoing is true and correct.  Name (Printed/Typed)  Ben Mitchell	Title	Regulatory Specialist					
Signature TZ 11. # M		12-15-2011	E USE				
Approved by				Data			
Conditions of approval, if any, are attached. Approval of the certify that the applicant holds legal or equitable title to the which would entitle the applicant to conduct operations the	ose rights in the subject lease	Title Office		Date			
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section	1212 make it a crime for any per	son knowingly and willfull	v to make to any de	partment or agency of the			

(Instructions on page 2)

**NMOCD** 

ASSEPTED FOR RECORD

DEC 2 0 2011

United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

## Jicarilla 93 #14 Blanco Mesa Verde

Spud Date. 01-21-09 Completed: 03-04-09 I<sup>st</sup> Delivered 00-00-00

Location:

1935' FNL & 105' FEL SE/4 NE/4 Section 32 (H), T27N, R03W


Rio Arriba Co., NM

Elevation: 7155' GR API #: 30-039-29876

<u>Tops</u>	<u>Depth</u>		
Fruitland	3694'		
Pictured Cliffs	3890'		
Cliff House	5608'		
Menefee	5731'		
Point Lookout	6069'		
Mancos	6406'		


<u>CliffHouse/Menefee</u> 5608`-5966` (60, 0 34``holes) Frac w/ 5440# 20/40 sand followed w/ 5600# Mono Prop followed w/960# 20/40 sand

Point Lookout 6034'-6302' (53, 0 34" holes) Frac w/ 700# 20/40 sand followed w/ 5670# Mono Prop followed w/2600# 20/40 sand.



TD @ 6494' PBTD @ 6386'

HOLE SIZE	CASING	CEMENT	CU. FT.	CMT TOP
12-1/4"	9-5/8", 36#	200 s xs	281cu.ft.	surface
8-3/4"	7",23#	580 s xs	1188 cu.ft.	650' (CBL)
6-1/4"	4-1/2", 11.6#	165 s xs	350 cu.ft.	4120' (CBL)



ξ.,