1625 N French Dr., Hobbs, NM 88240

1301 W Grand Ave., Artesia, NM 88210

District III

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008

Form C-144

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
	osed-Loop System, Below-Grad	de Tank, or
- u	ternative Method Permit or Clo	
=	it of a pit, closed-loop system, below-grade are of a pit, closed-loop system, below-grade	
	ification to an existing permit	tain, or proposed anomalive method
Close		itted or non-permitted pit, closed-loop system,
Instructions: Please submit one application	(Form C-144) per individual pit, closed-lo	op system, below-grade tank or alternative request
environment Nor does approval relieve the operat	does not relieve the operator of liability should operations retor of its responsibility to comply with any other applicable	-
Operator: Burlington Resources Oil & Gas C Address: PO Box 4289, Farmington, NM 8'		OGRID#: 14538
Facility or well name: SAN JUAN 27-5 UNIT		
API Number: 30-039-307		per;
U/L or Qtr/Qtr; H(SE/NE) Section: 34	,	5W County: RIO ARRIBA
Center of Proposed Design: Latitude:	36.533075 °N Longitude:	107.336668 °W NAD: 1927 X 1983
Surface Owner: Federal St	ate X Private Tribal Trust or India	an Allotment
Pit: Subsection F or G of 19.15 17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation Lined Unlined Liner type. String-Reinforced Liner Seams: Welded Factory	P&A Thickness mil LLDPE Other Volume:	HDPE PVC Other bbl Dimensions L x W x D
3 X Closed-loop System: Subsection H of 19 Type of Operation: P&A X Drilling a	_	to activities which require prior approval of a permit or
X Drying Pad X Above Ground Steel Ta	anks Haul-off Bins Other	
X Lined Unlined Liner type Liner Seams: X Welded X Factory	Thickness 20 mil X LLDPE Other	HDPE PVD Other RCVD JAN 24'12
Below-grade tank: Subsection I of 19.15.1 Volume: bbl T	7.11 NMAC	DIST. 3
Tank Construction material:		
Secondary containment with leak detection Visible sidewalls and liner Liner Type Thickness mil	Visible sidewalls, liner, 6-inch lift and autible sidewalls only Other HDPE PVC Other	tomatic overflow shut-off
5 Alternative Method:		
Submittal of an exception request is required. Exc	eptions must be submitted to the Santa Fe Enviro	onmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	:			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No			
Within a 100-year floodplain - FEMA map	Yes No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Charles Surface Despit Application Attachment Charles				
Closed-loop Systems Permit Application Attachment Checklist:Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19.15 17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17 11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Closure Fran - based upon the appropriate requirements of Subsection C of 19.13.17.9 NMAC and 19.13.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
☐ In-place Burial ☐ On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15 Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC				
· = · · · · · · · · · · · · · · · · · ·				

Form C-144 Oil Conservation Division Page 3 of 5

16 Weste Demound Change For Classed Ion Systems That Halling About Consund State	and Tamba and Mand off Pina Onbu/10 15 17 12 D NIMAC)	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste Instructions Please identify the facility or facilities for the disposal of liquids, drilling		
facilities are required	D: 10 11 0 1 1 1	
Disposal Facility Name:		
Disposal Facility Name	Disposal Facility Permit #:	
Will any of the proposed closed-loop system operations and associated activ Yes (If yes, please provide the information No	nties occur on or in areas that will nbe used for future	service and
Required for impacted areas which will not be used for future service and operations		
Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subse	•	MAC
Site Reclamation Plan - based upon the appropriate requirements of Su		
17 Siting Criteria (Regarding on-site closure methods only: 19 15.17 10 NMA	C	
Instructions Each siting criteria requires a demonstration of compliance in the closure plan R		Requests regarding changes to
certain string criteria may require administrative approval from the appropriate district office of office for consideration of approval Justifications and/or demonstrations of equivalency are rec	•	inta Fe Environmental Bureau
Ground water is less than 50 feet below the bottom of the buried waste.		∏Yes ∏No
- NM Office of the State Engineer - iWATERS database search; USGS Data ob	stained from nearby wells	□N/A
•		
Ground water is between 50 and 100 feet below the bottom of the buried wa		∐Yes ∐No
- NM Office of the State Engineer - iWATERS database search; USGS, Data obt	tained from nearby wells	∐N/A
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	tained from nearby wells	□N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).		Yes No
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in	n existence at the time of initial application.	Yes No
- Visual inspection (certification) of the proposed site, Aerial photo; satellite image	ge	
		∐Yes ∐No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less th purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exi - NM Office of the State Engineer - iWATERS database; Visual inspection (certification)	stence at the time of the initial application.	
Within incorporated municipal boundaries or within a defined municipal fresh water within to NMSA 1978, Section 3-27-3, as amended.	rell field covered under a municipal ordinance adopted	∐Yes ∐No
- Written confirmation or verification from the municipality; Written approval of	otained from the municipality	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map; Visual in:	spection (certification) of the proposed site	∐Yes ∐No
Within the area overlying a subsurface mine.	spection (certification) of the proposed site	
- Written confirmation or verification or map from the NM EMNRD-Mining and	Mineral Division	∐Yes ∐No
Within an unstable area.		Yes No
- Engineering measures incorporated into the design; NM Bureau of Geology & !	Mineral Resources; USGS; NM Geological Society;	
Topographic map		
Within a 100-year floodplain FEMA map		YesNo
18		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	h of the following items must bee attached to the clo	sure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the appropr	riate requirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Confirmation Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Conf	·	AC
Waste Material Sampling Plan - based upon the appropriate requiren	nents of Subsection F of 19.15.17.13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Sub		

Form C-144 Oil Conservation Division Page 4 of 5

, 19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Clasure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 1/25/2012 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 4/14/2011
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B Disposal Facility Permit Number: NM-01-005 Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliane to the items below) No (Original Approved Drying Pad was not utilized for this location) Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Longitude: NAD 1927 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Jamie Goodwin Title: Regulatory Technician
Signature: Omu Goodwin Date: 1/23/12
e-mail address: jamie.l.goodwin@conocphillips.com Telephone: 505-326-9784