District I 1625 N French Dr , Hobbs, NM 88240 District II

State of New Mexico Energy Minerals and Natural Resources Department

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

1301 W Grand Ave, Artesia, NM 88210

Oil Conservation Division

a483	т
u	Т

District III	1220 South St. Francis Dr.	
1000 Rio Brazos Rd , Aztec, NM 87410 <u>District IV</u>	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
1220 S. St Francis Dr , Santa Fe, NM 87505		
Duon	Pit, Closed-Loop System, Below-C	
- 183 From	oosed Alternative Method Permit or o	Closure Plan Application
Type of action:	X Permit of a pit, closed-loop system, below-gr	ade tank, or proposed alternative method
•	Closure of a pit, closed-loop system, below-g	grade tank, or proposed alternative method
	Modification to an existing permit	
	Closure plan only submitted for an existing p below-grade tank, or proposed alternative me	permitted or non-permitted pit, closed-loop system, ethod
Instructions: Please submit one	application (Form C-144) per individual pit, close	ed-loop system, below-grade tank or alternative request
	of this request does not relieve the operator of liability should operative the operator of its responsibility to comply with any other app	
Operator: ConocoPhillips Compa	ny	OGRID#: 217817
Address: PO Box 4289, Farming	ton, NM 87499	
Facility or well name: Jicarilla K	6	
API Number:	30-039-06067 OCD Permit N	Number
U/L or Qtr/Qtr: N(SE/SW) Sect	tion: 11 Township: 25N Range:	5W County: Rio Arriba
Center of Proposed Design: Latitud	le: <u>36.409869</u> °N Longitude:	107.331488 °W NAD: X 1927 1983
Surface Owner: Federal	State Private X Tribal Trust or	Indian Allotment
Permanent Emergency Lined Unlined String-Reinforced	17 11 NMAC orkover Cavitation	RCVD JAN 25 '12 OIL CONS. DIV. HDPE PVC Other DIST. 3 bbl Dimensions L x W x D
3 X Closed-loop System: Subsection X P&A	ction H of 19 15 17 11 NMAC Drilling a new well Workover or Drilling (Appl notice of intent)	lies to activities which require prior approval of a permit or
Lined Unlined Lir	ound Steel Tanks Haul-off Bins Other ner type Thickness mil LLDPE Factory Other	HDPE PVD Other
4 Below-grade tank: Subsection Volume. Tank Construction material Secondary containment with leak of Visible sidewalls and liner Liner Type Thickness	bbl Type of fluid	

Alternative Method:

Form C-144

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval



Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify		
7 Netting: Subsection E of 19 15.17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15.17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	ideration of ap	pproval
Siting Criteria (regarding permitting). 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	∐NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	∐No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No
 Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society; Topographic map 	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17 9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
I		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15 17 13 NMAC		
Previously Approved Design (attach copy of design) APIor Permit		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC		
N Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC		
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9		
NMAC and 19 15.17 13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17 9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17.11 NMAC		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15 17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19 15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19.15.17.13 NMAC		
14		
Proposed Closure: 19 15.17 13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative		
Proposed Closure Method Waste Excavation and Removal		
X Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15		
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

Form C-144 Oil Conservation Division Page 3 of 5

Instructions Please identify the	Closed-loop Systems That Utilize Above Ground Stee facility or facilities for the disposal of liquids, drilli			
facilities are required	Francisco / IELL and Grane 0/ IEL	Demand Faults Domest #	NIM 01 0011 / NIM 01 00	MOD
Disposal Facility Name Disposal Facility Name	Envirotech / JFJ Landfarm % IEI Pagen Diagonal Faculty:	Disposal Facility Permit # Disposal Facility Permit #		7108
Will any of the proposed clos	sed-loop system operations and associated activi	•		service and
Yes (If yes, please pro	_	_		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each stung criteria are provided below Requests regarding changes to certain string criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance				
	feet below the bottom of the buried waste Engineer - iWATERS database search, USGS Data of	otained from nearby wells		Yes No
Ground water is between 50	and 100 feet below the bottom of the buried was	te		Yes No
- NM Office of the State E	ngmeer - IWATERS database search, USGS, Data ob	tained from nearby wells		N/A
Ground water is more than 1	00 feet below the bottom of the buried waste			Yes No
- NM Office of the State E	ingineer - iWATERS database search, USGS, Data ob	tained from nearby wells		□N/A
(measured from the ordinary hig	·	icant watercourse or lakebed, si	nkhole, or playa lake	Yes No
	I inspection (certification) of the proposed site	avectance at the time of initial o	oplication	□Yes □No
•	ent residence, school, hospital, institution, or church in ation) of the proposed site, Aerial photo, satellite imagents.		ррпсаноп	☐Yes ☐No
purposes, or within 1000 horize - NM Office of the State Er Within incorporated municipal l pursuant to NMSA 1978, Sector	private, domestic fresh water well or spring that less to ontal fee of any other fresh water well or spring, in ex- ngineer - iWATERS database, Visual inspection (certi- boundaries or within a defined municipal fresh water on 3-27-3, as amended verification from the municipality, Written approval of	stence at the tune of the initial ap- fication) of the proposed site well field covered under a munic	pplication	Yes No
Within 500 feet of a wetland	,		posed site	Yes No
Within the area overlying a s		. , , ,		Yes No
	erification or map from the NM EMNRD-Mining and	Mineral Division		
	orporated into the design, NM Bureau of Geology & I	Mineral Resources, USGS, NM	Geological Society,	YesNo
Topographic map Within a 100-year floodplair - FEMA map	n	·		Yes No
	cklist: (19 15 17 13 NMAC) Instructions: Each, that the documents are attached.	th of the following items mu	st bee attached to the closi	ıre plan. Please indicate,
	liance Demonstrations - based upon the appropri	-		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
Site Reclamation Pla	n - based upon the appropriate requirements of S	ubsection G of 19 15 17 13 N	IIVIAC	

Form C-144 Oil Conservation Division

19	
Operator Application Certification: I hereby certify that the information submitted with this application is	s true, accurate and complete to the best of my knowledge and belief
Name (Print) CRYSTAL TAFOYA	Title STAFF REGULATORY TECHNICIAN
	Date 1/24/2017,
e-mail address: crystal.tefoya@conocophillips.cc	
20	Explain No. (1) Floor of the (1) the same
OCD Approval: Permit Application (including closure p	Man) / @sure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:	Approval Date: 1/25/2012
Title: Complique Desc	OCD Permit Number:
	<u> </u>
21	
Closure Report (required within 60 days of closure comple	etion): Subsection K of 19 15 17 13 NMAC plan prior to implementing any closure activities and submitting the closure report. The closure
	ne completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities h	· _
	Closure Completion Date:
22	
Closure Method:	
Waste Excavation and Removal On-site Closure	Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.	
23	
	oop Systems That Utilize Aboye Ground Steel Tanks or Haul-off Bins Only:
were utilized.	iquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
Disposal Facility Name	Disposal Facility Permit Number
Disposal Facility Name	Disposal Facility Permit Number
l	performed on or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate complianc to the items below	<u> </u>
Required for impacted areas which will not be used for future ser Site Reclamation (Photo Documentation)	rvice and operations
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
24	
Closure Report Attachment Checklist: Instructions: Each	h of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.	
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable	e)
Waste Material Sampling Analytical Results (if application	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	ue e
Site Reclamation (Photo Documentation)	<u> </u>
On-site Closure Location Latitude.	LongitudeNAD
25	
Operator Closure Certification:	this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
I hereby certify that the information and attachments submitted with the closure complies with all applicable closure requirements and co	
Name (Print)	Title
raine (crim)	Title
Signature	Date
e-mail address	Telephone

Form C-144

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.