Dis net I

District II

• 1625 N French Dr , Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210

Eı

State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

Department
Oil Conservation Division
1220 South St. Francis Dr.

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

District III	1220 South St. Francis Dr.	
1000 Rio Brazos Rd , Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the
District IV 1220 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOCD District Office
	Pit, Closed-Loop System, Below-Grand	ade Tank, or
Propo	osed Alternative Method Permit or Cl	osure Plan Application
Type of action	Permit of a pit, closed-loop system, below-grade	e tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grad	de tank, or proposed alternative method
	X Modification to an existing permit	
	Closure plan only submitted for an existing peri	
Instructions: Plansa submit on a m	below-grade tank, or proposed alternative metho	ou loop system, below-grade tank or alternative request
	f this request does not relieve the operator of liability should operation	
environment Nor does approval reli	eve the operator of its responsibility to comply with any other applica	ble governmental authority's rules, regulations or ordinances
1 Operator ConocoPhillips Company	v	OGRID# 217817
Address. PO Box 4289, Farmingto	on, NM 87499	
Facility or well name: Florance 142	: & 11B	
API Number. <u>30-045-3</u>	5175/30-045-35176 OCD Permit Num	nber
U/L or Qtr/Qtr· H(SE/NE) Section	on: 30 Township 30N Range.	8W County San Juan
Center of Proposed Design Latitude		107.7086 °W NAD ☐ 1927 X 1983
Surface Owner X Federal	State Private Tribal Trust or Inc	dian Allotment
Lined Unlined Li String-Reinforced		HDPE PVC Other bbl Dimensions L x W x D
3 Closed-loop System: Subsect Type of Operation P&A	ion H of 19 15 17 11 NMAC Drilling a new well Workover or Drilling (Applies notice of intent)	to activities which require prior approval of a permit or
Lined Unlined Line	ond Steel Tanks Haul-off Bins Other or type Thickness mil LLDPE actory Other	HDPE PVD Other
Below-grade tank: Subsection	I of 19 15 17 11 NMAC	RCVD NOV 12'10
	bl Type of fluid	.,
Tank Construction material		OIL CONS. DIV.
Secondary containment with leak de	tection Visible sidewalls, liner, 6-inch lift and a	
Visible sidewalls and liner	Visible sidewalls only Other	DIST. 3
Liner Type Thickness	mil HDPE PVC Other	
5 Alternative Method:		

Form C-144

Oil Conservation Division

Submittal of an exception request is required
Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

6 . Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst Tour foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	itation or church)	
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank. X Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons. (Cavitation pit for Pre-set). Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	deration of appro	val
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval Applicant must attach justification for request. Please refer to 19.15 17 10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes Yes]No]No
(measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial		
application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	□ res □ □	_]140
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes [No
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. 	Yes T]No]No
 Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological 	Yes]No
Society, Topographic map Within a 100-year floodplain - FEMA map	Yes	No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) APIor Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC Limer Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type Drilling Workover Emergency X Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for louids drilling fluids and drill suttings)
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Sail Backfill and Cover Design Specifications, based upon the appropriate requirements of Subsection H of 19.15.17.13 NIMAC
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

16 Worth Dames of Classics For Classic Jan Systems That Hitling Above Cround Stee	d Tonks on Hout off Pure On	b. (10.15.17.12.D.NMA.C.)	•	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required				
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-00)10B	
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #	NM-01-005		
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No	es occur on or in areas that v	will not be used for future:	service and	
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropria Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	ction I of 19 15 17 13 NMA	С	AC	
17 Stting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district offic office for consideration of approval. Justifications and/or demonstrations of equivalency are	Recommendations of acceptable e or may be considered an excep	tion which must be submitted to		
Ground water is less than 50 feet below the bottom of the buried waste			Yes	No
- NM Office of the State Engineer - tWATERS database search, USGS Data obta	nmed from nearby wells		N/A	
Ground water is between 50 and 100 feet below the bottom of the buried waste	;		Yes	No
- NM Office of the State Engineer - tWATERS database search, USGS, Data obta	med from nearby wells		☐N/A	_
Ground water is more than 100 feet below the bottom of the buried waste			Yes	По
- NM Office of the State Engineer - (WATERS database search, USGS, Data obta	ined from nearby wells		□ _{N/A}	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)	•	nkhole, or playa lake	Yes	No
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in e - Visual inspection (certification) of the proposed site, Aerial photo, satellite image		pplication	Yes	No
			Yes	No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	ence at the time of the initial ap			
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended		pal ordinance adopted	Yes	No
- Written confirmation or verification from the municipality, Written approval obta	ined from the municipality		П.,	П у.
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp	ection (certification) of the pro	posed site	Yes	∐No
Within the area overlying a subsurface mine			Yes	No
- Written confirantion or verification or map from the NM EMNRD-Mining and N	lineral Division		г	
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mi	neral Resources, USGS, NM	Geological Society,	∐ Yes	∐No
Topographic map Within a 100-year floodplain - FEMA map			Yes	No
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each	of the following items mus	st bee attached to the closi	ıre plan. Plea	se indicate,
by a check mark in the box, that the documents are attached.		10.224.6		
Siting Criteria Compliance Demonstrations - based upon the appropriate	•			
Proof of Surface Owner Notice - based upon the appropriate requirement				
Construction/Design Plan of Burial Trench (if applicable) based upon the			10.15.15.15	
Construction/Design Plan of Temporary Pit (for in place burial of a dry	•	propriate requirements of	19 15 17 11 N.	MAC
X Protocols and Procedures - based upon the appropriate requirements of		E 10 15 17 12 NMAC	,	
Confirmation Sampling Plan (if applicable) - based upon the appropriate	•		•	
X Waste Material Sampling Plan - based upon the appropriate requirement			annot be este	uad)
X Disposal Facility Name and Permit Number (for liquids, drilling fluids Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements of Subsection Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate requirements Soil Cover Design - based upon the appropriate re	etion H of 19 15 17 13 NMA	AC	annot de aente	veu)
Re-vegetation Plan - based upon the appropriate requirements of Subse				

19 Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Jamie Goodwin Title Regulatory Technician
Signature (7,000 WW) Date 1810
e-mail address Jamie L Goodwin@conocophillips com Telephone 505-326-9784
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 12572012 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions. Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions. Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Title
Signature Date
e-mail address Telephone

Form C-144

Oil Conservation Division

Page 5 of 5

Verbal Given 11/12/2010 by Brandon Powell

ConocoPhillips Company Cavitation Pit for Closed-Loop Locations

Design:

ConocoPhillips Company will use a cavitation pit plan when the surface casing will be pre-set on closed-loop locations. The drill cuttings will be stockpiled on the surface.

Operations and Maintenance:

The cavitation pit will be operated and maintained as follows

- 1 Only Fresh water and air will be used in the drilling of the surface casing
- 2 The Cement used will be Neat Cement with no additives
- 3 All of the fluids will be removed within 48hrs after drilling
- A representative five point composite sample will be taken of the drill cuttings, after the setting of the surface casing is complete, using sampling tools and all samples will be tested per Subsection B of 19 15 17 13(B)(1)(b). In the event that the testing criteria is not met, all contents will be dug and hauled per Subparagraph (a) of Paragraph (1) of Subsection B of 19 15 17 13 i e

Components	Tests Method	Limit (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	02
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418 1	2500
GRO/DRO	EPA SW-846 8015M	500
Chlorides	EPA 300 1	500

5 The NMOCD will be notified via email of the test results of the cavitation surface as follows

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	02	
BTEX	EPA SW-846 8021B or 8260B	50	
TPH	EPA SW-846 418 1	2500	
GRO/DRO	EPA SW-846 8015M	500	
Chlorides	EPA 300 1	500	

Closure Plan:

- The NMOCD will be notified of the sample results and the intent to start the closure process 3-7 days prior to the drill cuttings being transported, moved, or distributed on location
- In the event the criteria are not met, all solids and liquids will be removed and disposed of at Envirotech (Permit #NM-01-0011) and/or Basin Disposal Facility (Permit #NM-01-005) and/or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B)
- Testing results will be submitted with the Closure Report of the well locations Closed-Loop Permit on Form C-144

ConocoPhillips is aware that approval of this plan does not relieve ConocoPhillips of liability should operations result in pollution of surface water, ground water, or the environment. Nor does approval relieve ConocoPhillips of its responsibility to comply with any other applicable governmental authority's rules and regulations.