

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0137  
Expires July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.

RECEIVED

SUBMIT IN TRIPLICATE - Other instructions on page 2

JAN 30 2012

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

XTO ENERGY INC.

3a. Address

382 CR 3100 AZTEC, NM 87410

3b. Phone No (include area code)

505-333-3204

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' ENL & 945' FWL NWNW SEC. 14 (D) - T26N-R06W N.M.P.M.

5. Lease Serial No.

NMM 03554

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA/Agreement, Name and/or No.

N/A

8. Well Name and No.

BRECH C #244G

9. API Well No.

30-039-30652

10. Field and Pool, or Exploratory Area

BASIN DK/BLANCO MV/BASIN MC

11. County or Parish, State

RIO ARriba NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize

☐ Alter Casing

☐ Casing Repair

☐ Change Plans

☐ Convert to Injection

☐ Deepen

☐ Fracture Treat

☐ New Construction

☐ Plug and Abandon

☐ Plug Back

☐ Production (Start/Resume)

☐ Reclamation

☐ Recomplete

☐ Temporarily Abandon

☐ Water Disposal

☐ Water Shut-Off

☐ Well Integrity

☒ Other COMPLETION

SUMMARY

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

XTO Energy Inc. has completed this well and remediated cement per the attached document.

RCVD FEB 1 '12

OIL CONS. DIV.

DIST. 3

ACCEPTED FOR RECORD

JAN 30 2012

FARMINGTON FIELD OFFICE  
BY SW

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

LORRI D. BINGHAM

Title REGULATORY ANALYST

Signature

Date 1/27/12

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Breech C 244G

10/27/2011 MIRU.

10/31/2011 Ran CCL/GSL log fr/7,664' - surf. Ran GR/CCL/CBL log fr/7,664' - 5,200'. TOC @ 5,854'.

11/22/2011 MIRU. Csg lk @ 6,336' (DV tl).

11/29/2011 Recd vervbal approval fr/BLM & NMOCD to proceed w/frac work using frac liner. RDMO

12/2/2011 MIRU. MIRU WLU. Perf'd DK w/3-1/8" select fire csg gun @ 7,268' - 7,488' w/1 JSPF (0.34" EHD, 28 holes). Correlated depths to GSL log ran 10/31/2011.

12/3/2011 TIH frac lnr (cup style pkr, 2 jts 2-7/8", 6.5#, N-80 tbq, cup style pkr w/slips) & tbq. Set frac lnr fr/6,303' - 6,373' (DV tl @ 6,328' WLM).

12/5/2011 A. w/1,500 gals 15% NEFE HCl ac. Frac DK perfs w/123,584 gals foam fld carrying 134,200# sd. Flshd w/165 bbls trtd FW. Ppd 7,500# sd in start of flsh to set calc sd plg fr/7,124' - 7,664'.

12/6/2011 Perf'd L/MC fr/6,755' - 6,767' w/4 JSPF (0.29 EHD, 48 holes). Spearhead 500 gals 15% NEFE HCl ac. Frac'd L/MC perfs w/54,458 gals foam fld carrying 28,100# sd.

12/7/2011 Perf'd U/MC w/3-1/8" select fire csg gun @ 6,694' - 6,570' w 1 JSPF (0.34" EHD, 25 holes). A. w/1,000 gals 15% NEFE HCl ac. Frac'd U/MC perfs w/125,093 gals foam fld carrying 131,600# sd

12/16/2011 MIRU BlueJét WLU. Perf'd sqz holes w/3-1/8" csg gun @ 5,770' (0.44" EHD, 4 holes). Pump dwn csg w/675 sx 50/50 poz cmt (mixed @ 13 ppg, 1.44 cu ft/sx). Tailed w/ 100 sx 50/50 poz cmt (13.0 ppg, 1.44 cu ft/sx). No circ fr/BH. RDMO cmt equip. Notified Brandon Powell w/NMOCD & Kevin Schneider w/BLM @ 1:00 p.m. 12/15/11 of cmt operations @ 10:00 a.m. 12/16/11. Brandon Powell requested OCD on loc @ time of MIT tst. Walter Gage w/BLM on loc for cmt operations.

12/17/2011 MIRU SLU. Ran temp survey fr/5,535' (TOC) to surf. Found TOC @ 380' FS. RDMO SLU.

12/19/2011 MIRU WLU. Ran GR/CCL/Radial CBL log fr/5,452' - surf.

12/20/2011 MIRU WLU. Ran GR/CCL/SLB Ultrasonic CBL fr/5,442' - 2,785' w/1,400 psig on csg. (unable to fin log due to comp problems).

12/22/2011 MIRU.

12/28/2011 MIRU WLU. Perf'd sqz holes w/3-1/8" csg gun @ 5,160 w/4 JSPF (0.50 EHD, 4 holes). TIH 5-1/2" CICR & 2-3/8" tbq. Notified Brandon Powell w/NMOCD & Troy Salyers w/BLM @ 11:45 a.m. 12/28/2011 of cmt operations @ 9:00 a.m. 12/29/2011.

12/29/2011 Set CICR @ 5,094'. MIRU cmt equip. Ppd dwn tbq w/Clayfix II, 200 sx 50/50 Poz cmt (mixed @ 13.5 ppg, 1.29 cu ft/sx). SD. Final szq press 400 psig. Gd circ fr/BH during cmt job. Circ 0.5 bbls cmt to surf. RDMO cmt equip.

1/3/2012 PT 5-1/2" csg fr/5,092' - surf to 2,000 psig for 30". Tstd OK. ✓

1/4/2012 MIRU WLU. Ran GR/CCL/CBL fr/5,900' - 3,500'. Gd cmt fr/5,160' (sqz holes) - 3,780' (TOC). RIH w/5-1/2" CFP & set @ 5,590'. Perf'd MV w/3-1/8" select fire csg gun @ 5,432' - 5,160' w/1 JSPF (0.34" EHD, 28 holes).

1/6/2012 A. w/1,500 gals 15% NEFE HCl ac. Frac'd MV perfs w/92,087 gals foam fld carrying 98,460# sd.

1/9/2012 Rc'd verbal approval from Troy Salyers w/BLM & Brandon Powell w/NMOCD to proceed w/remedial cement operations. MIRU WLU. RIH w/8K CBP & set @ 4,000'. Perf'd sqz holes w/3-1/8" csg gun @ 3,740' w/4 JSPF (0.50 EHD, 4 holes). Rc'd verbal approval from Troy Salyers w/BLM & Brandon Powell for plans to remediate. Notified Brandon Powell w/NMOCD & Kevin Schneider w/BLM @ 10:00 a.m. 1/9/12 of cmt operations @ 9:00 a.m. 1/10/12.

1/10/2012 Set CICR @ 3,694'. MIRU cmt equip. Ppd dwn tbg w/350 sx 50/50 Poz cmt (mixed @ 13.5 ppg, 1.29 cu ft/sx) & 50 sx Type G cmt (mixed @ 15.8 ppg, 1.15 cu ft/sx). Lost circ fr/BH w/316 sx cmt ppd & press incrd. Cut lead cmt short 125 sx & ppd 50 sx tail cmt. RDMO cmt equip.

✓ 1/11/2012 MIRU WLU. Ran GR/CCL/CBL log fr/3,618' (TOC on CICR) - surf. Gd cmt fr/3,618' - 2,670'. No cmt fr/2,670' - surf. RDMO WLU.

1/12/2012 Rc'd verbal approval from Troy Salyers w/BLM & Brandon Powell w/NMOCD to proceed w/remedial cement operations. MIRU WLU. Perfd sqz holes w/3-1/8" csg gun @ 2,600' w/4 JSPF (0.50 EHD, 4 holes). Notified Charlie Perrin w/NMOCD & left message on BLM cmt ln @ 2:00 p.m. 1/12/12 for cmt sqz on 1/13/12 @ 9:00 a.m.

1/13/2012 Set CICR @ 2,543'. MIRU cmt equip. Sqz csg fr/sqz holes @ 2,600' - surf w/219 sx 50/50 Poz (mixed @ 13.5 ppg, 1.28 cu ft/sx). Circ 9.8 bbls cmt to surf. RDMO cmt equip. John Durham w/NMOCD on loc to witness cmt operations.

1/16/2012 MIRU WLU. Ran GR/CCL/CBL log fr/2,543' (CICR) - surf. Gd cmt fr/2,543' - 1,500'. Ratty cmt fr/1,500' - 1,350'. No cmt fr/1,350' - surf. RDMO WLU.

1/17/2012 Rc'd verbal approval from Troy Salyers w/BLM & Brandon Powell w/NMOCD to proceed w/remedial cement operations. Perfd sqz holes w/3-1/8" csg gun @ 1,300' w/4 JSPF (0.50 EHD, 4 holes). Notified Charlie Perrin w/NMOCD & Kevin Schneider w/BLM @ 1:40 p.m. 1/17/12 of cmt operations @ 10:00 a.m. 1/18/12.

1/18/2012 Set CICR @ 1,240'. MIRU cmt equip. Sqz csg fr/sqz holes @ 1,300' - surf w/130 sx 50/50 Poz cmt (mixed @ 13.5 ppg, 1.28 cu ft/sx). Circ 4.7 bbls cmt to surf. RDMO cmt equip.

1/20/2012 PT sqz holes @ 1,300' to 630 psig for 30". Tstd OK.

1/21/2012 PT sqz holes @ 1,300' & 2,600' to 630 psig for 30". Tstd OK.

1/23/2012 PT csg fr/4,000' (CBP) - surf to 630 psig for 30" w/chart. Tstd OK. MIRU WLU. Ran GR/CCL/CBL fr/3,816' - surf. Gd cmt fr/3,816' - 638' (TOC). RDMO WLU.

1/24/2012 Chart fr/PT & CBL log taken to the office of Brandon Powell w/NMOCD & Troy Salyers w/NMBLM. OK'd to proceed w/DHC.

1/26/2012 TIH w/224 jts 2-3/8", 4.7#, J-55, 8rd, EUE Seah tbg. EOT @ 7,382'. MV perfs fr/5,160' - 5,432'. MC perfs fr/6,570' - 6,767'. DK perfs fr/7,268' - 7,488'. PBTD @ 7,664'. ND BOP.

=====Breach C 244G=====