District I

 $1625\ N$  French Dr , Hobbs, NM 88240

<u>District II</u> 1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

District III

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or
 Proposed Alternative Method Permit or Closure Plan Application

Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499	OORIDII. 14350
Facility or well name: Canyon Largo Unit NP 256	
API Number: 30-039-20907	OCD Permit Number
U/L or Qtr/Qtr: K(NE/SW) Section: 27 Township: 25N	Range: 7W County: Rio Arriba
Center of Proposed Design: Latitude: 36.36826 °N	Longitude: 107.56404 °W NAD: X 1927 1983
Surface Owner: X Federal State Private T	ribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15.17.11 NMAC  Temporary Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type Thickness mil  String-Reinforced  Liner Seams Welded Factory Other	RCVD FEB 16 '12  OIL CONS. DIV.  DIST. 3  LLDPE HDPE PVC Other  Volume bbl Dimensions L x W x D
X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover of notice of int  Drying Pad X Above Ground Steel Tanks Haul-off Bins  Lined Unlined Liner type Thickness mil  Liner Seams Welded Factory Other	r Drilling (Applies to activities which require prior approval of a permit or ent) OtherHDPE PVD Other
	er, 6-inch lift and automatic overflow shut-off ther  Other
Submittal of an exception request is required Exceptions must be submitted to	the Santa Fe Environmental Bureau office for consideration of approval

6		
Fencing: Subsection D of 19.15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins	stitution or chu	rch)
Four foot height, four strands of barbed wire evenly spaced between one and four feet		ŕ
Alternate Please specify		
7		
Netting: Subsection E of 19 15 17.11 NMAC (Applies to permanent pus and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)	·	
8		
Signs: Subsection C of 19.15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19 15 3 103 NMAC		
9		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for constant.	rideration of at	enroval
(Fencing/BGT Liner)	ilderation of a	ріочаі
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
10		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	□No
- NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No
(measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	□ <sub>Yes</sub>	□No
application.		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image		_
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No
(Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering		□No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		□'**
<ul> <li>NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site.</li> </ul>		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	□No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended		
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> </ul>	Yes	□No
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site		
Within the area overlying a subsurface mine.  - Written confirmation or verification or man from the NM EMNRD - Mining and Mineral Division	Yes	□No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.	Yes	□No
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological		LIN
Society, Topographic map		<b>□</b> ,,
Within a 100-year floodplain - FEMA map	Yes	∐No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17.9 NMAC	
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of	
19.15.17 9 NMAC and 19.15.17 13 NMAC	
Previously Approved Design (attach copy of design)  API or Permit	
12	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached	
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9	
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17 10 NMAC	
X Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC	
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9	
NMAC and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design)  API	
Previously Approved Operating and Maintenance Plan API	
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17.11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Nuisance or Hazardous Odors, including H2S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15 17 13 NMAC	
Closure Plan - based upon the appropriate requirements of Subsection C of 15.15.17 9 NWAC and 19.15 17 15 NWAC	
14 Proposed Closure: 19.15 17 13 NMAC	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System	
Alternative	
Proposed Closure Method Waste Excavation and Removal	
Waste Removal (Closed-loop systems only)	
☐ On-site Closure Method (only for temporary pits and closed-loop systems) ☐ In-place Burial ☐ On-site Trench	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
Waste Excavation and Removal Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.	
Please indicate, by a check mark in the box, that the documents are attached.	
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC	

Form C-144 Oil Conservation Division Page 3 of 5

16							
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required							
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-00	10B				
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #	NM-01-005					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and  Yes (If yes, please provide the information No							
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17 13 NMAC							
17							
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district office office for consideration of approval. Justifications and/or demonstrations of equivalency are	Recommendations of acceptable or may be considered an except	tion which must be submitted to					
Ground water is less than 50 feet below the bottom of the buried waste			Yes	No			
- NM Office of the State Engineer - (WATERS database search, USGS) Data obta	aned from nearby wells		N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste			Yes	No			
- NM Office of the State Engineer - (WATERS database search; USGS, Data obtain	ned from nearby wells		∏N/A				
Ground water is more than 100 feet below the bottom of the buried waste			□ □Yes	□No			
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtain	ned from nearby wells		□N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)	ant watercourse or lakebed, su	nkhole, or playa lake	Yes	□No			
- Topographic map, Visual inspection (certification) of the proposed site							
Within 300 feet from a permanent residence, school, hospital, institution, or church in en-	xistence at the time of initial ap	oplication	Yes	No			
			Yes	☐ No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existe - NM Office of the State Engineer - iWATERS database, Visual inspection (certific	ence at the time of the initial ap	_					
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended		pal ordinance adopted	Yes	No			
<ul> <li>Written confirmation or verification from the municipality, Written approval obtain Within 500 feet of a wetland</li> </ul>	ned from the municipality		Пv.,	Пио			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspe	ection (certification) of the proj	posed site	Yes	Пио			
Within the area overlying a subsurface mine	, , , ,		Yes	□No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and M	ineral Division						
Within an unstable area.			Yes	No			
<ul> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mil Topographic map</li> </ul>	neral Resources, USGS, NM (	Geological Society,					
Within a 100-year floodplain - FEMA map			Yes	No			
18							
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items mus	t bee attached to the closu	re plan. Plea	se indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate	e requirements of 19 15.17	10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC							
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17 11 NMAC							
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC							
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC							
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC							
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC							
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC							
	Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19 15.17 13 NMAC  Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						
I I Nie Reclamation Plan - based upon the appropriate requirements of Sub	section G of 19 15 17 13 N	MAC					

Operator Application Certification:  The second of the second complete to the best of my knowledge and belief
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief  Name (Print). CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
21112-12
Signature <u>Crystal Taloya</u> Date <u>2114/2012</u>
e-mail address. cvstal tafoya@conocophillos.com Telephone (505) 326-9837
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:Approval Date:Approval Date:Approval Date:Approval Date:Approval Date:Approval Date:Approval Date:
Title: Compliance Office OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.  Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name  Disposal Facility Permit Number  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliance to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25 O
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Title:
Signature Date
e-mail address Telephone

## Burlington Resources Oil & Gas Company, LP Closed-loop Plans

## Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.