District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

June 1, 2004

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit o	r below-grade tank 🔲 Closure of a pit or below-grad	C LATIK [A]		
Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com  Address: 3401 East 30th Street, Farmington, New Mexico, 87402				
Facility or well name: Mangum No. 4 API #: 30045078090000	U/L or Qtr/Qtr K Sec 28 T	29N R 11W		
		7 ⊠ 1983 □		
	20.09449 Longhude -100.0 14AD. 176	/ M 1963 C		
Surface Owner: Federal State Private Indian				
<u>Pit</u>	Below-grade tank			
Type: Drilling Production Disposal	Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil			
Workover ☐ Emergency ☐	Construction material: Fiberglass			
Lined Unlined	Double-walled, with leak detection? Yes If not,	explain why not.		
Liner type: Synthetic Thicknessmil Clay _	No. Tank in place prior to Rule 50.			
Pit Volumebbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	( 0 points) 20		
	100 lee of like	( U points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) 0		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points) 10		
	1000 1000 01 11010			
	Ranking Score (Total Points)	30		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite  offsite  for If offsite, name of facility* (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No  Yes  for If yes, show depth below ground surfaceft. and attach sample results.  (5) Attach soil sample results and a diagram of sample locations and excavations.				
Additional Comments:				
* The soils tested clean and no soil remediation was required.				
<b>1</b>				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  Date: 4/1/65				
Printed Name/Title Ed Hasely, Env. Advisor Signature 2 Thuse				
Printed Name/Title Ed Hasely, Env. Advisor Signature W/ House				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval: CETUTY OIL & GAS INSPECTOR, DIST. (S)  Printed Name/Title Signature				
L				

CLIENT: BUY lington	Envirotech Inc.		LOCATION NO:		
Resources	ENVIRONMENTAL SCIENTISTS & ENCINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615		C.O.C. NO:		
FIELD REPOR	T: CLOSURE VERIFI	CATION	PAGE No: L of L		
1	UM         WELL #:         4         PIT:           28         TWP:         29N         RNG:		DATE STARTED: 3/10/05 DATE FINISHED: 3/11/05		
QTR/FOOTAGE:	CONTRACTOR: LJR		ENVIRONMENTAL SPECIALIST: MPM		
EXCAVATION APPROX. 14 FT. x 17 FT. x 12 FT. DEEP. CUBIC YARDAGE: DISPOSAL FACILITY: N/A REMEDIATION METHOD: FORMATION:					
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 30' FT. 85° FROM WELLHEAD.  DEPTH TO GROUNDWATER: 20 NEAREST VATER SOURCE: 0 NEAREST SURFACE WATER: 10					
NMOCD RANKING SCORE: 30	NMOCD TPH CLOSURE STD: 100 PPM	1	CHECK ONE :		
SOIL AND EXCAVATION		<u></u>	PIT ABANDONED STEEL TANK INSTALLED		
3/10/05. Pit was about 7' deep. Then was about 8" of solids in bottom of pit. Operator could not pick up out of hole. Around seperator by burner there is visible contamination on ground.  3/11 Ground has no apparent signs of contamination. No odors.  No soil removed from site.  FIELD 418.1 CALCULATIONS  TIME SAMPLE 1.D. LAB No: WEIGHT (g) ML. FREON DILUTION READING CALC. ppm					
SCALE 3 11	0830 3 Balow Pi+ 1 200 6	# 20 'a	0.0078 54.1 pp		
0 FT PIT PERIM	TTER OVM	Pir 1	PROFILE		
SAMPLE FIELD HEADSPACE FILO (ppm)  13'Balow 7 ppm  2 3 4 5  LAB SAMPLES  SAMPLE ANALYSIS TIME  LAB SAMPLES  SAMPLE ANALYSIS TIME  A 7PH pulled from some bas					
TRAVEL NOTES: CALLOUT: ONSITE:					

• ,

7



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-021-030

Sample No.:

1

Date Reported:

3/14/2005

Sample ID:

Discrete Sample @ 3' Below BG

Date Sampled:

Analysis Needed:

3/11/2005 3/11/2005

**TPH-418.1** 

Sample Matrix:

Soil

Date Analyzed:

Preservative:

JUII

Cool

Condition:

Cool and Intact

Tank, 12' Depth

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

54.1

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Mangum No. 4

Analyst

Review /

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865