District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Q633
------

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499
Facility or well name: MORRIS A COM 1
API Number: 30-045-35165 OCD Permit Number
U/L or Qtr/Qtr:     K(NE/SW)     Section:     14     Township:     30N     Range:     11W     County:     SAN JUAN       Center of Proposed Design:     Latitude:     36.81028     °N     Longitude:     107.96446     °W     NAD:     1927 X 1983       Surface Owner:     X     Federal     State     Private     Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15.17.11 NMAC  Temporary: Drilling Workover DIL CONS. DIU.  Permanent Emergency Cavitation P&A Lined Unlined Liner type. Thickness mil LLDPE HDPE PVC Other  String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions L x W x D
X   Closed-loop System:   Subsection H of 19.15.17.11 NMAC     Type of Operation:   P&A   X   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   X   Drying Pad   X   Above Ground Steel Tanks   Haul-off Bins   Other     X   Lined   Unlined   Liner type: Thickness   20   mil   X   LLDPE   HDPE   PVD   Other     Liner Seams:   X   Welded   X   Factory   Other
Below-grade tank: Subsection I of 19 15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material.  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner Type: Thickness mil HDPE PVC Other
Alternative Method:  Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instit  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify	ution or church)			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3 103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes [	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes [	No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes [	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes [	No		
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes [	No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes [	No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes [	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes [	No		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes [	No		
Within a 100-year floodplain - FEMA map	Yes [	No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17 13 NMAC
Previously Approved Design (attach copy of design)  APIor Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9
NMAC and 19 15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC
14
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative Proposed Closure Method. Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
LI Antennative Grosule Method (Exceptions must be submitted to the Sama Le Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16  Waste Removal Closure For Closed-loop Systems That Utilize Above G	round Steel Tanks or Haul-off Bins Only:(19 15.17 13.D NMAC)		
Instructions Please identify the facility or facilities for the disposal of liquid	ls, drilling fluids and drill cuttings. Use attachment if more than two	)	
facilities are required	Diseased Facilities Benedit #		
Disposal Facility Name.			
Disposal Facility Name		<del></del>	
Will any of the proposed closed-loop system operations and associate Yes (If yes, please provide the information No		e service and	
Required for impacted areas which will not be used for future service and of		IMAC	
Soil Backfill and Cover Design Specification - based upon the Re-vegetation Plan - based upon the appropriate requirements of		VIVIAC	
Site Reclamation Plan - based upon the appropriate requiremen			
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17 Instructions Each siting criteria requires a demonstration of compliance in the closur certain siting criteria may require administrative approval from the appropriate distrioffice for consideration of approval  Justifications and/or demonstrations of equivalent	re plan Recommendations of acceptable source material are provided belov ict office or may be considered an exception which must be submitted to the S		
Ground water is less than 50 feet below the bottom of the buried was	ste.	Yes No	
- NM Office of the State Engineer - (WATERS database search; USGS	Data obtained from nearby wells	N/A	
Ground water is between 50 and 100 feet below the bottom of the bu	uried waste	Yes No	
- NM Office of the State Engineer - 1WATERS database search, USGS:	Data obtained from nearby wells		
Ground water is more than 100 feet below the bottom of the buried	wests	☐ ☐Yes ☐No	
- NM Office of the State Engineer - iWATERS database search; USGS,			
- 1414 Office of the State Engineer - 1447 LKS database search, 0505,	Data obtained from hearby wens	N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any of (measured from the ordinary high-water mark).		Yes No	
Topographic map: Visual inspection (certification) of the proposed site	e		
Within 300 feet from a permanent residence, school, hospital, institution, or	• •	Yes No	
<ul> <li>Visual inspection (certification) of the proposed site, Aerial photo, sate</li> </ul>	:llite image		
Within 500 horizontal feet of a private, domestic fresh water well or spring the purposes, or within 1000 horizontal fee of any other fresh water well or spring - NM Office of the State Engineer - tWATERS database, Visual inspection	ng, in existence at the time of the initial application	Yes No	
Within incorporated municipal boundaries or within a defined municipal frest pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No	
- Written confirmation or verification from the municipality, Written ap	proval obtained from the municipality		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map;	Vicual inspection (certification) of the proposed site	Yes No	
Within the area overlying a subsurface mine.	visual inspection (certification) of the proposed site	│ □Yes □No │	
- Written confirantion or verification or map from the NM EMNRD-Mi	ning and Mineral Division		
Within an unstable area		Yes No	
- Engineering measures incorporated into the design, NM Bureau of Geo	ology & Mineral Resources, USGS, NM Geological Society,		
Within a 100-year floodplain FEMA map		Yes No	
18			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instruction by a check mark in the box, that the documents are attached.	ns: Each of the following items must bee attached to the clo	osure plan. Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the	appropriate requirements of 19.15.17.10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) bas	sed upon the appropriate requirements of 19.15.17.11 NMAC		
Construction/Design Plan of Temporary Pit (for in place buri	ial of a drying pad) - based upon the appropriate requirement	s of 19.15.17.11 NMAC	
Protocols and Procedures - based upon the appropriate requir	rements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the	appropriate requirements of Subsection F of 19.15.17.13 NM	MAC	
Waste Material Sampling Plan - based upon the appropriate r	requirements of Subsection F of 19 15.17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirement	s of Subsection I of 19.15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirem	ents of Subsection G of 19 15 17 13 NMAC	1	

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print):  Title.
Signature: Date:
e-mail address: Telephone:
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  [X] Closure Completion Date: 4/12/2011
22  Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name. Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B  Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliane to the items below) X No (Original Approved Drying Pad was not utilized for this location)  Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)  Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location: Latitude:  Longitude  NAD 1927 1983
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Jamie Goodwin Title: Regulatory Technician
Signature: Jamie Goodwin Date: 2217
e-mail address:     amie l.goodwin@conocphillips.com   Telephone: 505-326-9784