District I 1625 N French Dr , Hobbs, NM 88240 District II

1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

| a6' | 6 5 |
|-----|------------|
| a6 | 2 |

| District IV 1220 S St Γrancis Dr , Santa Fe, NM 87505 | Environmental Bureau office and provide a copy to the appropriate NMOCD District Office |
|---|---|
| Pit, Closed-Loop System, Below-G | rade Tank, or |
| Proposed Alternative Method Permit or C | Closure Plan Application |
| Type of action X Permit of a pit, closed-loop system, below-gra | de tank, or proposed alternative method |
| Closure of a pit, closed-loop system, below-gr | rade tank, or proposed alternative method |
| Modification to an existing permit | |
| | ermitted or non-permitted pit, closed-loop system, |
| below-grade tank, or proposed alternative met Instructions: Please submit one application (Form C-144) per individual pit, closed | |
| Please be advised that approval of this request does not relieve the operator of liability should operate | |
| environment Nor does approval relieve the operator of its responsibility to comply with any other appl | |
| Degrator Burlington Resources Oil & Gas Company, LP | OGRID#. 14538 |
| Address PO Box 4289, Farmington, NM 87499 | 11000 |
| Facility or well name: Bruington SRC 2 | |
| API Number. 30-045-20485 OCD Permit N | umber |
| U/L or Qtr/Qtr. A(NE/NE) Section: 25 Township: 31N Range: | 11W County San Juan |
| Center of Proposed Design: Latitude 36.87408 °N Longitude. | 107.93576 °W NAD· X 1927 1983 |
| Surface Owner X Federal State Private Tribal Trust or I | ndıan Allotment |
| Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE String-Reinforced Liner Seams Welded Factory Other Volume | ### RCVD FEB 24 '12 OIL CONS. DIV. HDPE |
| X Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation X P&A Drilling a new well Workover or Drilling (Appliance of Intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other | ies to activities which require prior approval of a permit or |
| Lined Unlined Liner type Thickness mil LLDPE Liner Seams Welded Factory Other | HDPE PVD Other |
| 4 Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material | |
| Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and Visible sidewalls and liner Visible sidewalls only Other Liner Type Thicknessmil HDPE PVC Other | |
| 5 Alternative Method: | |

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

| Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instance Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other | titution or chu | rch) |
|---|-----------------|--------|
| Monthly inspections (If netting or screening is not physically feasible) | | |
| 8 Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC | | |
| Administrative Approvals and Exceptions: | | |
| Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance | | |
| Please check a box if one or more of the following is requested, if not leave blank: | | |
| Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner) | ideration of ap | provai |
| Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval | | |
| | | |
| Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions. The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Stung criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system. | | |
| Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells | Yes | No |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site | Yes | No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. | Yes | No |
| (Applies to temporary, emergency, or cavitation pits and below-grade tanks) | NA | |
| - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image | — | |
| Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) | Yes NA | No |
| - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image | | |
| Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. | Yes | No |
| - NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site | | |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality | Yes | No |
| Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site | Yes | No |
| Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division | Yes | No |
| Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map | Yes | No |
| Within a 100-year floodplain - FEMA map | Yes | No |

| Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC | | |
|--|--|--|
| Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC. | | |
| Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC | | |
| Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC | | |
| Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC | | |
| Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC | | |
| Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of | | |
| 19 15 17 9 NMAC and 19 15 17 13 NMAC | | |
| Previously Approved Design (attach copy of design) API or Permit | | |
| Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC | | |
| X Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC | | |
| X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC | | |
| X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC | | |
| Previously Approved Design (attach copy of design) API | | |
| Previously Approved Operating and Maintenance Plan API | | |
| Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan | | |
| Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC | | |
| Proposed Closure: 19 15 17 13 NMAC | | |
| Instructions Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. | | |
| Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative | | |
| Proposed Closure Method | | |
| X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) | | |
| In-place Burial On-site Trench | | |
| Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) | | |
| 15 | | |
| Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. | | |
| Please indicate, by a check mark in the box, that the documents are attached. | | |
| Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC | | |
| Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Eachly, Name and Permyt Number (for liquids, drilling fluids and drill cuttings) | | |
| Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC | | |
| Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC | | |
| Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC | | |

Form C-144 Oil Conservation Division Page 3 of 5

| | Closed-loop Systems That Utilize Above Ground Sto | | | |
|--|--|--|-----------------------------|-------------------|
| Instructions Please identify the facilities are required | e facility or facilities for the disposal of liquids, drillin | g fluids and drill cuttings Use | attachment if more than two | |
| | Envirotech / JFJ Landfarm % IEI | Disposal Facility Permit # | NM-01-0011 / NM-01-00 | 010B |
| Disposal Facility Name | Basın Dısposal Facılıty | Disposal Facility Permit # | NM-01-005 | |
| Will any of the proposed clo Yes (If yes, please pro | sed-loop system operations and associated activitionide the information No | es occur on or in areas that v | will not be used for future | service and |
| Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC | | | | |
| 17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance | | | | , , , |
| | efeet below the bottom of the buried waste Engineer - iWATERS database search, USGS Data ob | tained from nearby wells | | Yes No |
| Ground water is between 50 | and 100 feet below the bottom of the buried wast | e | | Yes No |
| - NM Office of the State E | ngineer - iWATERS database search, USGS, Data obt | ained from nearby wells | | □N/A |
| Ground water is more than 1 | 00 feet below the bottom of the buried waste | | | Yes No |
| - NM Office of the State E | ngmeer - iWATERS database search, USGS, Data obt | ained from nearby wells | | □ N/A □ |
| Within 300 feet of a continuous (measured from the ordinary hig | sly flowing watercourse, or 200 feet of any other signifi gh-water mark) | cant watercourse or lakebed, sir | nkhole, or playa lake | Yes No |
| - Topographic map, Visual | inspection (certification) of the proposed site | | | |
| • | ent residence, school, hospital, institution, or church in ation) of the proposed site, Aerial photo, satellite image | • | oplication | Yes No |
| purposes, or within 1000 horizon - NM Office of the State Er | private, domestic fresh water well or spring that less th ontal fee of any other fresh water well or spring, in exis ngineer - iWATERS database, Visual inspection (certifi | tence at the time of the initial ap- cation) of the proposed site | plication | YesNo |
| pursuant to NMSA 1978, Section | Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality | | ∐Yes ∐No | |
| Within 500 feet of a wetland | • | | posed site | Yes No |
| Within the area overlying a s | Within the area overlying a subsurface mine | | Yes No | |
| | erification or map from the NM EMNRD-Mining and N | Ineral Division | | |
| | orporated into the design, NM Bureau of Geology & M | meral Resources, USGS, NM C | Geological Society, | YesNo |
| Topographic map Within a 100-year floodplair - FEMA map | 1 | | | Yes No |
| On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. | | | | |
| _ | liance Demonstrations - based upon the appropria | te requirements of 19 15 17 | 10 NMAC | |
| Proof of Surface Own | Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC | | | |
| Construction/Design | Plan of Burial Trench (if applicable) based upon | he appropriate requirements | of 19 15 17 11 NMAC | |
| | Plan of Temporary Pit (for in place burial of a dry | | propriate requirements of | 19 15 17 11 NMAC |
| = | ures - based upon the appropriate requirements of | | | |
| | ng Plan (if applicable) - based upon the appropria | • | | ; |
| = | oling Plan - based upon the appropriate requirement | | | ament has asked N |
| = ' | Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NIMAC. | | annot be achieved) | |
| Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC | | | | |
| Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC | | | | |

Form C-144 Oil Conservation Division Page 4 of 5

| 19 Operator Application Certification: |
|---|
| I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief |
| Name (Print) CRYSTAL TAFOYA 1 Title STAFF REGULATORY TECHNICIAN |
| Signature |
| e-mail address <u>crystal tafoya@conocophillips.com</u> Telephone (505) 326-9837 |
| |
| 20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) |
| |
| OCD Representative Signature: Approval Date: 2/24/2012 |
| Title: OCD Permit Number: |
| |
| Closure Report (required within 60 days of closure completion); Subsection K of 19 15 17 13 NMAC |
| Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure |
| report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. |
| Closure Completion Date: |
| |
| Closure Method: |
| Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) |
| If different from approved plan, please explain |
| 23 |
| Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: |
| Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized |
| Disposal Facility Name Disposal Facility Permit Number |
| Disposal Facility Name Disposal Facility Permit Number |
| Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? |
| Yes (If yes, please demonstrate compliane to the items below) |
| Required for impacted areas which will not be used for future service and operations Set a Realization (Diota Decumentation) |
| Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation |
| Re-vegetation Application Rates and Seeding Technique |
| 24 |
| Closure Report Attachment Checklist: Instructions. Each of the following items must be attached to the closure report Please indicate, by a check mark in |
| the box, that the documents are attached |
| Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) |
| Plot Plan (for on-site closures and temporary pits) |
| Confirmation Sampling Analytical Results (if applicable) |
| Waste Material Sampling Analytical Results (if applicable) |
| Disposal Facility Name and Permit Number |
| Soil Backfilling and Cover Installation |
| Re-vegetation Application Rates and Seeding Technique |
| Site Reclamation (Photo Documentation) |
| On-site Closure Location LatitudeLongitudeNAD L 1927 L 1983 |
| |
| Operator Closure Certification: |
| Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that |
| the closure complies with all applicable closure requirements and conditions specified in the approved closure plan |
| Name (Print) Title |
| Signature Date |
| |
| e-mail address Telephone |

Form C-144

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.