Distric I 1625 N French Dr , Hobbs, NM 88240 District II

1301 W Grand Ave , Artesia, NM 88210 District III

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

1220 S St Francis Dr , S	anta Fe, NM 87505
•	
$\iota\iota$	Prope

1000 Rio Brazos Rd , Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the				
District IV 1220 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOCD District Office				
•	Pit, Closed-Loop System, Below-Grad					
Propo	Proposed Alternative Method Permit or Closure Plan Application					
Type of action	Permit of a pit, closed-loop system, below-grade ta	ink, or proposed alternative method				
	X Closure of a pit, closed-loop system, below-grade to	ank, or proposed alternative method				
	Modification to an existing permit					
	Closure plan only submitted for an existing permit	ted or non-permitted pit, closed-loop system,				
Instructions: Planta submit one as	below-grade tank, or proposed alternative method	monatam balan anada tamb an altamatina nasusat				
_	pplication (Form C-144) per individual pit, closed-loo this request does not relieve the operator of liability should operations re					
	eve the operator of its responsibility to comply with any other applicable	•				
1 Operator. ConocoPhillips Company	,	OGRID#· 21781 7				
Address PO Box 4289, Farmingto		<u> </u>				
Facility or well name Nassau 6						
	0-045-22078 OCD Permit Numbe	г				
U/L or Qtr/Qtr. J(NW/SE) Section	on: 36 Township 27N Range: 1	2W County San Juan				
Center of Proposed Design Latitude	36.529331 °N Longitude:	108.05828 °W NAD. X 1927 1983				
Surface Owner. X Federal	State Private Tribal Trust or Indian	n Allotment				
2						
Pit: Subsection F or G of 19 15 17	11 NMAC	RCVD FEB 21'12				
Temporary Drilling Work		OIL CONS. DIV.				
	avitation P&A	DIST. 3				
	ner type Thickness mil LLDPE	HDPE PVC Other				
String-Reinforced	🗖 👊					
Liner Seams Welded Fa	ctory Other Volume	x Wx D				
3 X Closed-loop System: Subsecti	on H of 19 15 17 11 NMAC					
Type of Operation P&A	1 –	activities which require prior approval of a permit or				
	notice of intent)					
=	nd Steel Tanks Haul-off Bins Other					
Lined Unlined Liner	··	IDPE PVD Other				
Liner Seams Welded Fa	ctoryOther					
4 Below-grade tank: Subsection I	of 19 15 17 11 NMAC					
Volume by						
Tank Construction material						
Secondary containment with leak det	ection Visible sidewalls, liner, 6-inch lift and auto	matic overflow shut-off				
Visible sidewalls and liner	Visible sidewalls only Other					
Liner Type Thickness	milHDPEPVCOther _					
5						
Alternative Method:						
Submittal of an exception request is requ	irred Exceptions must be submitted to the Santa Fe Environment	nental Bureau office for consideration of approval				

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify			
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ideration of ap	proval	
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. String criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	□NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	No	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No	
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site		_	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No	
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site 	Yes	No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No	
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	Yes	No	
Within a 100-year floodplain	Yes	No	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
Previously Approved Design (attach copy of design) API		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC		
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
Proposed Closure: 19 15 17 13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative		
Proposed Closure Method Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15 Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC		

Form C-144 Oil Conservation Division Page 3 of 5

16			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions Please identify the facility or facilities for the disposal of liquids, drilling f			
facilities are required	•		
	sposal Facility Name Disposal Facility Permit #		
Disposal Facility Name Will any of the proposed closed-loop system operations and associated activities	Disposal Facility Permit #		
Yes (If yes, please provide the information No	or of the state of	service and	
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriat	te requirements of Subsection H of 19 15 17 13 NMA	AC.	
Re-vegetation Plan - based upon the appropriate requirements of Subsect			
Site Reclamation Plan - based upon the appropriate requirements of Subs	ection G of 19 15 17 13 NMAC		
17		j	
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC	N 1 2 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Instructions Lach siting criteria requires a demonstration of compliance in the closure plan a certain siting criteria may require administrative approval from the appropriate district office			
office for consideration of approval - Justifications and/or demonstrations of equivalency are r	equired Please refer to 19 15 17 10 NMAC for guidance		
Ground water is less than 50 feet below the bottom of the buried waste		Yes No	
- NM Office of the State Engineer - (WATERS database search, USGS) Data obtain	ned from nearby wells	□N/A	
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No	
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtain	ed from nearby wells	□N/A	
Ground water is more than 100 feet below the bottom of the buried waste		Yes No	
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtain	ed from nearby wells	N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant	nt watercourse or lakebed, sinkhole, or playa lake	∏Yes ∏No	
(measured from the ordinary high-water mark)			
- Topographic map, Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in exi Visual inspection (certification) of the proposed site, Aerial photo, satellite image	stence at the time of initial application	∐Yes ∐No	
,,,,,,,,		Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than	~ I		
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existen - NM Office of the State Engineer - iWATERS database, Visual inspection (certifica			
Within incorporated municipal boundaries or within a defined municipal fresh water well		□Yes □No	
pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtain	and from the murroundster		
Within 500 feet of a wetland	ed from the intimorpality	∏ _{Yes} ∏ _{No}	
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspec	tion (certification) of the proposed site		
Within the area overlying a subsurface mine		Yes No	
- Written confirantion or verification or map from the NM EMNRD-Mining and Mit	ieral Division		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Min-	eral Resources TISGS NM Geological Society	∐Yes ∐No	
Topographic map	stati resources, esess, run esessegical sectory,		
Within a 100-year floodplain		Yes No	
- FEMA map			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of	Etha Collowing itams must be a steel and to the along	na nina Diana indianta	
by a check mark in the box, that the documents are attached.	j me jonowing tiems must bee unached to the closu	re plan. Fleuse indicate,	
Siting Criteria Compliance Demonstrations - based upon the appropriate	requirements of 19 15 17 10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the	appropriate requirements of 19 15 17 11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a dryin		19 15 17 11 NMAC	
Protocols and Procedures - based upon the appropriate requirements of 19			
Confirmation Sampling Plan (if applicable) - based upon the appropriate Waste Material Sampling Plan - based upon the appropriate requirements	-		
Waste Material Sampling Plan - based upon the appropriate requirements Disposal Facility Name and Permit Number (for liquids, drilling fluids ar		annot be achieved)	
Soil Cover Design - based upon the appropriate requirements of Subsecti	-	annot be acmeved)	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 2/23/2012 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 2/17/2012
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions. Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number MM-01-001] / NM-01-010B Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliant to the items below) Required for impacted areas which will not be used fin future service and operations site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 24 Closure Report Attachment Checklist: Instructions Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Longitude NAD 1927 1983
25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature John Tarbers Date 2/20/12
e-mail address <u>crystal tafoya@conocophillips com</u> Telephone (505) 326-9837