District I 1625 N French Dr , Hobbs, NM 88240

District II 1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources** 

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

**°W** NAD: **X** 1927

tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe

a1	31	
a 1		

Center of Proposed Design: Latitude:

<u>District IV</u> 1220 S St Francis Dr., Santa Fe, NM 87505	,		nmental Bureau office and provide a copy to the trate NMOCD District Office
	Pit, Closed-Loop System	m, Below-Grade Tar	ı <u>k, or</u>
Prop.	osed Alternative Method	Permit or Closure P	lan Application
Type of action:	Permit of a pit, closed-loop sy	vstem, below-grade tank, or p	proposed alternative method
	X Closure of a pit, closed-loop s	system, below-grade tank, or	proposed alternative method
	Modification to an existing po	ermit	
	Closure plan only submitted to below-grade tank, or proposed	0 1	on-permitted pit, closed-loop system,
Instructions: Please submit one a	pplication (Form C-144) per indi	vidual pit, closed-loop system	n, below-grade tank or alternative request
• •	f this request does not relieve the operator of eve the operator of its responsibility to compl		llution of surface water, ground water or the ntal authority's rules, regulations or ordinances.
Operator: Burlington Resources O	l & Gas Company, LP	OGRI	D#: 14538
Address: PO Box 4289, Farmingto	n, NM 87499		
Facility or well name: San Juan 30	·6 Unit 418		
API Number: 3	0-039-24187	OCD Permit Number	
U/L or Qtr/Qtr: B(NW/NE) Section	on: 26 Township: 30N	Range: 7W	County: Rio Arriba

Longitude:

Surface Owner: X Federal State Private I Fribal Trust or Indian Allounem
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other  String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D
Subsection H of 19 15 17 11 NMAC
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume

٥N

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chair link any fact in bought two atrends of harbod was at tan (Paramad Classical and an 1000 feet of a recommendation of the line of the		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, insi	'ilution or chui	rch)
Four foot height, four strands of barbed wire evenly spaced between one and four feet		l
Alternate Please specify		
7		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
		<del>-</del> .
8 Signs: Subsection C of 19 15 17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
A Signed in compliance with 19.10.0.105 (WAC)		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	deration of ap	proval.
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
		15151
Siting Criteria (regarding permitting): 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	1	
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	□Yes	□No
(measured from the ordinary high-water mark).		
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes	ΠNo
application.		Ш
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	□Yes	□No
(Applied to permanent pits)	$  \;  _{NA}$	
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	□v <sub>as</sub>	ПМа
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No
NM Office of the State Engineer, WATEDS database search, Visual increation (contribution) of the proposed site		
- NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	L Yes	∐No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine.	Yes	No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological</li> </ul>	∐Yes	∐No
Society, Topographic map		
Within a 100-year floodplain	Yes	No
- FEMA map		

Form C-144 Oil Conservation Division Page 3 of 5

16		
<u>Waste Removal Closure For Closed-Joop Systems That Utilize Abov</u> Instructions Please identify the facility or facilities for the disposal of I facilities are required	ve Ground Steel Tanks or Haul-off Bins Only: (19.15 17 13 D NMAC) liquids, drilling fluids and drill cuttings—Use attachment if more than two	) vo
Disposal Facility Name	Disposal Facility Permit #	
Disposal Facility Name	Disposal Facility Permit #:	
	ciated activities occur on or in areas that will not be used for future	
Required for impacted areas which will not be used for future service a	and operations In the appropriate requirements of Subsection H of 19 15 17 13 NM Cents of Subsection I of 19 15 17.13 NMAC	1AC
17		
	he closure plan. Recommendations of acceptable source material are provide ate district office or may be considered an exception which must be submitted i	
Ground water is less than 50 feet below the bottom of the buried - NM Office of the State Engineer - iWATERS database search; U.		Yes No
Ground water is between 50 and 100 feet below the bottom of the	burned waste	Yes No
- NM Office of the State Engineer - 1WATERS database search, US		N/A
Ground water is more than 100 feet below the bottom of the burie	ed waste.	Yes No
- NM Office of the State Engineer - (WATERS database search; US	GGS; Data obtained from nearby wells	N/A □
Within 300 feet of a continuously flowing watercourse, or 200 feet of an (measured from the ordinary high-water mark)		Yes No
- Topographic map, Visual inspection (certification) of the proposed		
Within 300 feet from a permanent residence, school, hospital, institution, - Visual inspection (certification) of the proposed site; Aerial photo,	•••	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spri purposes, or within 1000 horizontal fee of any other fresh water well or s - NM Office of the State Engineer - iWATERS database, Visual insp	spring, in existence at the time of the initial application pection (certification) of the proposed site	Ycs No
Within incorporated municipal boundaries or within a defined municipal pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality, Written	·	YesNo
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic ma		Yes No
Within the area overlying a subsurface mine		Yes No
- Written confiramtion or verification or map from the NM EMNRD	-Mining and Mineral Division	
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of	Geology & Mineral Resources, USGS, NM Geological Society;	YesNo
Topographic map Within a 100-year floodplain - FEMA map		Yes No
On-Site Closure Plan Checklist: (19 15 17.13 NMAC) Instruction by a check mark in the box, that the documents are attached.	ctions: Each of the following items must bee attached to the clos	sure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the	he appropriate requirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropria		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC		
	urial of a drying pad) - based upon the appropriate requirements of	f 19 15 17 11 NMAC
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Waste Material Sampling Plan - based upon the appropriat	•• •	
=	rilling fluids and drill cuttings or in case on-site closure standards	cannot be achieved)
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC		
Re-vegetation Plan - based upon the appropriate requireme	ents of Subsection I of 19 15 17 13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC		

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print): Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan-(only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 3/58/232
Title: Complique Office 6 Depermit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  [X] Closure Completion Date: 9/3/2008
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name  Basin Disposal Facility  Disposal Facility Permit Number  NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)  X No
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Cleans Cortification
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief—I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Sal Taloya Date: 3/6/2012
e-mail address crystal tafoya@conocophillips com Telephone (505) 326-9837