District I 1625 N French Dr , Hobbs, NM 88240 1301 W Grand Ave, Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410

1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

971	λ0
-----	----

District IV

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Modification to an existing permit (CANCELLATION)
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499
Facility or well name: Zachry 52 (Permit # 3679)
API Number: 30-045-25598 OCD Permit Number
U/L or Qtr/Qtr: O(SW/SE) Section: 35 Township: 29N Range: 10W County: San Juan
Center of Proposed Design: Latitude: 36.6775 °N Longitude: 107.85176 °W NAD: X 1927 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
2 Pit: Subsection F or G of 19 15 17 11 NMAC RCUD MAR 8 '12
Temporary Drilling Workover OIL CONS. DIV.
Permanent Emergency Cavitation P&A
Linea Collinea Line type Thickness IIII LLDFE RDFE PVC Other
String-Reinforced
Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D
X Closed-loop System: Subsection H of 19 15 17.11 NMAC Type of Operation
4 Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Visible sidewalls and liner Visible sidewalls only Other
Liner Type Thicknessmil HDPE PVC Other
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval
Form C-144 Oil Conservation Division Page L of 5

y' , ·			
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, insi	titution or chu	rch)	
	nunon or chu	City	
Four foot height, four strands of barbed wire evenly spaced between one and four feet			
Alternate Please specify			
7			
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)			
Screen Netting Other			
Monthly inspections (If netting or screening is not physically feasible)			
		·	
8 Signs: Subsection C of 19 15 17 11 NMAC			
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
X Signed in compliance with 19 15 3 103 NMAC			
To great in compliance with 15 15 5 105 times	· · · ·		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19.15 17 NMAC for guidance			
Please check a box if one or more of the following is requested, if not leave blank:			
		1	
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	постаноп от ар	provai	
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		İ	
Exception(s) requests must be submitted to the Santa Le Environmental Bureau office for Consideration of approval			
10			
Siting Criteria (regarding permitting) 19 15 17.10 NMAC			
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable			
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for			
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria	1		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Considerate in less than 50 first haloss the heatens of the term of the second with a second with an help of contract to		□N ₀	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes		
		\Box	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	∐Yes		
- Topographic map; Visual inspection (certification) of the proposed site			
	l —,,	П.,	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	∐Yes	∐No	
application.			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□ ^{NA}		
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No	
(Applied to permanent pits)	□NA		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	No	
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.			
NM OCC - of the Control WATERS deather and West States of Control Cont			
- NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site.			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	∐No	
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	ĺ		
Within 500 feet of a wetland.	∏Yes	□No	
- US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	" "	<u></u>	
Within the area overlying a subsurface mine.	Yes	No	
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		_	
Within an unstable area.	Yes	No	
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological			
Society, Topographic map	l	_	
Within a 100-year floodplain	Yes	No	
- FEMA map	i		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19 15.17.13 NMAC Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17.11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19.15 17 13 NMAC
Proposed Closure: 19.15.17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste	eel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)			
Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required	g fluids and drill cuttings Use attachment if more than two			
Disposal Facility Name	Disposal Facility Permit #			
Disposal Facility Name				
Will any of the proposed closed-loop system operations and associated activiting Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC				
Site Reclamation Plan - based upon the appropraite requirements of Su	bsection G of 19 15 17 13 NMAC			
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17.10 NMAC Instructions, Each sting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search, USGS Data ob	tained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried wast - NM Office of the State Engineer - iWATERS database search, USGS, Data obt		∐Yes ∐No □N/A		
Ground water is more than 100 feet below the bottom of the buried waste	·	Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS; Data obt	ained from nearby wells	□N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signifi (measured from the ordinary high-water mark)	cant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site		[]		
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site, Aerial photo, satellite image		∐Yes ∐No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less th purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exis - NM Office of the State Engineer - iWATERS database, Visual inspection (certif Within incorporated municipal boundaries or within a defined municipal fresh water w pursuant to NMSA 1978, Section 3-27-3, as amended	tence at the time of the initial application (cation) of the proposed site	∐Yes ∐No		
Written confirmation or verification from the municipality, Written approval obt Within 500 feet of a wetland	ained from the municipality	Yes No		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp	pection (certification) of the proposed site			
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and N	Mineral Division	YesNo		
Within an unstable area		Yes No		
- Engineering measures incorporated into the design; NM Bureau of Geology & M Topographic map	Inneral Resources; USGS, NM Geological Society,			
Within a 100-year floodplain - FEMA map		☐Yes ☐No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requireme	ents of Subsection F of 19 15 17 13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon	• • • • • • • • • • • • • • • • • • • •			
Construction/Design Plan of Temporary Pit (for in place burial of a dry Protocols and Procedures - based upon the appropriate requirements of		19.15 17 11 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropria				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Crystal Tafoya Title Staff Regulatory Technician
Signature Strl Talaya Date 3/7/2012
e-mail address <u>crystal tafoya@conocophililos con</u> Telephone 505-326-9837
20 OCD Approval: Permit Application (including closure plan) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 368/2012
Title: OCD Permit Number:
21 Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized. Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below) No
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
On anatom Clasurus Contifications
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
nne ciosure compues with an applicable closure requirements and conditions specified in the approved closure plan Name (Print) Title:
Signature. Date

Form C-144 Oil Conservation Division

Burlington Resources requests to cancel the permit #3679 for the application subject well due to it never being used.