1625 N French Dr , Hobbs, NM 88240

1301 W Grand Ave, Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410

1

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

State of New Mexico

Energy Minerals and Natural Resources

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

	District IV 1220 S St Francis Dr , Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
	7 1 1	Pit, Closed-Loop System, Below-Grade Tank, or osed Alternative Method Permit or Closure Plan Application
9	Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit
		Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
	Instructions: Please submit one of	mplication (Form C-144) per individual pit-closed-loop system-helow-arade tank or alternative request

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

Operator. Burlington Resources Oil & Gas Company, LP OGRID#: 14538				
Address PO Box 4289, Farmington, NM 87499				
Facility or well name: L C Kelly Com 100S				
API Number: 30-045-32833 OCD Permit Number				
U/L or Qtr/Qtr P(SE/SE) Section 4 Township: 30N Range: 12W County: San Juan				
Center of Proposed Design Latitude. 36.837942 °N Longitude: 108.097268 °W NAD X 1927 1983				
Surface Owner. X Federal State Private Tribal Trust or Indian Allotment				
Pit: Subsection F or G of 19 15 17 11 NMAC RCUD MAR 1 12				
Temporary Drilling Workover OIL CONS. DIV				
Permanent Emergency Cavitation P&A				
Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other				
String-Reinforced				
Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D				
Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other				
Below-grade tank: Subsection I of 19 15 17 11 NMAC				
Volume bbl Type of fluid				
Tank Construction material				
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off				
Visible sidewalls and liner Visible sidewalls only Other				
Liner Type Thicknessmil HDPE PVC Other				
5 Alternative Method: Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Form C 1/4 Oil Concervation Division Page 1 of 5				

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify						
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)						
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC						
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank. Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval						
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions. The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	Yes	No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	NA					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	No				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No				
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No				
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site 	Yes	□ No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No				
 Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain 	Yes	∐No				
- FEMA man						

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
<u> </u>
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9
NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please inducate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
1 = 1
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

Disposal Facility Name Disposal Facility Permit # Disposal Facility Pe	16					
Disposal Facility Nume						
Disposal Facility Nume	•					
Yes (If yes, please provide the information No						
Ground water is else them 100 feet below the bottom of the burned water NM Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NM Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NM Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NM Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NM Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database, to search, USGS, Data obtained from nearby wells NW Office of the State Engineer - WATERS database, to search, USGS, Data obtained from nearby wells NW		Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and				
Sinte Criteria (Regarding on-site closure methods only: 19 15 17 10 NNAC Intentions Land was exemine requires a decisionation of the intentions and and suggestional productions and the demander of the intentions and the summer and prompts of the intentional production and productions and the demanders of the responsibility of the considered an exception which may be submitted to the same be to minimized the continuence of productions of grant of the production of the production of the burned vasale - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database, Water Water) - Version in State of a continuously flowing watercourse, or 200 feet fair on water of manufacture values of the state Engineer - (WATERS database, Water was the state of the tensor of the state Engineer - (WATERS database, Water was the water well produced to the continuously of the proposed state within morphism of the order of the State Engineer - (WATERS database, Wa	Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Sinte Criteria (Regarding on-site closure methods only: 19 15 17 10 NNAC Intentions Land was exeman required accessmentation of companies and technical place in the contract many requires absentanced and exemanation of companies and the contract many requires absentanced and the properties of the contract and proposition and the demonstration of general bear (Bifes or may be considered an exequition which must be valuated to the same the non-reasonal flaments and the formation of general bear of the contract and proposition and the commentation of general bear of the contract of the 13 17 10 NMAC (proposition of the proposition of the burned waste) - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells - Versilla inspection (certification) of the proposed site. Arral photo, satellite mage - Versilla inspection (certification) of the proposed site. Arral photo, satellite mage - Versilla inspection (certification) of the proposed site. Arral photo, satellite mage - Versilla inspection (certification) of the proposed site. Arral photo, satellite mage - Versilla inspection (certifica	17					
- NM Office of the State Engineer - IWATERS database search, USGS Data obtained from nearby wells - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells - Topographic map, Visual maperion (certification) of the proposed site - Visual inspection (errification) of the proposed site - Visual inspection (errification) of the proposed site, Arnal photo, satellite image - Visual inspection (certification) of the proposed site, Arnal photo, satellite image - Visual inspection (certification) of the proposed site, Arnal photo, satellite image - Visual inspection (certification) of the proposed site, Arnal photo, satellite image - Visual inspection (certification) of the proposed site is the sate in the time of the mintal application - NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site - Visual inspection (certification) of the proposed site - Visual more overling as observed inspection inspection of the proposed site - Visual more officer of a welland - US fish and Widdlie Welland Identification map, Topographic map, Visual inspection (certification) of the proposed site - Visual more overlying as substance or within a deline manucipal fresh water well field covered under a municipal and the sate of the sate of the sate of the proposed site - Visual manuscable area - Visual confirmation or verification or map from the NM EMNRD-Mining and Mineral Division - Visual confirmation or verification or map from the NM EMNRD-Mining and Mineral	Stting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Lach sting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain sting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau					
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells Ves			Yes No			
- NM Office of the State Engeneer - IWATERS database search, USGS, Data obtained from nearby wells N/A Yes No N/A With Office of the State Engeneer - IWATERS database search, USGS, Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (neasured from the ordinary high-water mark) Topographic map, Vissul inspection (certification) of the proposed site Within 300 feet from a permanent readence, school, hospital, institution, or church in existence at the time of mitial application Yes No Yes No	- NM Office of the State Engineer - IWATERS database search, USGS Data obtaine	d from nearby wells	∐N/A			
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary light-water mark) - Topographic map, Visual majection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site. Aerial photo, satellite image within 500 horizontal feet of a private, donestic fresh water well or spring that less than five households use for donestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site Within 100 feet of a wetstand - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetstand - US Pish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within an unstable area - Engineering measures incorporated into the design, NM Burcau of Geology & Mineral Division Within an 100-year floodplain - FEMA map - Site Closure Plan Checklist. (19 15 17 13 NMAC) Instructions - Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the bix, that the documents are attached. - String Circinac Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 13 NMAC - Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC - Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC	Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No			
NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site or stroke watering purposes, or within 1000 horizontal feet of any other fiesh water well or spring, in existence at the time of the mitual application - NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site Within 1000 horizontal feet of any other fiesh water well or spring, in existence at the time of the mitual application - NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site Within 100 feet of a weelfand - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within 300 feet of a weelfand - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain - FEMA map - Topographic map Solice Closure Plan Checklist: (1915 1713 NMAC) Instructions - Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. String Criteria Compliance Demonstrations - based upon the appro	- NM Office of the State Engineer - (WATERS database search, USGS, Data obtained	from nearby wells	□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) Topographic map, Visual inspection (certification) of the proposed site Within 300 feet from a permanent readence, school, lospital, institution, or church in existence at the time of initial application Visual inspection (certification) of the proposed aite, Aerial photo, satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of a private, domestic fresh water well or spring, in existence at the time of the initial application NMO frice of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as mended Within 100 feet of a welland Us 19 sh and Wildlife Weltand Identification rimap, Topographic map, Visual inspection (certification) of the proposed site Within the active and wildlife Weltand Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the active and the state of the state proposed in the NMEMNRD-Mining and Mineral Division Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain FEMA map 18 On-Site Closure Plan Checklists: (19 15 17 13 NMAC) Instructions Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 1	Ground water is more than 100 feet below the bottom of the buried waste		Yes No			
(measured from the ordunary high-water mark) Topographic map, Visual mspection (certification) of the proposed site Within 300 feet from a permisener residence, school, hospital, institution, or church in existence at the time of initial application Visual inspection (certification) of the proposed site, Aenal photo, satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application NM Office of the State Engineer - (WATTERS database, Visual inspection (certification) of the proposed site Within incorporated immicipal boundaines or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Within 500 feet for a westland US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within an accoverlying a subsurface mine Within an an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain FEMA map **Topographic map Within 100-year floodplain FEMA map **Sting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19 15 17 13 NMAC Waste Material Sampling Plan of applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Soil Cover Design - based up	- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained	I from nearby wells	N/A			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image Ves No			Ycs No			
Visual inspection (certification) of the proposed site, Aerial photo, satellite image Yes No	- Topographic map, Visual inspection (certification) of the proposed site					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the mittal application NM Office of the State Engineer - (WATERS database, Visual inspection (certification) of the proposed site Within morporated manicipal boundaries or within a defined manicipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a welland - US Fish and Wildlife Wethand Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine - Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain - FEMA map 18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Wate Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Soil Co		ence at the time of initial application	Yes No			
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain - FEMA map 18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Onignation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Soil Cover Design - based upon the appr		1	Yes No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain - FEMA map 100-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 13 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19 15 17 13 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Onifirmation Sampling Plan place dupon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for Iquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC	purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence	at the time of the initial application				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine - Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain - FEMA map 18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 11 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted Yes No					
US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain - FEMA map 18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 13 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 11 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC		from the municipality	□ves □No			
- Written confiramition of verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain - FEMA map Within a 100-year floodplain - FEMA map On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 13 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain - FEMA map 18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Sitting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 11 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			Yes No			
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain - FEMA map Yes		ral Division	Пу Пма			
Within a 100-year floodplain FEMA map Yes	- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,		Yes LINO			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 13 NMAC Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC	Within a 100-year floodplain		Yes No			
by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC		the following items must bee attached to the closu	re plan. Please indicate,			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC		quirements of 19 15 17 10 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC	Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						

Form C-144 Oil Conservation Division Page 4 of 5

19						
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief						
Name (Print) Title						
Signature Date						
e-mail address Telephone						
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 3/01/2012 Title: OCD Permit Number:						
Closure Report (required within 60 days of closure completion): Subsection K of 1915 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 2/28/2012						
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain						
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed Use attachment if more than two facilities were utilized Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B						
Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983						
25						
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief I also certify that						
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN						
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN Signature Date 2 29 20 12						
e-mail address <u>crystal tafoya@conocophillips com</u> Telephone (505) 326-9837						

Form C-144 Oil Conservation Division

Page 5 of 5