District I 7 1625 Na French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1169

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alto Closure of a pit, closed-loop system, below-grade tank, or proposed allow Modification to an existing permit Closure plan only submitted for an existing permitted below-grade tank, or proposed alternative method	ternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grad	e tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of su environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authorized to the complex of the	rface water, ground water or the
OperatorMcElvain Oil & Gas Properties, IncOGRID #22044	
Address1050 17 th Street , Suite 1800, Denver, CO_80265	
Facility or well name: _WILDWOOD 3	
API Number30-045 -33422_	
U/L or Qtr/QtrFSection5Township29NRange13WCountySAN JUAN	
Center of Proposed Design: Latitude36 75887 N Longitude108 23306 W NAD.	1927 🛛 1983
Surface Owner Federal State Private Tribal Trust or Indian Allotment	
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover	RCVD SEP 12 '08
Permanent Emergency Cavitation P&A	OIL CONS. DIV.
Lined Unlined Liner type Thicknessmil LLDPE HDPE PVC Other	DIST. 3
String-Reinforced	
Liner Seams	I x W x D
3	
Closed-loop System: Subsection H of 19 15 17.11 NMAC Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thicknessmil LLDPE HDPE PVC Other Liner Seams Welded Factory Other	
4 Subsection I of 19 15 17 11 NMAC Volume 95 bbl Type of fluid. Water	
Tank Construction materialSteel	
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	,
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other	
Liner type Thicknessmil	Ì
5. Alternative Method:	

Fencing: Subsection D of 19 15.17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify4' field fence w/top rail	hospital,
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) □ Screen □ Netting ☑ OtherExpanded Metal_ □ Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19 15 3 103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐ Yes ☑ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐ No ☑ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits)	☐ Yes ☐ No ☑ NA
 Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site 	☐ Yes ☒ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes 🖾 No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☑ No
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	Yes No
Within a 100-year floodplain FEMA map	☐ Yes ☑ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15 17.13 NMAC
Previously Approved Design (attach copy of design) API Number or Permit Number
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17 11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S Instructions: Please indentify the facility or facilities for the disposal of liquids, d	teel Tanks or Haul-off Bins Only: (19 15 17 13 I rilling fluids and drill cuttings. Use attachment if t) NMAC) nore than two
facilities are required.		
	Disposal Facility Permit Number	
•	Disposal Facility Permit Number	
Will any of the proposed closed-loop system operations and associated activities occ Yes (If yes, please provide the information below) No	our on or in areas that will not be used for future serv	vice and operations?
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection I Site Reclamation Plan - based upon the appropriate requirements of Subsection	requirements of Subsection H of 19 15 17 13 NMAO of 19.15.17 13 NMAC	C
Siting Criteria (regarding on-site closure methods only): 19 15 17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the comprovided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for	administrative approval from the appropriate dist Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS, Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - IWATERS database search; USGS, Data	obtained from nearby wells	☐ Yes ☐ No☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	ificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo, Satellite	in existence at the time of initial application image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or sp NM Office of the State Engineer - iWATERS database, Visual inspection (or	ring, in existence at the time of initial application	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approva	-	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual	inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division	☐ Yes ☐ No
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology Society, Topographic map	& Mineral Resources, USGS; NM Geological	☐ Yes ☐ No
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No
Non-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the applicable (onstruction/Design Plan of Temporary Pit (for in-place burial of a drying part of Protocols and Procedures - based upon the appropriate requirements of 19.15	rements of 19.15 17 10 NMAC Subsection F of 19.15.17.13 NMAC oropriate requirements of 19 15 17 11 NMAC d) - based upon the appropriate requirements of 19 17 13 NMAC irements of Subsection F of 19.15.17 13 NMAC Subsection F of 19 15 17 13 NMAC fill cuttings or in case on-site closure standards cann 1 of 19.15.17.13 NMAC of 19 15 17 13 NMAC	15 17 11 NMAC

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Deborah K Powell TitleEngineering Tech Supervisor
Signature: Date 9-11-08
e-mail addressDebbyP@McElvain.comTelephone303-893-0933
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 3/28/2012 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15.17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude Longitude NAD: 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print): Title:
Signature: Date
e mail address Telephone:

Oistrict I PO Box 1980, Hobbs, NM 88241-1980

District II PO Drawer DD, Artesia, NM 88211-0719

District III 1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-102 Revised February 21, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

207 147 14 M 11: 38 AMENDED REPORT

strict IV Box 2088, Santa Fe, NM			MENDED REPOR					
	WELL LOCATION	ON AND ACREAGE DEDICATION PENT	PACE DI TORRITT					
'API Number	*Pool Code 77200	*Pool Name FULCHER KUTZ PICTURED						
Property Code		°Property Name WILDWOOD						
'0GRID No 22044	**Operator Name **Elevation McELVAIN OIL & GAS PROPERTIES 5326							
	10	Surface Location						

Ut. or lot no	Section	Township	Range	Lot Idn	Fest from the	North/South line	Feet from the	East/West line	County
F	5	29N	13W		1495	NORTH	1455	WEST	SAN JUAN
		11 E	ottom	Hole L	ocation I	f Different	From Surf	ace	
UL or lot no.	Section	Township	Range	Lot Idn	Feat from the	North/South line	Feet from the	East/West line	County
12 Dedicated Acres		.82 Acr	es - N	W/4	15 Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

			NUARD UNII HAS DE	211 711 1 1 1 1 1 2 2		
16	2647.92		2601	.06 '		POPERATOR CERTIFICATION
1316 04	LOT FEE	94 107 107	LOT 2	LOT 1	1320.00`	I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief Signature
] }					Robert E. Fielder
<u> -</u>						Printed Name Agent
. 00	1455' i	LAT: 36.75886 'N I LONG: 108.23296 'W I DATUM: NAD83			.00	Title May 8, 2007
20.0	\$) {}	I COURT WOLLD			320	Date
13	į	SF078643	l		H	SURVEYOR CERTIFICATION
L_			5 — —			I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the bast of my belief
	! !					Date of Survey: MARCH 17, 2006
			i	, } !		Signature and Seal of Professional Surveyor
2640.00			 		 2640.00	SECON C. EDWARD BY SECOND SECO
		 528	 	1		JASON C. EDWARDS Certificate Number 15269

New Mexico Office of the State Engineer **POD** Reports and Downloads

Township: 29N Range: 13W Sections: 4,5,6,7,8,9

NAD27 X:

Y:

Zone:

Search Radius:

County:

Basin: SJ(San Juan)

Number:

Suffix:

Owner Name: (First)

(Last)

Non-Domestic Domestic All

POD / Surface Data Report Avg. Depth. to: Water Report Water Column Report

Clear Form

iWATERS Menu

Help

WATER COLUMN REPORT 08/25/2008

· -							3=SW 4=SE)					7.7 . 1 .	, .
POD Number							smallest)			Depth	Depth	Water	(ın
	Tws	_	Sec	-	_	đ	Zone	X	Y	Well	Water	Column	
SJ 02328	29N	13W		3	3					40	10	30	
SJ 02899	29N	13W	04	3	3	3				45			
SJ 02730	29N	13W	04	3	3	3				40	16	24	
SJ 02912	29N	13W	04	3	3	3				50			
SJ 03203	29N	13W	05	2	4	4				59	20	39	
SJ 02728	29N	13W	05	4	2	4				52	12	40	
SJ 03234	29N	13W	05	4	2	4				60	20	40	
SJ 01444	29N	13W	05	4	4	2				55	10	45	
SJ 02931	29N	13W	06	4	3	2				50	12	38	
SJ 02134	29N	13W	80	2	2					33	4	29	
SJ 03346	29N	13W	80	4	3	4				80	30	50	
SJ 01333	29N	13W	09	1	1					38	20	18	
SJ 01038	29N	13W	09	1	1					42	10	32	
SJ 01487	29N	13W	09	1	1					26	10	16	
SJ 01556	29N	13W	09	1	1	3				27	10	17	
SJ 03457	29N	13W	09	1	1	3				29	9	20	
SJ 02386	29N	13W	09	1	1	4				30	10	20	
SJ 02594	29N	13W	09	1	1	4				44	17	27	
SJ 01779	29N	13W	09	1	4					31	11	20	
SJ 02209	29N	13W	09	1	4	1							
SJ 00512	29N	13W	09	1	4	1				41	15	26	
SJ 00957	29N	13W	09	4	3					74	20	54	
SJ 00894	29N	13W	09	4	3	1				30	15	15	
SJ 02712	29N	13W	09	4	3	3				90	50	40	
SJ 02367	29N	13W	09	4	3	4				50	20	30	

Record Count: 25

New Mexico Office of the State Engineer **POD Reports and Downloads**

Township: 30N Range: 13W Sections: 31,32,33

NAD27 X:

Y:

Zone:

Search Radius:

County:

Basin: SJ(San Juan)

Number:

Suffix:

Owner Name: (First)

(Last)

Non-Domestic Domestic All

ROD / Surface Data Report

Avg Depth to Water Report Water Column Report

Clear Form

"iWATERS Menu

WATER COLUMN REPORT 08/25/2008


(quarters are 1=NW 2=NE 3=SW 4=SE)


	(quarter	s are	big	ges	t to	smalles	t)		Depth	Depth	Water (in
POD Number	Tws	Rng S	ec d	ı q	(q	Zone	x	Y	Well	Water	Column
SJ 01150	30N	13W 3	2	1 4					37	16	21
SJ 00156	30N	13W 3	2	3					44	18	26
SJ 00217	30N	13W 3	2	3					40	10	30
SJ 01359	30N	13W 3	2	3 1					25	10	15

Record Count: 4


San Juan Mines, Mills And Quarries Web Map


Mines, Mil	ls & Quarries Commodity Groups
Δ	Aggregate & Stone Mines
•	Coal Mines
*	Industrial Minerals Mines
♥	Industrial Minerals Mills
Ø	Metal Mines and Mill Concentrate
	Potash Mines & Refineries
3	Smelters & Refinery Ops.
*	Hranium Minae












Feet 950 1,900 3,800 5,700 7,600




Legend

McElvain Well & 200' Radius

McElvain Well & 300' Radius


McElvain Well & 500' Radius

Source. USGS 1:24,000 Scale Topographic Map Series San Juan Basin New Mexico Township 29N 13W Section 5



Aerial Source: NM Resource Geographic Information System Program made available by the University of New Mexico and the State of New Mexico 2005-2006 vintage Digital Orthophoto Quarter-Quadrangles were derived from the New Mexico Statewide Orthophotography Project. Source imagery flown at 35,000' above average ground.

San Juan Basin New Mexico Township 29N 13W Section 5



Siting Criteria Compliance Demonstrations

Wildwood #3 well is not located in an unstable area. The location is not over a mine and is not on the side of a hill. The location of the excavated pit material is not located within 300' of any continuously flowing watercourse or 200' from any other water course.

McElvain Oil & Gas Properties, Inc. San Juan Basin Below Grade Tank Design and Construction

In accordance with Rule 19.15.17 NMAC the following describes the as-built construction of the Below Grade Tank on the McElvain Oil & Gas Properties, Inc (MOG) Wildwood #3 well located in the SENW of Sec 5, T29N, 13W.

As-built Installation:

- 1. The existing tank pit consists of an approximate 15 foot by 15 foot by 2 foot metal shored hole into which a 12 foot by 5 foot single walled, double bottom, steel, 95 bbl tank with leak detection is placed.
- 2. The tank walls are open for visual inspection to identify the occurrence of leaks.
- 3. The below grade tank has an expanded metal cover.
- 4. The tank pit is surrounded by a 30ft X 30ft X 2ft berm that is contained within a 50 ft X 140 ft berm that encloses the tank battery to prevent overflow or surface water run-on.
- 5. A general location sign is displayed on site.
- 6. The pit tank is fenced with 4 foot field fence with a top rail.

McElvain Oil & Gas Properties, Inc. San Juan Basin Below Grade Tank Maintenance and Operating Plan

In accordance with Rule 19.15.17 NMAC the following describes the below grade tank operation and maintenance plan for the McElvain Oil & Gas Properties, Inc (MOG) on the Wildwood #3 well located in the SENW of Sec 5, T29N, 13W.

General Plan:

- 1. MOG shall operate and maintain the below grade tank to contain liquids and solids and prevent contamination of fresh water to protect the public health and environment.
- 2. MOG shall not allow a below grade tank to overflow or allow surface water run-on to enter the below grade tank.
- 3. MOG shall continuously remove any visible or measurable layer of oil from the fluid surface of a below grade tank in an effort to prevent significant accumulation of oil over time.
- 4. MOG shall inspect the below grade tank monthly and maintain a written record of each inspection for five years.
- 5. MOG shall maintain adequate freeboard to prevent overtopping of the below grade tank.

McElvain Oil & Gas Properties, Inc. San Juan Basin Closure Plan

In accordance with Rule 19.15.17.1 NMAC the following procedure describes the closure plan for the McElvain Oil & Gas Properties, Inc (MOG) below grade tank on the Wildwood #3 well located in the SENW of Sec 5, T29N, 13W

Closure Requirements:

- 1. MOG shall close the below grade tank within the time periods provided in 19.15.17.13 NMAC or by an earlier date that the division requires because of imminent danger to fresh water, public health, or the environment.
- 2. MOG shall close an existing below grade tank that does not meet the requirements of Paragraph (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008 if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC.
- 3. MOG shall close a permitted below grade tank within 60 days of cessation of the below ground tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on C-144.
- 4. All liquids will be removed from the temporary permit prior to closure and the liquids disposed of in a division approved facility.
- 5. MOG shall remove the below grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.
- 6. MOG will remove any on-site equipment associated with the below grade tank unless the equipment is required for some other purpose.
- 7. MOG shall test the soils beneath the below grade tank to determine whether a release has occurred. MOG shall collect a five point composite sample and individual grab samples from any area that is wet, discolored, or showing other evidence of a release. The samples will be analyzed for BTEX, TPH, and chlorides to demonstrate that the benzene concentration as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration as determined by EPA method 418.1 or other EPA method that the division approves does not exceed 100 mg/kg; and the chloride concentration as determined by EPA

- method 300.1 or other EPA method that the division approves does not exceed 250 mg/kg or the background concentration, whichever is greater. MOG shall notify the division of its results on form C-141.
- 8. If MOG or the division determines that a release has occurred, then MOG shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC as appropriate.
- 9. If contamination is confirmed by field sampling. MOG will follow the Guidelines For Remediation Of Leaks, Spills, and Releases NMOCD August 1993 when remediating identified contaminants.
- 10. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, then MOG shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; re-contour, and re-vegetate the site.
- 11. Notice of closure will be given to the Aztec Division office between 72 hours and one week of closure via email or verbally. The notification of closure will include the following:
 - · Operator's name
 - · Location by Unit Letter, Section Township, and Range.
 - · Well name and API number
- 12. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the blow grade tank. The closure report will be filed on C-144 and incorporate the following:
 - · Details on capping and covering where applicable
 - · Inspection reports
 - · Sampling results
- 13. The site will be re-contoured to match the surrounding area. Natural drainages will be unimpeded and erosion control will be utilized where necessary.
- 14. MOG shall seed the disturbed areas the first growing season with a division approved seed mixture after pit closure. Seeding will be accomplished by drilling on the contour whenever possible or by other division approved methods. Repeat seeding or planting will be continued until successful vegetative growth occurs.
- 15. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the thickness of the topsoil native to the area, whichever is greater.

16. The surface owner shall be notified of MOG's closing of the below grade tank as per the approved closure plan using certified mail with return receipt requested.