

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED

FORM APPROVED  
OMB NO. 1004-0137  
Expires July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

MAR 22 2012

SUBMIT IN TRIPLICATE - Other instructions on page 2

1 Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5 Lease Serial No <b>NM-03553</b>
2 Name of Operator <b>XTO ENERGY INC.</b>		6 If Indian, Allottee or Tribe Name <b>N/A</b>
3a Address <b>382 CR 3100 AZTEC, NM 87410</b>	3b Phone No (include area code) <b>505-333-3642</b>	7 If Unit or CA/Agreement, Name and/or No. <b>N/A</b>
4 Location of Well (Footage, Sec, T, R, M, or Survey Description) <b>1827' FSL &amp; 1910' FWL NESW SEC.11 (K) -T26N-R6W N.M.P.M.</b>		8 Well Name and No. <b>BREECH D #685F</b>
		9 API Well No <b>30-039-31015</b>
		10 Field and Pool, or Exploratory Area <b>BASIN DAKOTA/BASIN MANCOS BLANCO MESAVERDE</b>
		11 County or Parish, State <b>RIO ARriba NM</b>

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <b>COMPLETION</b>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<b>SUMMARY</b>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

XTO Energy Inc. has completed this well and remediated cement per the attached document.

RECEIVED  
B.L.M.-MAILROOM  
2012 MAR 28 PM 1:55  
STATE OFFICE  
SANTA FE, NEW MEXICO

RCVD MAR 29 '12  
OIL CONS. DIV.  
DIST. 3



14 I hereby certify that the foregoing is true and correct Name (Printed/Typed) <b>BARBARA NICOL</b>	Title <b>REGULATORY COMPLIANCE TECHNICIAN</b>
Signature <i>Barbara Nicol</i>	Date <b>3/21/2012</b>

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCDA

2012 MAR 28 PM 1:55

STATE OFFICE  
SANTA FE, NEW MEXICO**Breech D 685F**

**1/23/2012** MIRU WLU. Ran GR/CCL/CBL<sup>✓</sup> fr/DV II @ 6,250' (WLM) - 3,050'. Correlated depths to Weatherford Triple Combo log dated 1/15/2012. RDMO WLU.

**2/1/2012** MIRU. Sqzd csg ann @ 3,217' DV II w/250 sxs 50/50 poz (mixed @ 13 ppg, 1.46 cu ft/sx yield) & 100 sxs class G cmt (mixed @ 15.8 ppg, 1.15 cu ft/sx). RDMO.

**2/7/2012** MIRU WLU. Ran GR/CCL/CBL<sup>✓</sup> log fr/7,572' (PBTD) - 6,200' & 3,500' - 2,350'. Correlated depths to Weatherford Triple Combo log dated 1/15/2012 & BlueJet GR/CCL/CBL log dated 1/23/12. RDMO WLU.

**2/8/2012** PT 5-1/2" csg to 2,000 psig for 30" w/chart. Incrd press to 3,700 psig. Tstd OK. Perf sqz holes w/3-1/8" csg gun @ 7,550' & 6,000' w/4 JSPF (0.50" EHD, 8 holes)

**2/10/2012** Notified Brandon Powell w/NMOCD @ 7:00 a.m. & left message on BLM cmt ln for sqz @ 1:00 p.m. MIRU. Cmt sqz holes @ 7,550' w/350 sx 50/50 Poz cmt (mixed @ 13.5 ppg, 1.29 cu ft/sx) & 50 sx Type G cmt (mixed @ 15.8 ppg, 1.15 cu ft/sx). Circ 1/2 bbl cmt to surf. RDMO.

**2/13/2012** MIRU WLU. Ran GR/CCL/CBL<sup>✓</sup> fr/7,539' (PBTD) - 6,000' (top sqz hole). Perf sqz holes w/3-1/8" csg gun @ 7,140' w/4 JSPF (0.50" EHD, 4 holes) RDMO WLU. Left message w/Brandon Powell w/NMOCD & BLM cmt ln @ 4:15 p.m. 2/13/12 for sqz @ 1:00 p.m. 2/14/12.

**2/14/2012** MIRU. Cmt sqz holes @ 7,140' w/125 sx Premium Lite HS (mixed @ 12.5 ppg, 2.11 cu ft/sx). RDMO.

**2/15/2012** MIRU WLU. Ran GR/CCL/CBL<sup>✓</sup> log fr/7,539' - 6,000'. RDMO WLU.

**2/16/2012** Perfd DK w/3-1/8" select fire csg gun @ 7,400' - 7,196' w/1 JSPF (0.34" EHD, 28 holes). Correlated depths to Weatherford Triple Combo log dated 1/15/2012

**2/20/2012** A. w/1,500 gals 15% NEFE HCl ac. Frac DK perms w/122,152 gals foam fld carrying 134,000# sd.

**2/24/2012** MIRU. Notified Brandon Powell w/NMOCD & Kevin Schneider w/BLM @ 9.00 a.m. 2/24/12 for sqz @ 10:00 a.m. 2/25/12 & MIT tst @ 10:00 a.m. 2/27/12.

**2/25/2012** Sptd cmt fr/6,000' - 4,900' w/100 sx Type III cmt (mixed @ 14.6 ppg, 1.37 cut ft/sx).

**2/27/2012** PT sqz holes @ 6,000' to 605 psig for 30" w/chart. Tstd OK. MIRU WLU. Ran GR/CCL/CBL<sup>✓</sup> log fr/6,800' - 5,500' Correlated depths to BWWC GR/CCL/CBL<sup>✓</sup> log dated 2/15/2012. Cmt fr/6,214' - 5,770'. Perfd L/MC (Tocito) w/3-1/8" csg gun fr/6,711' - 6,723' w/4 JSPF (0.34" EHD, 48 holes) RDMO WLU. Paul Beibe w/NMOCD on loc to witness PT. Took PT chart to NMOCD office.

**2/29/2012** Spearhead 500 gals 15% NEFE HCl ac. Fracd L/MC perms w/60,653 gals foam fld carrying 29,400# sd. Perfd MC w/2" gowinder select fire csg gun @ 6,646' - 6,534' w/1 JSPF (0.34" EHD, 27 holes). A w/1,000 gals 15% NEFE HCl ac. Fracd MC perms w/83,925 gals foam fld carrying 103,800# sd.

**3/1/2012** Perfd MV w/3-1/8" select fire csg gun @ 5,343' - 5,208' w/1 JSPF (0.34" EHD, 27 holes). A. w/1,000 gals 15% NEFE HCl ac. Fracd MV perms w/96,794 gals foam fld carrying 105,100# sd.

**3/6/2012** Perfd sqz holes w/3-1/8" csg gun @ 2,830' w/4 JSPF (0.50" EHD, 4 holes)

**3/7/2012** Left messages w/Brandon Powell NMOCD & BLM cmt ln @ 2:00 p.m. 3/7/12 for cmt sqz @ 1:00 p.m. 2/8/2012.

**3/8/2012** RU WLU. Ran GR/CCL/CBL<sup>✓</sup> fr/2,800' - surf. Notified Brandon Powell w/NMOCD & left message on BLM cmt ln @ 11:00 a.m. 3/8/2012 to reschedule cmt sqz @ 10.00 a.m. 3/9/12.

**3/9/2012** MIRU. Ppd dwn tbq 213 sx 50/50 Poz cmt (mixed @ 13.5 ppg, 1.31 cu ft/sx). Circ 3 bbls cmt to surf. RDMO.

**3/12/2012** MIRU WLU. Ran GR/CCL/CBL log fr/2,788' (CCR) - surf. Rec verbal approval fr/Brandon Powell w/NMOCD & left message w/Troy Salyers w/BLM @ 9:00 a.m. 2/12/2012 for perforating sqz holes @ 1,750'. Received verbal approval fr/Troy Salyers w/BLM @ 9:25 a.m. Perfd sqz holes w/3-1/8" csg gun @ 1,750' w/4 JSPF (0.50" EHD, 4 holes). RDMO WLU. Ppd dwn tbg 238 sx 50/50 Poz cmt (mixed @ 13.5 ppg, 1.31 cu ft/sx) & 100 sx Type III cmt (mixed @ 14.6 ppg, 1.37 cu ft/sx). Circ 30 bbls cmt to pit.

**3/13/2012** Left message w/Brandon Powell w/NMOCD & talked w/Kevin Schneider w/BLM @ 11:00 a.m. 3/13/12 for MIT fr/2,900 - surf (sqz holes @ 2,830' & 1,750') @ 12:00 3/14/12.

**3/14/2012** PT 5-1/2" csg fr/2,870' - surf to 620 psig for 30" w/chart. Tstd OK. MIRU WLU. Ran GR/CCL/CBL log fr/2,100' - surf w/300 psig on csg. RDMO WLU.

**3/16/2012** TIH 191 jts 2-3/8", 4.7#, J-55, 8rd, EUE Seah tbg . EOT @ 6,302. PBTD @ 7,539'.

**3/19/2012** Ran IP tst. F. 0 BO, 0 BW, 731 MCF (based on 5,853 MCFD calc wet gas rate), FTP 920 psig, SICP 950 psig, 1/2" ck, 3 hrs. RDMO.

TOC 390' per log & Brandon Powell

RECEIVED  
B.L.M.-MAILROOM  
2012 MAR 28 PM 1:55  
STATE OFFICE  
SANTA FE, NEW MEXICO