District I , 1625 N French Dr , Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II 1301 W. Grand Ave , Artesia, NM 88210 District III 1000 Rio Biazos Rd , Aztec, NM 87410

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

District (V

1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office				
Pit	t, Closed-Loop System, Below-Grade Tank, or				
Proposed	Proposed Alternative Method Permit or Closure Plan Application				
	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method				
• •	ation (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
environment Nor does approval relieve th	request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the e operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances				
Operator: Burlington Resources Oil & O	Gas Company, LP OGRID#: 14538				
Address: PO Box 4289, Farmington, N	M 87499				
Facility or well name: Jicarilla 150 4E					
API Number: 30-039	9-22511 OCD Permit Number				
U/L or Qtr/Qtr: E(SW/NW) Section:	11 Township: 26N Range: 5W County: Rio Arriba				
Center of Proposed Design: Latitude:	36.50382 °N Longitude: 107.3346 °W NAD: X 1927 1983				
Surface Owner: X Federal	State Private Tribal Trust or Indian Allotment				
	Totion P&A ype Thickness mil LLDPE HDPE PVC Other DIST. 3 Y Other Volume bbl Dimensions L x W x D It of 19 15 17 11 NMAC Illing a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)				
Lined Unlined Liner type Liner Seams Welded Factory	Thicknessmil LLDPE HDPE PVD Other				
Volume. bbl Tank Construction material Secondary containment with leak detection Visible sidewalls and liner	9 15.17 11 NMAC Type of fluid: On				
Alternative Method: Submittal of an exception request is required	Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				

Fencing: Subsection D of 19 15 17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) [Four foot height, four strands of barbed wire evenly spaced between one and four feet [Alternate. Please specify					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
Siting Criteria (regarding permitting). 19 15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Ycs No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No				
- NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No				
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No				
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society; Topographic map 	Yes No				
Within a 100-year floodplain - FEMA map	Yes No				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19 15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC					
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC					
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15.17 13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17 11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17 11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17 11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17 13 NMAC					
14 Proceed Classes 10.15 17 10 NM 44 C					
Proposed Closure: 19 15.17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System					
Alternative					
Proposed Closure Method. Waste Excavation and Removal					
Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Sail Packfill and Court Packers Specifications, based when the empropriate requirements of Subsection H of 19.15.17.13 NIMAC					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19 15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC					

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loo							
Instructions Please identify the facility of facilities are required	r facilities for the disposal of liquids, c	drilling fluids and drill cuttings. Use	attachment if more than two				
Disposal Facility Name Envirote	ch / JFJ Landfarm / IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-00	010B			
Disposal Facility Name Basin Di	sposal Facility	Disposal Facility Permit #	NM-01-005		ļ		
	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No						
	not be used for future service and opera in Specification - based upon the ap- ion the appropriate requirements of S	propriate requirements of Subsect		AC			
=	upon the appropriate requirements						
17 Siting Criteria (Regarding on-site of Instructions Each with a centain sting criteria may require administry office for consideration of approval Justific	demonstration of compliance in the closur ative approval from the appropriate distri	re plan - Recommendations of acceptable ict office or may be considered an except	tion which must be submitted to				
Ground water is less than 50 feet belo	wy the hottom of the buried waste			Yes	No		
	WATERS database search, USGS Da	ata obtained from nearby wells		N/A			
Ground water is between 50 and 100	feet below the bottom of the buried	waste		□Yes	□No		
	Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells						
Ground water is more than 100 feet b	elow the bottom of the burried waste	a		☐Yes	□No		
	WATERS database search; USGS, Dat			∏ _{N/A}	□···		
Within 300 feet of a continuously flowing	•	significant watercourse or lakebed, sir	nkhole, or playa lake	Yes	□No		
 (measured from the ordinary high-water n Topographic map, Visual inspection 	*						
Within 300 feet from a permanent residen	,	ch in existence at the time of initial ar	onlication	□Yes	\square_{No}		
	ne proposed site; Acual photo, satellite		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
				Yes	□No		
Within 500 horizontal feet of a private, do purposes, or within 1000 horizontal fee of - NM Office of the State Engineer - N		n existence at the time of the initial ap					
Within incorporated municipal boundaries or within a defined municipal fiesh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended			Yes	No			
	from the municipality, Written approve	al obtained from the municipality		□Yes	□No		
	Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site		posed site	□,,,,			
Within the area overlying a subsurfac	e mine			Yes	No		
	- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division			Пv			
	Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society,		Geological Society	Yes	∐No		
Topographic map	mo the design, 1441 Bureau or Geology	, community control of the control o	sociogism Bosissy,		_		
Within a 100-year floodplain - FEMA map				∐Yes	No		
18							
On-Site Closure Plan Checklist: (1 by a check mark in the box, that the	*	Each of the following items mus	t bee attached to the closi	ure plan. Pleas	se indicate,		
	monstrations - based upon the appr						
	e - based upon the appropriate requi						
	Burial Trench (if applicable) based to						
	emporary Pit (for in place burial of		propriate requirements of	19 15 17 11 NI	MAC		
=	sed upon the appropriate requirement if applicable) - based upon the appropriate appropria		n F of 19 15 17 13 NMAC	•			
	•• • • • • • • • • • • • • • • • • • • •						
<u> </u>	Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC							
	on the appropriate requirements of S						
 I Site Reclamation Plan - based 	upon the appropriate requirements.	of Subsection G of 19 15 17 13 N	IVIAC		l		

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Busse Title. Staff Regulatory Technician
Signature Date 4/4/12
e-mail address dollie I busse@conocophillips.com Telephone. 505-324-6104
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
(
OCD Representative Signature: Approval Date: 4/12/2012
Title: 10mp lauce 10+52e OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized. Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number Disposal Facility Name
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached. Proof of Closure Notice (surface ourser and division)
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location. Latitude Longitude NAD 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Title
Signature Date
e-mail address Telephone

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.