

District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

30-039-30937

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company Williams Production	Contact Michael K. Lane
Address PO Box 640	Telephone No 505-634-4219
Facility Name Rosa #634B (API: 30-039-30937)	Facility Type Well Site

Surface Owner BLM	Mineral Owner BLM	Lease No.
--------------------------	--------------------------	-----------

LOCATION OF RELEASE

Unit Letter H	Section 22	Township 31 N	Range 06W	Feet from the	North/South Line	Feet from the	East/West Line	County Rio Arriba
-------------------------	----------------------	-------------------------	---------------------	---------------	------------------	---------------	----------------	-----------------------------

Latitude _____ Longitude _____

NATURE OF RELEASE

Type of Release Drilling mud	Volume of Release UNK	Volume Recovered
Source of Release Temporary Pit Liner Tear	Date and Hour of Occurrence 8/17/10	Date and Hour of Discovery Same
Was Immediate Notice Given? ☒ Yes ☐ No ☐ Not Required	If YES, To Whom? Brandon Powell-NMOCD	RCVD OCT 27 '10
By Whom? Myke Lane	Date and Hour 8-18-10 AM	OIL CONS. DIV.
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.	DIST. 3



If a Watercourse was Impacted, Describe Fully

Describe Cause of Problem and Remedial Action Taken **Liner torn during drilling operations. Following discovery, use of pit discontinued and liquids/solids removed to below liner tears. Immediately prior to closure of pit, samples collected under torn areas by hand auger and submitted to the lab for analyses (attached). Based on results pit closed in manner consistent with C-144 Closure Plan.**

Describe Area Affected and Cleanup Action Taken

Criteria	Site Condition			Ranking Score
Depth to Groundwater	>=100 (Cathodic - >=120 ft BGS)			0
Wellhead Protection Area	None			0
Surface Water Body	>1000 ft			0
Total Ranking				0
Lab	Temp Pit #1	Temp Pit #2	Temp Pit #3	Pit Action Level
Benzene (ppb)	<0.9	<0.9	<0.9	200
BTEX (ppb)	ND	1.7	1.4	50,000
TPH by EPA - 418.1 (ppm)	210	237	158	2500
Cl (ppm)	105	95	55	500

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature 	OIL CONSERVATION DIVISION		
Printed Name Michael K. Lane	Approved by District Supervisor 		
Title SJB EH&S Specialist	Approval Date 3/06/2012	Expiration Date	
E-mail Address myke.lane@williams.com	Conditions of Approval.		Attached ☐
Date 10/27/10 5/26/10	Phone (505) 330-3198		

* Attach Additional Sheets If Necessary

nJK1206649196



Picture of Rosa 634B Temp Pit 10/8/10. Torn liner holes sampled from right to left (#1 left most sample). Samples taken by hand auger approximately 12-18 inches in depth under leading edge of liner tear.

WILLIAMS PRODUCTION COMPANY ROSA UNIT #634B
1485' FNL & 645' FEL, SECTION 22, T31N, R6W, NMPM
RIO ARriba COUNTY, NEW MEXICO ELEVATION: 6260'

GRAPHIC SCALE 1"=70'



0 70 140

~ SURFACE OWNER ~

Bureau of Land Management & Bureau of Reclamation

LATITUDE: 36.88830° N
LONGITUDE: 107.44339° W

DATUM: NAD1983

Bureau of Reclamation - 0.30 Acres

Bureau of Land Management - 3.99 Acres

EDGE OF TOTAL DISTURBANCE

(MARKED WITH STEEL T-POSTS)

1/16th LINE

WFS P/L

8/17 LINE 2 TEAR

3 2 1
RESERVE PIT
40' X 80'

EDGE EXISTING
WELLPAD

EDGE EXISTING
WELLPAD
PROPERTY LINE

F2 ⑤

F2 ④

C1 ③

B

C

⑥ C3

① F4

WPX ROSA
UNIT #201
WELLHEAD

METER
RUN

EXISTING
ROADWAY

ACCESS
(NO NEW)

F3

WPX ROSA
UNIT #18C
WELLHEAD

WFS P/L

METER
ASSEMBLY

PIT

TANK

PIT

METER
ASSEMBLY

WPX ROSA UNIT
#634 PROPOSED
WELLBORE

WPX ROSA UNIT
#634A PROPOSED
WELLBORE

WPX ROSA UNIT
#634C PROPOSED
WELLBORE

WPX ROSA UNIT
#18 WELLHEAD

CATHODIC
PROTECTION
STATION

WPX
CABLE

CATHODIC
GROUNDED

WPX CABLE

EDGE OF TOTAL DISTURBANCE (MARKED WITH STEEL T-POSTS)

Steel T-Posts have been set to define the Edge of Disturbance limits which are 50' offset from the edge of the staked wellpad.

copy to V P 2.1



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #1	Date Reported:	10-12-10
Laboratory Number:	56125	Date Sampled:	10-08-10
Chain of Custody No:	10501	Date Received:	10-11-10
Sample Matrix:	Soil	Date Extracted:	10-11-10
Preservative:	Cool	Date Analyzed:	10-12-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments:

Analyst

Review



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #3	Date Reported:	10-12-10
Laboratory Number:	56127	Date Sampled:	10-08-10
Chain of Custody No:	10501	Date Received:	10-11-10
Sample Matrix:	Soil	Date Extracted:	10-11-10
Preservative:	Cool	Date Analyzed:	10-12-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments:

Analyst

Review



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #3	Date Reported:	10-12-10
Laboratory Number:	56127	Date Sampled:	10-08-10
Chain of Custody No:	10501	Date Received:	10-11-10
Sample Matrix:	Soil	Date Extracted:	10-11-10
Preservative:	Cool	Date Analyzed:	10-12-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	


ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments:



Analyst



Review



EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	10-12-10 QA/QC	Date Reported:	10-12-10
Laboratory Number:	56123	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	10-12-10
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	10-12-10	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	10-12-10	9.9960E+002	1.0000E+003	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	250	100%	75 - 125%
Diesel Range C10 - C28	ND	250	256	102%	75 - 125%


ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 56123-56127, 56140-56144



Analyst



Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #1	Date Reported:	10-12-10
Laboratory Number:	56125	Date Sampled:	10-08-10
Chain of Custody:	10501	Date Received:	10-11-10
Sample Matrix:	Soil	Date Analyzed:	10-12-10
Preservative:	Cool	Date Extracted:	10-11-10
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.4 %
	1,4-difluorobenzene	101 %
	Bromochlorobenzene	99.1 %


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments:



Analyst



Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #2	Date Reported:	10-13-10
Laboratory Number:	56126	Date Sampled:	10-08-10
Chain of Custody:	10501	Date Received:	10-11-10
Sample Matrix:	Soil	Date Analyzed:	10-12-10
Preservative:	Cool	Date Extracted:	10-11-10
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	1.7	0.9
Total BTEX	1.7	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	91.1 %
	1,4-difluorobenzene	93.5 %
	Bromochlorobenzene	88.3 %


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments:



Analyst



Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #3	Date Reported:	10-13-10
Laboratory Number:	56127	Date Sampled:	10-08-10
Chain of Custody:	10501	Date Received:	10-11-10
Sample Matrix:	Soil	Date Analyzed:	10-12-10
Preservative:	Cool	Date Extracted:	10-11-10
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	1.4	0.9
Total BTEX	1.4	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95.2 %
	1,4-difluorobenzene	91.2 %
	Bromochlorobenzene	90.9 %


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments:



Analyst



Review



**EPA METHOD 8021
AROMATIC VOLATILE ORGANICS**

Client:	N/A	Project #:	N/A
Sample ID:	1012BBLK QA/QC	Date Reported:	10-12-10
Laboratory Number:	56123	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	10-12-10
Condition:	N/A	Analysis:	BTEX
		Dilution:	10

Calibration and Detection Limits (ug/L)	1-Cal RF	2-Cal RF	%Diff	Blank Conc	Detect. Limit
		Accept Range 0 - 15%			
Benzene	4.8102E+005	4.8199E+005	0.2%	ND	0.1
Toluene	5.8823E+005	5.8941E+005	0.2%	ND	0.1
Ethylbenzene	5.3207E+005	5.3314E+005	0.2%	ND	0.1
p,m-Xylene	1.2712E+006	1.2738E+006	0.2%	ND	0.1
o-Xylene	4.8126E+005	4.8222E+005	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	500	499	100%	39 - 150
Toluene	ND	500	502	100%	46 - 148
Ethylbenzene	ND	500	512	102%	32 - 160
p,m-Xylene	ND	1000	1,020	102%	46 - 148
o-Xylene	ND	500	520	104%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 56123-56127, 56144

Analyst

Review



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #1	Date Reported:	10-11-10
Laboratory Number:	56125	Date Sampled:	10-08-10
Chain of Custody No:	10501	Date Received:	10-11-10
Sample Matrix:	Soil	Date Extracted:	10-11-10
Preservative:	Cool	Date Analyzed:	10-11-10
Condition:	Intact	Analysis Needed:	TPH-418.1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	210	33.5


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:



Analyst



Review

Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #2	Date Reported:	10-11-10
Laboratory Number:	56126	Date Sampled:	10-08-10
Chain of Custody No:	10501	Date Received:	10-11-10
Sample Matrix:	Soil	Date Extracted:	10-11-10
Preservative:	Cool	Date Analyzed:	10-11-10
Condition:	Intact	Analysis Needed:	TPH-418.1


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	237	33.5

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:



Analyst

Review


Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #3	Date Reported:	10-11-10
Laboratory Number:	56127	Date Sampled:	10-08-10
Chain of Custody No:	10501	Date Received:	10-11-10
Sample Matrix:	Soil	Date Extracted:	10-11-10
Preservative:	Cool	Date Analyzed:	10-11-10
Condition:	Intact	Analysis Needed:	TPH-418.1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	158	33.5


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:



Analyst



Review



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS
QUALITY ASSURANCE REPORT

Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	10-11-10
Laboratory Number:	10-11-TPH.QA/QC 56123	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	10-11-10
Preservative:	N/A	Date Extracted:	10-11-10
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
	10-05-10	10-11-10	1,640	1,690	3.0%	+/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	33.5

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	52.6	57.8	9.9%	+/- 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	52.6	2,000	1,710	83.3%	80 - 120%


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 56123-56132



Analyst



Review

Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #1	Date Reported:	10-12-10
Lab ID#:	56125	Date Sampled:	10-08-10
Sample Matrix:	Soil	Date Received:	10-11-10
Preservative:	Cool	Date Analyzed:	10-12-10
Condition:	Intact	Chain of Custody:	10501



Parameter	Concentration (mg/Kg)
-----------	-----------------------

Total Chloride

105

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:


Analyst
Review



Chloride

Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #2	Date Reported:	10-12-10
Lab ID#:	56126	Date Sampled:	10-08-10
Sample Matrix:	Soil	Date Received:	10-11-10
Preservative:	Cool	Date Analyzed:	10-12-10
Condition:	Intact	Chain of Custody:	10501


Parameter	Concentration (mg/Kg)
Total Chloride	95

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:



Analyst



Review



Chloride

Client:	WPX	Project #:	04108-0136
Sample ID:	Temp Pit #3	Date Reported:	10-12-10
Lab ID#:	56127	Date Sampled:	10-08-10
Sample Matrix:	Soil	Date Received:	10-11-10
Preservative:	Cool	Date Analyzed:	10-12-10
Condition:	Intact	Chain of Custody:	10501

Parameter	Concentration (mg/Kg)
Total Chloride	55

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:



Analyst



Review

CHAIN OF CUSTODY RECORD

10501

Client: WAX		Project Name / Location:				ANALYSIS / PARAMETERS														
Client Address: MYKE LAND		Sampler Name:				TPH (Method 8015) BTEX (Method 8021) VOC (Method 8260) RCRA 8 Metals Cation / Anion PCI TCLP with H/P PAH TPH (418.1) CHLORIDE Sample Cool Sample Intact														
Client Phone No.: 330-3198		Client No.: 04108-0130																		
Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sample Matrix	No./Volume of Containers	Preservative			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	PCI	TCLP with H/P	PAH	TPH (418.1)	CHLORIDE	Sample Cool	Sample Intact
Temp Pt #1	10/8	1640	50125	Soil Solid	1				✓	✓							✓	✓	✓	✓
Temp Pt #2	1	1643	50126	Soil Solid	1				✓	✓							✓	✓	✓	✓
Temp Pt #3	1	1645	50127	Soil Solid	1				✓	✓							✓	✓	✓	✓
				Soil Solid																
				Soil Solid																
				Soil Solid																
				Soil Solid																
				Soil Solid																
				Soil Solid																
				Soil Solid																
				Soil Solid																
Relinquished by: (Signature)					Date	Time	Received by: (Signature)					Date	Time							
					10/11/10	7:35						10/11/10	7:35							
Relinquished by: (Signature)							Received by: (Signature)													
Relinquished by: (Signature)							Received by: (Signature)													



5796 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • lab@envirotech-inc.com