## State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

9963
------

Pit, Closed-Loop System, Below-Grade Tank, or		
Proposed Alternative Method Permit or Closure Plan Application		
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method		
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method		
Modification to an existing permit		
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,		
below-grade tank, or proposed alternative method		
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request		
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances		
Operator: Burlington Resources Oil & Gas Company, LP  OGRID#: 14538		
Address: PO Box 4289, Farmington, NM 87499		
Facility or well name: Canyon Largo Unit 178		
API Number: 30-039-20530 OCD Permit Number		
U/L or Qtr/Qtr: C(NE/NW) Section: 14 Township: 25N Range: 6W County: Rio Arriba		
Center of Proposed Design: Latitude: 36.40405 °N Longitude: 107.43976 °W NAD: X 1927 1983		
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment		
2		
Pit: Subsection F or G of 19 15 17 11 NMAC RCVD APR 24 '12		
Temporary Drilling Workover OIL CONS. DIV.		
Permanent Emergency Cavitation P&A		
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other		
String-Reinforced		
Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D		
X   Closed-loop System: Subsection H of 19 15 17 11 NMAC   Type of Operation.   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or		
notice of intent)		
Drying Pad X Above Ground Steel Tanks Haul-off Bins Other		
Lined Unlined Liner type Thicknessmil LLDPE HDPE PVD Other		
Liner Seams Welded Factory Other		
4		
Below-grade tank: Subsection I of 19 15 17 11 NMAC		
Volume:bbl Type of fluid  Tank Construction material		
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off		
Visible sidewalls and liner Visible sidewalls only Other		
Liner Type Thickness mil HDPE PVC Other		
Alternative Method:		
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	titution or church)	
Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate. Please specify		
7		
Netting: Subsection E of 19.15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19.15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19 15 3 103 NMAC		
A Signed in compliance with 19 19 9 100 Nivine		
9 Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of approval	
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
10		
Siting Criteria (regarding permitting): 19.15 17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes . No	
(measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No	
(Applied to permanent pits)	NA —	
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No	
- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No	
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality		
Within 500 feet of a wetland.	Yes No	
- US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site		
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No	
Within an unstable area.	Yes No	
<ul> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mineral Resources, USGS; NM Geological Society; Topographic map</li> </ul>		
Within a 100-year floodplain - FEMA map	Ycs No	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15.17 13 NMAC
Previously Approved Design (attach copy of design)  API  or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC
Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9
NMAC and 19.15.17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan  API
Treviously Approved Operating and Maintenance Flain AFT
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan  Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19 15.17.13 NMAC
Closure Frant - based upon the appropriate requirements of Subsection C of 19.13.17 9 Novice and 19.13.17.13 Novice
14 10 15 17 10 NM 44 C
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use atte		
facilities are required.		
Disposal Facility Name Disposal Facility Permit #:	<u> </u>	
Disposal Facility Name Disposal Facility Permit #	use he wood for Citize comuse and	
Yes (If yes, please provide the information No	nor be used for future service and	
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection	H of 19 15 17 13 NMAC	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NM/	AC	
17		
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC		
Instructions Each siting criteria requires a demonstration of compliance in the closure plan—Recommendations of acceptable so certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception	which must be submitted to the Santa Fe Environmental E	
office for consideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 I	0 NMAC for guidance	
Ground water is less than 50 feet below the bottom of the buried waste	Yes No	
- NM Office of the State Engineer - (WATERS database search, USGS) Data obtained from nearby wells	∐N/A	
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No	
- NM Office of the State Engineer - tWATERS database search, USGS; Data obtained from nearby wells		
Ground water is more than 100 feet below the bottom of the buried waste	Yes No	
- NM Office of the State Engineer - tWATERS database search, USGS; Data obtained from nearby wells	□N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkho	ole, or playa lake Yes No	
(measured from the ordinary high-water mark).		
- Topographic map, Visual inspection (certification) of the proposed site	cation Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial appli - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	cation Yes No	
	Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic	- I	
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial applie - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site	cation	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal	ordinance adopted Yes No	
pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality		
Within 500 feet of a wetland	Yes No	
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the propos	W W	
Within the area overlying a subsurface mine.	Yes No	
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS, NM Geo	Nogical Society	
Topographic map	Togretal society,	
Within a 100-year floodplain	Yes No	
- FEMA map		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must b	ee attached to the closure plan Please indicate	,
by a check mark in the box, that the documents are attached.	,	·
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10	NMAC	
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 10 15 17 13 NIMAC	opriate requirements of 19 15 17 11 NMAC	
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F	of 19 15 17 13 NMAC	
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC		ı
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NM.	AC	

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief  Name (Print)  Title:
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date:
Title: OMPlance OCDPermit Number:
Closure Report (required within 60 days of closure completion):  Subsection K of 1915 1713 NMAC  Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  [X] Closure Completion Date: 3/29/2012
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number. NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)  X No
Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude. NAD 1927 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Dollie L. Busse Title Staff Regulatory Technician
Signature Valle Susse Date 4/19/12
e-mail address: dollie I busse@conocophillips.com Telephone (505) 324-6104