District I 1625 N French Dr , Hobbs, NM 88240

District II 1301 W Grand Ave , Artesia, NM 88210 District III

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

a	99	1
Ч	~ <i> </i>	•

1000 Rio Brazos Rd , Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the
District IV 1220 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOCD District Office
_	Pit, Closed-Loop System, Below-Gr	
Propos	ed Alternative Method Permit or Cl	osure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade	e tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grader	de tank, or proposed alternative method
	Modification to an existing permit	
L	Closure plan only submitted for an existing per- below-grade tank, or proposed alternative methe	mitted or non-permitted pit, closed-loop system,
Instructions: Please submit one app		loop system, below-grade tank or alternative request
	is request does not relieve the operator of liability should operatio	
	the operator of its responsibility to comply with any other applica	ible governmental authority's rules, regulations or ordinances
Operator: ConocoPhillips Company		OGRID#: 217817
Address: PO Box 4289, Farmington,	NM 87499	
Facility or well name: Lindrith B Uni	t 1	
API Number: 30-0	OCD Permit Nur	nber
U/L or Qtr/Qtr: <u>D(NW/NW)</u> Section:	28 Township: 24N Range:	3W County: Rio Arriba
Center of Proposed Design: Latitude:	36.286418	107.16761 °W NAD: X 1927 1983
Surface Owner: Federal	State X Private Tribal Trust or Inc	dian Allotment
Lined Unlined Liner String-Reinforced Liner Seams Welded Factor X Closed-loop System: Subsection	r type Thickness mil LLDPE ory Other Volume I H of 19 15 17 11 NMAC Ortilling a new well X Workover or Drilling (Applies	RCVD MAY 2 '12 OIL CONS. DIV. DIST. 3 HDPE PVC Other x w x D sto activities which require prior approval of a permit or
Drying Pad X Above Ground Lined Unlined Liner ty Liner Seams Welded Factor	/pe Thicknessmil LLDPE	HDPE PVD Other
Below-grade tank: Subsection I of Volume bbl Tank Construction material Secondary containment with leak detection Visible sidewalls and liner Liner Type Thickness	Type of fluid	utomatic overflow shut-off
Submittal of an exception request is required.	ed Exceptions must be submitted to the Santa Fe Envir	conmental Bureau office for consideration of constant
Submittal of an exception request is require	Exceptions must be submitted to the Santa re Envir	omnemai Bureau office for consideration of approval

6' '				
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins	titution or chu	rch)		
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate Please specify				
7				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19 15 3 103 NMAC				
A Digited in compliance with 12 10 3 103 NMAC				
9				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19.15 17 NMAC for guidance				
Please check a box if one or more of the following is requested, if not leave blank:		1		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of ap	provai		
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Execution(s) requests must be submitted to the barna i e Environmental Bardad office for consideration of approval				
10				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the				
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	No		
- NM Office of the State Engineer - IWATERS database search, USGS; Data obtained from nearby wells	—	_		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No		
(measured from the ordinary high-water mark).				
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	∏ _{Yes}	□No		
application.		LI		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	□Yes	□No		
(Applied to permanent pits)				
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
purposes, or whilm 1000 north of any other result water well of spring, in existence at the time of initial application.				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	∏Yes	No		
adopted pursuant to NMSA 1978, Section 3-27-3, as amended				
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	l			
Within 500 feet of a wetland.	Yes	∐No		
- US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	l			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	∐No		
·	│ □Yes	□No		
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological 	🗀 ''ऽ	□ , 10		
Society; Topographic map				
Within a 100-year floodplain	Yes	No		
- FEMA man	1 —	_		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of		
19 15.17.9 NMAC and 19.15.17 13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19 15.17.13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17 9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC		
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC		
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17 11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17 11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17 13 NMAC		
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System		
Alternative		
Proposed Closure Method Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15 Waste Excavation and Removal Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC		
Site recommends i min - vascu upon the appropriate requirements of subsection 0 of 19.15 17.15 NIVIAC		

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee	I Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)			
Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required	fluids and drill cuttings. Use attachment if more than two			
	Disposal Facility Permit #			
	Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activitie Yes (If yes, please provide the information No		service and		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Plan - based upon the app	tion I of 19 15 17 13 NMAC	C .		
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17 10 NMAC Instructions: Each stung criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS Data obta	ined from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtain	ned from nearby wells	□N/A		
Ground water is more than 100 feet below the bottom of the buried waste	•	☐ ☐Yes ☐No		
- NM Office of the State Engineer - iWATERS database search; USGS, Data obtai	ned from nearby wells	□ N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signification (measured from the ordinary high-water mark)	•	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in ex- Visual inspection (certification) of the proposed site, Aerial photo, satellite image	sistence at the time of initial application	Yes No		
		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existe - NM Office of the State Engineer - iWATERS database, Visual inspection (certifice)	nce at the time of the initial application			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No		
 Written confirmation or verification from the municipality, Written approval obtain Within 500 feet of a wetland 	ned from the municipality	∏Yes ∏No		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspe	ction (certification) of the proposed site			
Within the area overlying a subsurface mine		Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mi	neral Division			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mir Topographic map	neral Resources, USGS, NM Geological Society,	∐Yes ∐No		
Within a 100-year floodplain - FEMA map		Yes No		
18				
On-Site Closure Plan Checklist: (19 15.17 13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	of the following items must bee attached to the closu	re plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable), based upon the appropriate requirements of Subsection F of 10 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
		innot be achieved)		
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:			
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.			
Name (Print) Title			
Signature Date			
e-mail address Telephone			
20 OCD Approval: Permit Application (including closure plan) Cosure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 5/0 3/2012 Title: OCD Permit Number:			
Closure Report (required within 60 days of closure completion): Subsection K of 19 15.17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. [X] Closure Completion Date: 1/25/2012			
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain			
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.			
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B			
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number: NM-01-005			
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?			
Yes (If yes, please demonstrate compliane to the items below)			
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation)			
Soil Backfilling and Cover Installation			
Re-vegetation Application Rates and Seeding Technique			
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD 1927 1983			
25			
Operator Closure Certification:			
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print). CRYSTAL TAFOYA Title. STAFF REGULATORY TECHNICIAN			
Signature Sala Tajoya Date: \$ 2 2012			
e-mail address crystal.tafoya@conocophillips.com Telephone (505) 326-9837			