State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

, ,

1301 W Grand Ave , Artesia, NM 88210

District III

 $1000\ Rio\ Brazos\ Rd$, Aztec, NM $\ 87410$

District IV 1220 S St Francis Dr , Santa Fe, NM 87505

Form C-144

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

| 10005 |
|-------|
| 10 |

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:

X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

| Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Canyon Largo Unit 214 API Number: 30-039-20749 OCD Permit Number U/L or Qtr/Qtr: O(SW/SE) Section: 8 Township: 24N Range: 6W County: Rio Arriba Center of Proposed Design: Latitude: 36.32315 °N Longitude: 107.48804 °W NAD: X 1927 1983 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment | Please be advised that approval of this request does not relieve the operator of liability should operation environment. Nor does approval relieve the operator of its responsibility to comply with any other applications. | | | |
|--|---|--|--|--|
| Facility or well name: Canyon Largo Unit 214 API Number: 30-039-20749 OCD Permit Number U/L or Qtr/Qtr: 9(8W/SE) Section: 8 Township: 24N Range: 6W County: Rio Arriba Center of Proposed Design: Latitude: 36,32315 °N Longitude: 107,48804 °W NAD: \$1927 1983 Surface Owner: \$\frac{1}{2}\$ Pit: Subsection For G of 19 15 17 11 NMAC Temporary Drilling Workover OIL CONS. DIV. | Operator: Burlington Resources Oil & Gas Company, LP | OGRID#: 14538 | | |
| API Number: 30-039-20749 OCD Permit Number U/L or Qtr/Qtr: QtSW/SE) Section: 8 Township: 24N Range: 6W County: Rio Arriba Center of Proposed Design: Latitude: 36.32315 °N Longitude: 107.48804 °W NAD: X 1927 1983 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment 2 Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover UIL CONS. DIV. Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other 3 Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or motice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other 4 Below-grade tank: Subsection I of 19.15 17 11 NMAC Volume bil Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls and liner Visible sidewalls and liner Visible sidewalls and liner Visible sidewalls and liner Drying PVC Other | Address: PO Box 4289, Farmington, NM 87499 | | | |
| Context of Proposed Design: Latitude: 36.32315 | Facility or well name: Canyon Largo Unit 214 | | | |
| Center of Proposed Design: Latitude: 36.32315 | API Number: 30-039-20749 OCD Permit Num | iber | | |
| Surface Owner: X Federal State Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15 17 11 NMAC | U/L or Qtr/Qtr: O(SW/SE) Section: 8 Township: 24N Range: | 6W County: Rio Arriba | | |
| Pit: Subsection F or G of 19 15 17 11 NMAC Temporary | Center of Proposed Design: Latitude: 36.32315 °N Longitude: | 107.48804 °W NAD: X 1927 1983 | | |
| Pit: Subsection F or G of 19 15 17 11 NMAC | Surface Owner: X Federal State Private Tribal Trust or Ind | lian Allotment | | |
| Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other Below-grade tank: Subsection I of 19.15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other | Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE String-Reinforced | OIL CONS. DIV. HDPE PVC Other DIST. 3 | | |
| Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other | Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other | | | |
| Anti-matrix receiper. | Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and at Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other | utomatic overflow shut-off | | |
| Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval | | onmental Bureau office for consideration of approval | | |

Oil Conservation Division

Page 1 of 5



| Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify | | | |
|--|-----------------|--------|--|
| 7 Number of Schooling Factor (CA) 17 11 NIMAC (And Annual CA) | | | |
| Netting: Subsection E of 19 15.17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible) | | | |
| 8 | | | |
| Signs: Subsection C of 19.15.17.11 NMAC | | | |
| 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15 3 103 NMAC | | | |
| 9 | | | |
| Administrative Approvals and Exceptions: | | | |
| Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance | | | |
| Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons | ideration of an | proval | |
| (Fencing/BGT Liner) | deration of ap | piovai | |
| Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval | | | |
| 10 | | | |
| Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system. | | | |
| Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | Yes | □No | |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | Yes | □No | |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. | Yes | No | |
| (Applies to temporary, emergency, or cavitation pits and below-grade tanks) | NA | | |
| - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image | | _ | |
| Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. | Yes | ∐No | |
| (Applied to permanent pits) Visual inspection (certification) of the proposed site: Aerial photo, Satellite image | ∐NA | | |
| Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. | Yes | □No | |
| - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. | | | |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended | Yes | No | |
| Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | Yes | No | |
| Within the area overlying a subsurface mine. | Yes | □No | |
| - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division | | | |
| Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map | <u> </u> Yes | ∐No | |
| Within a 100-year floodplain - FEMA map | Yes | □No | |

Form C-144 Oil Conservation Division Page 2 of 5

| Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC | | | |
|--|--|--|--|
| Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Hydrogeologic Report (Relovarede Tanks) - based upon the requirements of Paragraph (4) of Subsection R. of 10.15.17.0 NIMAC | | | |
| Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17 9 | | | |
| Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC | | | |
| Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC | | | |
| Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC | | | |
| Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of | | | |
| 19.15.17 9 NMAC and 19 15.17.13 NMAC | | | |
| Previously Approved Design (attach copy of design) API or Permit | | | |
| 12 Charles Suction Burnish to the Atlantic district Atlantic distr | | | |
| Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached | | | |
| Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9 | | | |
| Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC | | | |
| X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC | | | |
| X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC | | | |
| X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC | | | |
| Previously Approved Design (attach copy of design) API | | | |
| Previously Approved Operating and Maintenance Plan API | | | |
| 13 | | | |
| Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC | | | |
| Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. | | | |
| Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17 9 NMAC | | | |
| Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC | | | |
| Climatological Factors Assessment | | | |
| Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17 11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17 11 NMAC | | | |
| Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC | | | |
| Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC | | | |
| Quality Control/Quality Assurance Construction and Installation Plan | | | |
| Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC | | | |
| Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC | | | |
| Nuisance or Hazardous Odors, including H2S, Prevention Plan | | | |
| ☐ Coil Field Waste Stream Characterization | | | |
| Monitoring and Inspection Plan | | | |
| Erosion Control Plan | | | |
| Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17 13 NMAC | | | |
| 14 | | | |
| Proposed Closure: 19 15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. | | | |
| Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System | | | |
| Alternative | | | |
| Proposed Closure Method: Waste Excavation and Removal | | | |
| X Waste Removal (Closed-loop systems only) | | | |
| On-site Closure Method (only for temporary pits and closed-loop systems) | | | |
| In-place Burial On-site Trench | | | |
| Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) | | | |
| 15 Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. | | | |
| Please indicate, by a check mark in the box, that the documents are attached. | | | |
| Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC | | | |
| Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC | | | |
| Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Bookfill and Cover Design Specifications - beard upon the emprepriete requirements of Subsection H of 10.15.17.13 NMAC | | | |
| Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC | | | |
| Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC | | | |
| | | | |

| 16 Waste Removal Closure For Closed-loop Systems T | | | | | |
|---|---|--|---------------------------------|----------------|-----------------|
| Instructions Please identify the facility or facilities for facilities are required | the disposal of liquids, drillir | ng fluids and drill cuttings Use | attachment if more than two | | |
| Disposal Facility Name Envirotech / JFJ Land | lfarm / IEI | Disposal Facility Permit # | NM-01-0011 / NM-01-00 | 10B | |
| Disposal Facility Name. Basın Disposal Facili | ty | Disposal Facility Permit # | NM-01-005 | | |
| Will any of the proposed closed-loop system opera Yes (If yes, please provide the information | | ies occur on or in areas that i | vill not be used for future: | service and | |
| Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC | | | | | |
| 17 | | | | · | |
| Siting Criteria (Regarding on-site closure meth Instructions Each siting criteria requires a demonstration certain siting criteria may require administrative approval office for consideration of approval Justifications and/or of | of compliance in the closure pla from the appropriate district off | n Recommendations of acceptable ice or may be considered an excep | tion which must be submitted to | • | |
| Ground water is less than 50 feet below the bottom | | | | Yes | No |
| - NM Office of the State Engineer - IWATERS da | tabase search, USGS Data of | tained from nearby wells | | ∐N/A | |
| Ground water is between 50 and 100 feet below the | ne bottom of the buried was | te | | Yes | No |
| - NM Office of the State Engineer - 1WATERS dat | rabase search; USGS, Data ob | tained from nearby wells | | N/A | |
| Ground water is more than 100 feet below the bott | tom of the buried waste | | | Yes | No |
| - NM Office of the State Engineer - (WATERS dat | abase search, USGS; Data ob | tained from nearby wells | | □N/A | |
| Within 300 feet of a continuously flowing watercourse, (measured from the ordinary high-water mark) | or 200 feet of any other signif | icant watercourse or lakebed, su | nkhole, or playa lake | Yes | □No |
| - Topographic map, Visual inspection (certification | n) of the proposed site | | | | _ |
| Within 300 feet from a permanent residence, school, ho - Visual inspection (certification) of the proposed si | • | | pplication | Yes | ∐No |
| | | | | Yes | ∐No ! |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site | | | | | |
| Within incorporated municipal boundaries or within a d pursuant to NMSA 1978, Section 3-27-3, as amended | · | | ipal ordinance adopted | Yes | No |
| Written confirmation or verification from the mur Within 500 feet of a wetland | ncipality, written approval ob | tained from the municipality | | □Yes | □No |
| - US Fish and Wildlife Wetland Identification map | , Topographic map, Visual ins | pection (certification) of the pro | posed site | | _ |
| Within the area overlying a subsurface mine | | | | Yes | No |
| - Written confirantion or verification or map from t | the NM EMNRD-Mining and | Mineral Division | | Пv | □N ₂ |
| Within an unstable area - Engineering measures incorporated into the design | n NM Bureau of Geology & M | Ameral Resources - USGS - NM (| Geological Society | ∐Yes | No |
| Topographic map | in this bareau of Geology & T | Amorai ressources, eses, rum | Secretary, | | |
| Within a 100-year floodplain - FEMA map | | | | Yes | □No |
| On-Site Closure Plan Checklist: (19 15 17 13 N | , | h of the following items mus | st bee attached to the closi | ıre plan. Plea | se indicate, |
| by a check mark in the box, that the documents | | ate requirements of 10.15.17 | 10 NMAC | | |
| Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC | | | | | |
| Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC | | | | | |
| Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC | | | | | |
| Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC | | | | | |
| Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC | | | | | |
| Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC | | | | | |
| Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) | | | | | |
| Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Respectation Plans - based upon the appropriate requirements of Subsection L of 19.15.17.13 NMAC | | | | | |
| Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC | | | | | |

Form C-144 Oil Conservation Division Page 4 of 5

| 19 | | | | |
|--|---|--|--|--|
| Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate | and complete to the best of my knowledge and belief | | | |
| Name (Print) Dollie L. Busse | Title Staff Regulatory Technician | | | |
| Signature Mili: Signature | Date 5/16/12 | | | |
| e-mail address dollie.l busse@conocophillips.com | Telephone 505-324-6104 | | | |
| | | | | |
| 20 | | | | |
| OCD Approval: Permit Application (including closure plan) | Glosure Plan (only) OCD Conditions (see attachment) | | | |
| OCD Representative Signature: | Approval Date: 5/22/2012 | | | |
| Title: Compliance VOATray | OCD Permit Number: | | | |
| Time: Compliance VOTATION | OCD Perink Number: | | | |
| Closure Report (required within 60 days of closure completion): Subsection Instructions. Operators are required to obtain an approved closure plan prior to a report is required to be submitted to the division within 60 days of the completion of approved closure plan has been obtained and the closure activities have been completed. | mplementing any closure activities and submitting the closure report. The closure of the closure activities. Please do not complete this section of the form until an | | | |
| | | | | |
| 22 Closure Method: | | | | |
| Waste Excavation and Removal On-site Closure Method | Alternative Closure Method Waste Removal (Closed-loop systems only) | | | |
| If different from approved plan, please explain | | | | |
| 23 | | | | |
| Closure Report Regarding Waste Removal Closure For Closed-loop Systems T | | | | |
| Instructions: Please identify the facility or facilities for where the liquids, drilling were utilized. | g fluids and drill cuttings were disposed. Use attachment if more than two facilities | | | |
| Disposal Facility Name | Disposal Facility Permit Number | | | |
| Disposal Facility Name | Disposal Facility Permit Number | | | |
| Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? | | | | |
| Yes (If yes, please demonstrate compliane to the items below) | No | | | |
| Required for impacted areas which will not be used for future service and opera Site Reclamation (Photo Documentation) | ations | | | |
| Soil Backfilling and Cover Installation | | | | |
| Re-vegetation Application Rates and Seeding Technique | | | | |
| 24 | | | | |
| | ing items must be attached to the closure report. Please indicate, by a check mark in | | | |
| the box, that the documents are attached. | | | | |
| Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) | | | | |
| Plot Plan (for on-site closures and temporary pits) | | | | |
| Confirmation Sampling Analytical Results (if applicable) | | | | |
| Waste Material Sampling Analytical Results (if applicable) | | | | |
| Disposal Facility Name and Permit Number | | | | |
| Soil Backfilling and Cover Installation | | | | |
| Re-vegetation Application Rates and Seeding Technique | | | | |
| Site Reclamation (Photo Documentation) | | | | |
| On-site Closure Location Latitude | NAD | | | |
| L | | | | |
| 25 Operator Cleans Continue | | | | |
| Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure re | eport is ture, accurate and complete to the best of my knowledge and belief 1 also certify that | | | |
| the closure complies with all applicable closure requirements and conditions speci | · · · · · · · · · · · · · · · · · · · | | | |
| Name (Print) | Title | | | |
| | | | | |
| Signature | Date | | | |
| Le-mail address: | Telephone | | | |

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.