625 N French Dr , Hobbs, NM 8

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 S St Francis Dr , Santa Fe, NM 87505		ap	propriate NMOCD District Off	nce
	Pit, Closed-Loop System	, Below-Grade	Гank, or	
Propo	sed Alternative Method I	Permit or Closur	e Plan Application	1
Type of action:	X Permit of a pit, closed-loop syst	tem, below-grade tank,	or proposed alternative n	nethod
	Closure of a pit, closed-loop sy	stem, below-grade tank	, or proposed alternative	method
	Modification to an existing per	mit		
	Closure plan only submitted for		or non-permitted pit, clos	sed-loop system,
	below-grade tank, or proposed			
Instructions: Please submit one ap	· · · · · · · · · · · · · · · · · · ·			•
environment Nor does approval relie	this request does not relieve the operator of ha	•		
1 Operator: Burlington Resources Oil	& Gas Company, LP		GRID#: 14538	·
Address: PO Box 4289, Farmington	ı, NM 87499			
Facility or well name: Allison Unit	Com 144S			
API Number:30	-045-31877	OCD Permit Number		
U/L or Qtr/Qtr:D(NW/NW) Sectio	n: 31 Township: 32N	Range: 6W	County: San Jua	n
Center of Proposed Design: Latitude:	36.9411 °N	Longitude:1	107.5054 °W N	AD: X 1927 1983
Surface Owner: Federal	State X Private T	ribal Trust or Indian A	llotment	
2				
Pit: Subsection F or G of 19 15 17	11 NMAC			RCVD MAY 17 '12
Temporary Drilling Work	over			
Permanent Emergency Ca	avitation P&A			DIST. 3
Lined Unlined Lir	ner type Thickness mil	LLDPE HD	PE PVC Other	
String-Reinforced				
Liner Seams Welded Fac	ctory Other	Volumebl	bl Dimensions L	x Wx D
3				
	on H of 19 15 17 11 NMAC			
Type of Operation X P&A	Drilling a new well Workover o notice of int		vities which require prior ap	proval of a permit or
Drying Pad X Above Groun	d Steel Tanks Haul-off Bins	Other		
Lined Unlined Liner	type Thickness mil	LLDPE HDP	E PVD Other	
Liner Seams Welded Fac	ctory Other	_ —	_ <u>_</u> .	
4				
	of 19.15 17 11 NMAC			
Volumebb	Type of fluid			
Tank Construction material	······································			•
Secondary containment with leak det	ection Visible sidewalls, line	er, 6-inch lift and automat	ic overflow shut-off	
Visible sidewalls and liner	Visible sidewalls only O	ther		
Liner Type Thickness	mil HDPE PVC	Other		
5 Alternative Method:				-
				_
Submittal of an exception request is requ	ired Exceptions must be submitted to	the Santa Fe Environment	al Bureau office for conside	ration of approval

Form C-144

Oil Conservation Division

Page 1 of 5



Fencing: Subsection D of 19.15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	ideration of ap	proval		
Siting Criteria (regarding permitting): 19.15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site	Yes Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes	□No		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	Yes NA	No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
 NM Office of the State Engineer - tWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality, Written approval obtained from the municipality 	Yes	□No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.	Yes Yes	□No		
 Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological 		No		
Society, Topographic map Within a 100-year floodplain - FEMA map	Yes	No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC				
lm i i				
12 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
String Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
X Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15 17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15 17 13 NMAC				
Proposed Cleanure, 10.15.17.12.XIMAG				
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 10.15.17.13 NIMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC Confirmation Sampling Plan (if applicable) based upon the appropriate requirements of Subsection E of 10.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S					
Instructions Please identify the facility or facilities for the disposal of liquids, drilli- facilities are required	ing fluids and drill cuttings Use	attachment if more than two			
Disposal Facility Name	_ Disposal Facility Permit #	NM-01-0011 / NM-01-00	010B		
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit # NM-01-005					
Will any of the proposed closed-loop system operations and associated active Yes (If yes, please provide the information No	ities occur on or in areas that i	vill not be used for future:	service and		
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Substitution Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriat	oriate requirements of Subsect section I of 19 15 17 13 NMA	С	.C		
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NM Instructions Leach siting criteria requires a demonstration of compliance in the closure placertain siting criteria may require administrative approval from the appropriate district of office for consideration of approval Justifications and/or demonstrations of equivalency of the constraint of the c	an Recommendations of acceptable fice or may be considered an excep	tion which must be submitted to			
Ground water is less than 50 feet below the bottom of the buried waste	1. 16 1 1		Yes No		
- NM Office of the State Engineer - 1WATERS database search, USGS Data of	obtained from nearby wells		∐N/A		
Ground water is between 50 and 100 feet below the bottom of the buried wa			Yes No		
- NM Office of the State Engineer - tWATERS database search, USGS, Data of	blained from hearby wells		∐N/A		
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data of	htomad from nearby walls		∐Yes ∐No		
	·		∐N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signi (measured from the ordinary high-water mark) - Topographic man. Visual inspection (certification) of the proposed site.	iticant watercourse or lakebed, su	nkhole, or playa lake	∐Yes ∐No		
- Topographic map, Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.			∏Yes ∏No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image		□Yes □No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in ex - NM Office of the State Engineer - iWATERS database, Visual inspection (cert	istence at the time of the initial apartication) of the proposed site	pplication			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality		YesNo			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site			Yes No		
Within the area overlying a subsurface mine			Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map		Geological Society,	YesNo		
Within a 100-year floodplain - FEMA map			Yes No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Eaby a check mark in the box, that the documents are attached.	ch of the following items mu	st bee attached to the closi	ure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropr	rate requirements of 19 15 17	10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirem	•		•		
Disposal Facility Name and Permit Number (for liquids, drilling fluid			annot be achieved)		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Sub Site Reclamation Plan - based upon the appropriate requirements of S					

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print). Dollie L. Busse Title Staff Regulatory Technician
Signature / Willia T. Susse Date 5/16/12
e-mail address dollie.l busse conocophillips com Tclephone 505-324-6104
20 OCD Approval: Permit Application (including closure plan) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 5/22/2012
Title: OMO auce Arce OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions—Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report—The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
Clause Paradia West Paradia West Paradia Clause For Cla
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude. NAD 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief—I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Title
Signature. Date
e-mail address Telephone

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.