

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

2005 FEB 28 AM 11 46

RECEIVED  
070 FARMINGTON NM

1. Type of Well  
GAS

2. Name of Operator  
**BURLINGTON**  
RESOURCES OIL & GAS COMPANY LP

3. Address & Phone No. of Operator  
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M  
1749' FSL, 1649' FWL, Sec. 13, T-31-N, R-10-W NMPM

5. Lease Number  
NMNM-01594  
6. If Indian, All. or  
Tribe Name

7. Unit Agreement Name

San Juan 32-9 Unit  
8. Well Name & Number  
San Juan 32-9 U #31  
9. API Well No.  
30-045-10717  
10. Field and Pool  
So Blanco Pict Cliffs/  
Blanco Mesaverde  
11. County and State  
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment

Type of Action

☒ Abandonment ☐ Change of Plans  
☒ Recompletion ☐ New Construction  
☐ Plugging Back ☐ Non-Routine Fracturing  
☐ Casing Repair ☐ Water Shut off  
☐ Altering Casing ☐ Conversion to Injection  
☐ Other -

13. Describe Proposed or Completed Operations

It is intended to recomplete the subject well to the Pictured Cliffs formation according to the procedure below and the attached wellbore diagrams. The well will produce as a Pictured Cliffs/Mesaverde commingle. A down hole commingle application will be submitted for approval.

Move in, rig up. Trip out of hole with tubing. Set retrievable bridge plug at 3500'. Test casing to 2500 psi for 15 minutes. Perforate and fracture stimulate Pictured Cliffs formation. Retrieve bridge plug. Clean up well to plug back total depth or as deep as possible in the open hole section. Land tubing. Rig down, move out. Put well to production.

CONDITIONS OF APPROVAL

Adhere to previously issued stipulations.

14. I hereby certify that the foregoing is true and correct.

Signed Nancy Olthmann Title Senior Staff Specialist Date 2/24/05

(This space for Federal or State Office use)

APPROVED BY Jim Lovato Title Petr. Eng Date 3/9/05  
CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

**District I**

1625 N. French Dr., Hobbs, NM 88240

**District II**

1301 W. Grand Ave., Artesia, NM 88210

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410

**District IV**1220 S. St Francis Dr., Santa Fe, NM  
87505

**State of New Mexico**  
**Energy, Minerals and Natural Resources**


**Oil Conservation Division**

1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102


Permit 7311

**WELL LOCATION AND ACREAGE DEDICATION PLAT**

API Number 30-045-10717	Pool Name BLANCO P. C. SOUTH (PRORATED GAS)	Pool Code 72439
Property Code 7473	Property Name SAN JUAN 32 9 UNIT	Well No. 031
OGRID No. 14538	Operator Name BURLINGTON RESOURCES OIL & GAS CO	Elevation 6541

**Surface And Bottom Hole Location**

UL or Lot K	Section 13	Township 31N	Range 10W	Lot Idn	Feet From 1749	N/S Line S	Feet From 1649	E/W Line W	County San Juan
Dedicated Acres 138.62		Joint or Infill		Consolidation Code		Order No.			

**OPERATOR CERTIFICATION**

*I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.*

Electronically Signed By: *Nancy Oltmann*

Title: Senior Staff Regulatory Specialist

Date: 2/24/05

**SURVEYOR CERTIFICATION**

*I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.*

Surveyed By: C.O. Walker

Date of Survey: 01/18/1955

Certificate Number:

# San Juan 32-9 #31

1749' S, 1649' W

K-13-31N-10W

San Juan County, NM

LAT: 36 deg 53.74'

LONG: 107 deg 50.20'

GL = 6,541'

KB= 6,551'

## Current Wellbore

### Surface Casing:

9-5/8" 25.4#

Cement: 125

Set @ 165'

SW

TOC @ Circ to surf

165'

### Intermediate Casing:

7" 23/20#

Cement: 250 sx

Set @ 5,050'

J-55

TOC @ 3210' TS

5050'

### Current Tubing:

2 3/8" 4.7#

J-55

Set @

5492

Seat Nipple@ 0

### Production Liner:

Open Hole

Ojo Alamo 2,560'  
Kirtland 2,680'  
Fruitland Coal 2,900'  
Pictured Cliffs 3,345'  
Lewis 3,435'  
Huer Bent  
Navajo City  
Chacra  
Cliff House 5,165'  
Menefee 5,243'  
Point Lookout 5,607'

### CH

5050' - 5239'

Frac'd w/10,700 gal oil and 10,500# sd

### PLO

5540' - 5797'

Frac'd w/15,600 gal oil and 13,000# sd

PBTD= 5527' fill/tight spot

TD= 5,797'

ARI

01/31/05

# San Juan 32-9 #31

1749' S, 1649' W

K-13-31N-10W

San Juan County, NM

LAT: 36 deg 53.74'

LONG: 107 deg 50.20'

GL = 6,541'

KB= 6,551'

## Proposed Wellbore

### Surface Casing:

9-5/8" 25.4#

SW

Cement: 125

TOC @ Circ to surf

Set @ 165'

165'

### Intermediate Casing:

7" 23/20#

J-55

Cement: 250 sx

TOC @ 3210' TS

Set @ 5,050'

5050'

### Current Tubing:

2 3/8" 4.7#

J-55

Set @ 5492

Seat Nipple @ 0

### Production Liner:

Open Hole

Ojo Alamo	2,560'
Kirtland	2,680'
Fruitland Coal	2,900'
Pictured Cliffs	3,345'
Lewis	3,435'
Huer Bent	
Navajo City	
Chacra	
Cliff House	5,165'
Menefee	5,243'
Point Lookout	5,607'

### PROPOSED PC:

+/-3345' - +/-3400'

100,000 lbs 70 Q 20# LG foam

### CH

5050' - 5239'

Frac'd w/10,700 gal oil and 10,500# sd

### PLO

5540' - 5797'

Frac'd w/15,600 gal oil and 13,000# sd

PBTD= 5527' fill/tight spot

TD= 5,797'

ARI

02/24/05