District ! 1625 N French Dr , Hobbs NM 88240 State of New Mexico
Energy Minerals and Natural Resources

Form C-144 July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd Aztec, NM 87410

District IV 1220 S St Francis Dr., Santa Fe NM 87505 Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

Type of action

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method

X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Modification to an existing permit

Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

Operator Burlington Resources Oil & Gas Company, LP OGRID#. 14538
Address P.O. Box 4289, Farmington, NM 87499
Facility or well name. NEWCO 1B
API NumberOCD Permit Number
U/L or Qtr/Qtr. K(NE/SW) Section. 20 Township. 32N Range 9W County. SAN JAUN
Center of Proposed Design Latitude: 36.966596 °N Longitude: 107.806027 °W NAD 1927 X 1983
Surface Owner. X Federal State Private Tribal Trust or Indian Allotment
2
Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation
Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	teration of app	roval		
Siting Criteria (regarding permitting) 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes	□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	Yes NA	No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No		
- NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	□No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19 15 17 9 NMAC			
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17 9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
Closed-loop Systems Permit Application Attachment Checklist:Subsection B of 19 15 17 9 NMAC			
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9			
NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC			
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19 15 17 13 NMAC			
Proposed Closure: 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative Proposed Closure Method Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Str	eel Tanks or Haul-off Bins Only (19 15 17 13 D NMAC)			
Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required	g fluids and drill cuttings. Use attachment if more than two			
	Disposal Facility Permit #			
	Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activ Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the approp Re-vegetation Plan - based upon the appropriate requirements of Subse Site Reclamation Plan - based upon the appropriate requirements of Su	oriate requirements of Subsection H of 19 15 17 13 N ction I of 19 15 17 13 NMAC	MAC		
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMA Instructions Each string criteria requires a demonstration of compliance in the closure plan Received string criteria may require administrative approval from the appropriate district office or office for consideration of approval. Justifications and/or demonstrations of equivalency are received.	ecommendations of acceptable source material are provided below r may be considered an exception which must be submitted to the Sc			
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data ob	tained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried wa	ste .	☐Yes ☐No		
- NM Office of the State Engineer - IWATERS database search, USGS Data obt		□N/A		
Ground water is more than 100 feet below the bottom of the buried waste		☐Yes ☐No		
- NM Office of the State Engineer - tWATERS database search, USGS, Data obt	ained from nearby wells	N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signif (measured from the ordinary high-water mark)	ficant watercourse or lakebed, sınkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site. Aerial photo, satellite image		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist – NM Office of the State Engineer - tWATERS database. Visual inspection (certif	stence at the time of the initial application	YesNo		
Within incorporated municipal boundaries or within a defined municipal fresh water with pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality. Written approval ob	·	☐Yes ☐No		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual ins		Yes No		
Within the area overlying a subsurface mine		Yes No		
- Written confiramtion or verification or map from the NM EMNRD-Mining and	Mineral Division			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & N Topographic map	Anneral Resources, USGS, NM Geological Society,	YesNo		
Within a 100-year floodplain - FEMA map		Yes No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	h of the following items must bee attached to the clo	sure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropri	ate requirements of 19 15 17 10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropr	nate requirements of Subsection F of 19 15 17 13 NM	AC		
Waste Material Sampling Plan - based upon the appropriate requirem				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address _ Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 6/04/2012 Title: 6/04/2012
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: August 25, 2011
Closure Method: Waste Excavation and Removal Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Disposal Facility Pennit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Region ed for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
X Proof of Closure Notice (surface owner and division)
X Proof of Deed Notice (required for on-site closure)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location Latitude 36.966716 °N Longitude 107.805769 °W NAD 1927 X 1983
25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is time, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Janue Goodwin Title Regulatory Tech
Signature Date 5/35/2
e-mail address / jamie goodwin@conocophilips com Telephone 505-326-9784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: NEWCO **1 6** API No.: 30-045-35130

In accordance with Rule 19 15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4 Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

The closure plan requirements were met due to rig move off date as noted on C-105.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following
 - i. Operator's name
 - II. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0 2	4.1 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	57.4 ug/kG
TPH	EPA SW-846 418.1	2500	109mg/kg
GRO/DRO	EPA SW-846 8015M	500	15.0 mg/Kg
Chlorides	EPA 300.1	1000/500	20 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following. Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, NEWCO 1B, UL-K, Sec. 20, T 32N, R 7W, API # 30-045-35130

Jaramillo, Marie E

From:

Jaramillo, Marie E

Sent:

To:

Subject:

Wednesday, March 24, 2010 11:14 AM 'mark_kelly@nm.blm gov'
SURFACE OWNER NOTIFICATION 03/24/10

Importance:

High

The subject well will have a temporary pit that will be closed on site. Please let me know if you have any questions. Thanks

NEWCO 1B

Marie Jaramillo Staff Regulatory Tech. ConocoPhillips Office # (505) 326-9865 Fax # (505) 599-4062 mailto.marie e.jaramillo@conocophillips com District I

 $1625\ N$ French Dr , Hobbs, NM 88240

District II

1301 W Grand Avenue, Artesia, NM 88210

District III

 $1000\ Rio\ Brazos\ Rd$, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St Francis Dr. Santa Fe, NM 87505

Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 7 Copies Fee Lease - 3 Copies


☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

٦,	API Number		² Pool Code			³ Pool Name BASIN DAKOTA / BLANCO MESAVERDE			ERDE
⁴ Property Co	de					5 Property Name NEWCO			⁶ Well Number 1B
⁷ OGRID N	lo					Operator Name ESOURCES OIL & GAS COMPANY LP			⁹ Elevation 6768
					¹⁰ SURFACE	LOCATION			
UL or lot no K	Section 20	Fownship 32-N	Range 9-W	Lot Idn	Feet from the 1334	North/South linc SOUTH	Feet from the 1684	East/West line WEST	County SAN JUAN
			11 E	ottom H	ole Location	If Different Fro	m Surface		
JL or lot no	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
М	20	32-N	9-W		1110	SOUTH	710	WEST	SAN JUAN
Dedicated Acre 317.89	s Joint	or Infill	Consolidation	Code 15	Ordei No	•			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	LOT 4	LOT 3	LOT 2	LOT 1	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this or ganization either owns a working interest or interest of mileaved mineral interest in the land inclinding the proposed battom hole location or has a right to drill this well at this location prinsiant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore cutered by the division
	W/2 DEDICATED ACREAGE USA NM-58887 SECTION 20, T-32-N, R-9-W LOT 5 BLM 1966	ĻOT 6	LOT 7 WELL FLAG NAD 83 LAT: 36.966596° N	LOT 8	Signature Printed Name Title and E-mail Address Date 18 SURVEYOR CERTIFICATION
9	(N) LOT 12 2.2.5.5 S 77.06.15. W 1000.1' W	LOT 11	LONG: 107.806027° V NAD 27 LAT: 36°57.995621' N LONG: 107°48.32453 LOT 10 BOTTOM HOLE NAD 83 LAT: 36.965983° N LONG: 107.809365°	I 1'W LOT 9	I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under ms supervision, and that the same is true and correct to the best of my belief Date of Survey: 6/23/09 Signature and Seal of Professional Surveyor:
	DLM N 89'56' W N 89'55'50"	W 2624.2' (R) 2620.5' (M)	NAD 27 LAT: 36°57.958879' N LONG: 107°48.52475 LOT 15 BLM 1966		Certificate Number: NM 11393



NOTES:

- 1. RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW-3' WIDE AND 1' ABOVE SHALLOW SIDE).
- 2. C.C.I. SURVEYS IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. CONTRACTOR SHOULD CALL ONE—CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips (hBr)	Project #:	92115-1271
Sample ID:	Background	Date Reported:	08-05-11
Laboratory Number.	59178	Date Sampled:	08-04-11
Chain of Custody No:	12201	Date Received:	08-04-11
Sample Matrix:	Soil	Date Extracted:	08-05-11
Preservative:	Cool	Date Analyzed:	08-05-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

Newco #1B

/

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips (hBr)	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	08-05-11
Laboratory Number:	59179	Date Sampled:	08-04-11
Chain of Custody No:	12201	Date Received:	08-04-11
Sample Matrix:	Soil	Date Extracted:	08-05-11
Preservative:	Cool	Date Analyzed:	08-05-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	2.7	0.2
Diesel Range (C10 - C28)	12.3	0.1
Total Petroleum Hydrocarbons	15.0	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

Newco #1B

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC		Project #:		N/A	
Sample ID:	08-05-11	QA/QC	Date Reported:		08-05-11	
Laboratory Number:	59172		Date Sampled:		N/A	
Sample Matrix:	Methylene (Chloride	Date Received:		N/A	
Preservative:	N/A		Date Analyzed:		08-05-11	
Condition:	N/A		Analysis Request	ed:	TPH	
	I-Cal Date	I-Cài RF:	C-Cal RF:	% Difference	Accept. Range	
Gasoline Range C5 - C10	08/05/11	9.996E+02	1.000E+03	0.04%	0 - 15%	
Diesel Range C10 - C28	08/05/11	9.996E+02	2 1.000E+03	0.04%	0 - 15%	
Blank Conc. (mg/L - mg/K	g)	Concentration	se marks that makes about some is substituted by	Detection Limit	X	
Gasoline Range C5 - C10		3.5		0.2	•	
Diesel Range C10 - C28		5.5		0.1		
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Range	:	
Gasoline Range C5 - C10	2.9	2.7	8.8%	0 - 30%		
Diesel Range C10 - C28	2.5	3.3	27.8%	0 - 30%		
Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range	
tan tan tanan and a same tan		a salar base and a summan a				

250

250

ND - Parameter not detected at the stated detection limit.

References:

Gasoline Range C5 - C10

Diesel Range C10 - C28

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

254

230

100%

91.1%

75 - 125%

Waste,

SW-846, USEPA, December 1996.

2.93

2.54

Comments:

QA/QC for Samples 59172-59176, 59178-59179

nalyst //



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

	- 100 A 100	Dilution:	10
Condition:	Intact	Analysis Requested:	BTEX
Preservative:	Cool	Date Extracted:	08-05-11
Sample Matrix:	Soil	Date Analyzed:	08-05-11
Chain of Custody:	12201	Date Received:	08-04-11
Laboratory Number:	59178	Date Sampled:	08-04-11
Sample ID:	Background	Date Reported:	08-05-11
Client:	ConocoPhillips (hBr)	Project #:	92115-1271

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	2.4	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	1.2	1.2	
o-Xylene	1.5	0.9	
Total BTEX	4.1		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	86.4 %
	1,4-difluorobenzene	107 %
	Bromochlorobenzene	89.8 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Newco #1B

Analysi



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Parameter		(ug/Kg)	(u	g/Kg)
		Concentration	-	Det. Limit
		Dilutio	on:	10
Condition:	Intact	Analy	sis Requested:	BTEX
Preservative:	Cool	Date	Extracted:	08-05-11
Sample Matrix:	Soil	Date	Analyzed:	08-05-11
Chain of Custody:	12201	Date	Received:	08-04-11
Laboratory Number:	59179	Date:	Sampled:	08-04-11
Sample ID [.]	Reserve Pit	Date 1	Reported:	08-05-11
Client:	ConocoPhillips (hBr)	Proje	ct #:	92115-1271

Benzene	4.1	0.9
Toluene	21.9	1.0
Ethylbenzene	3.2	1.0
p,m-Xylene	21.4	1.2
o-Xylene	6.8	0.9
Total BTEX	57.4	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	86.3 %
	1,4-difluorobenzene	109 %
	Bromochlorobenzene	89.3 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Newco #1B



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A		Project #:		N/A
Sample ID:	0805BBLK QA/QC		Date Reported:		08-05-11
Laboratory Number:	59172		Date Sampled:		N/A
Sample Matrix:	Soil		Date Received:		N/A
Preservative:	N/A		Date Analyzed:		08-05-11
Condition:	N/A		Analysis:		BTEX
			Dilution:		10
Calibration and	I-Cal RF:	C-Cal RF:	%Diff.	Blank.	Detect.
Detection Limits (ug/L)	ت ما در بندن د ۱ مصدر باشد ده ماها موسد پوداهم ده	Accept. Ra	nge 0 - 15%	Conc	Limit
Benzene	3.4975E+006	3.5045E+006	0.2%	ND	0.1
Toluene	3.6991E+006	3.7085E+008	0.2%	ND	0.1
Ethylbenzene	3.2907E+006	3.2973E+006	0.2%	ND	0.1
p,m-Xylene	9.0689E+006	9.0871E+006	0.2%	ND	0.1
o-Xylene	3.1173E+006	3.1236E+006	0.2%	ND	0.1

Dúplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	1.6	1.6	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	1.8	2.0	11.1%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amor	unt Spiked Spik	ed Sample %	Recovery	Accept Range
Benzene	ND	500	467	93.4%	39 - 150
Toluene	1.6	500	469	93.5%	46 - 148
Ethylbenzene	ND	500	468	93.6%	32 - 160
p,m-Xylene	1.8	1000	932	93.0%	46 - 148
o-Xylene	ND	500	461	92.3%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-848, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 59172-59176, 59178-59179



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: ConocoPhillips (hBr) Project #: 92115-1271 Sample ID: Background Date Reported: 08/05/11 Laboratory Number: 59178 Date Sampled: 08/04/11 12201 Chain of Custody No: Date Received: 08/04/11 Sample Matrix: Soil Date Extracted: 08/05/11 Preservative: Cool Date Analyzed: 08/05/11 Condition: Intact Analysis Needed: TPH-418.1

\		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

27.5

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Newco #1B

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Pt (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: ConocoPhillips (hBr) Project #: 92115-1271 Sample ID: Reserve Pit Date Reported: 08/05/11 Laboratory Number: 59179 Date Sampled: 08/04/11 Chain of Custody No: 12201 Date Received: 08/04/11 Sample Matrix: Soil Date Extracted: 08/05/11 Preservative: Cool Date Analyzed: 08/05/11 Condition: Intact Analysis Needed: TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

109

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418,1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Newco #1B

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc com

5796 US Highway 64, Farmington, NM 87401



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS QUALITY ASSURANCE REPORT

Client:		QA/QC		Project #:	1	N/A
Sample ID:		QA/QC		Date Reported	i: C	8/05/11
Laboratory Number	r:	08-05-TPH.QA	/QC 59172	Date Sampled	i: N	N/A
Sample Matrix:		Freon-113		Date Analyzed	d: C	08/05/11
Preservative:		N/A		Date Extracte	d: (08/05/11
Condition:		N/A		Analysis Need	ded:	ГРН
Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
- 4 4 Winds	07/25/11	08/05/11	1,810			+/- 10%
Blank Conc. (n	ng/Kg)	- **	Concentration		Detection Lim	
TPH			20.3		5.0	
والمنافض فالمرازع والمرازع		u , 1v .		na manana panana ki kamana ki ka	. Fr on way a many way was a	
Duplicate Con	c. (mg/Kg)		Sample	Duplicate	% Difference	Accept. Range
TPH			30.4	29.0	4.6%	+/- 30%
Chika Cana /			<u> </u>			
Spike Conc. (r	iiā\k'ā)	Sample	Spike Added			Accept Range
TPH		30.4	2,000	1,880	92.6%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 59172-59173, 59176, 59178-59179.



Chloride

Client: Sample ID: ConocoPhillips (hBr)

Project #:

92115-1271

Lab ID#:

Background

Date Reported:

08/05/11

Sample Matrix:

59178

Date Sampled: Date Received: 08/04/11 08/04/11

Preservative:

Soil Cool

Date Analyzed:

08/05/11

Condition:

Intact

Chain of Custody:

12201

Parameter

Concentration (mg/Kg)

Total Chloride

ND

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992

Comments:

Newco #1B

5796 US Highway 64, Farmington, NM 87401

Review

- ----

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



Chloride

Client: ConocoPhillips (hBr) Project #: 92115-1271 Sample ID: Reserve Pit Date Reported: 08/05/11 Lab ID#: 59179 Date Sampled: 08/04/11 Sample Matrix: Soil Date Received: 08/04/11 Preservative: Cool Date Analyzed: 08/05/11 Condition: Intact Chain of Custody: 12201

Parameter Concentration (mg/Kg)

Total Chloride

20

Reference:

 $\hbox{ U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.}\\$

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Newco #1B

5796 US Highway 64, Farmington, NM 87401 Ph

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

Submit To Appropriate District Office Two Copies District I			Eı	State of New Mexico Energy, Minerals and Natural Resources						Form C-105 July 17, 2008					
District II										1. WELL API NO.					
1301 W Grand Av District III		Oil Conservation Division						30-045-35130 2 Type of Lease							
1000 Rio Brazos R District IV		1220 South St. Francis Dr.						STATE FEE FED/INDIAN 3 State Oil & Gas Lease No							
1220 S St Francis	Dr , Santa Fe	e, NM 87505		Santa Fe, NM 87505						3 State Oil & Gas Lease No NM-58887					
		ETION C	R REC	OMPL	ETION RE	POR	T ANI	LOG		1 1 1 10 1000 1.7 7-00	2	THE PARTY OF THE PARTY.	200-20 1-2000 201-003 IND	40 C 40	
4 Reason for fil	ıng									5 Lease Name or Unit Agreement Name NEWCO					
☐ COMPLET	ION REPO	ORT (Fill in b	oxes #1 thro	ough #31	for State and Fe	e wells	only)			6 Well Number					
C-144 CLOS #33, attach this a	SURE ATT	ACHMENT	(Fill in bo	xes #1 th	rough #9, #15 Da	ate Rig I	Released	and #32 and	/or	1B					
7 Type of Comp	oletion									`					
8 Name of Opera		WORKOVE	R ∐ DEE	PENING	□PLUGBAC	K ∐ D	IFFERE	NT RESERV	OIF	OTHER 9 OGRID					
Burlington R	Resources	Oil Gas	Company	, LP						14538					
10 Address of O PO Box 4298, Fa		NM 87499								11 Pool nam	e or W	ıldcat			
12.Location	Unit Ltr	Section	Town	nship	Range	Lot		Feet from t	he	N/S _{Line}	Feet	from the	E/W L	_ine	County
Surface:											ļ				
BH: 13 Date Spudded	d I 14 Det	e T D Reach		Data Pu	g Released	1	116	Data Compl	latar	l (Ready to Pro	duca)	- 11	7 Elevet	ione (DE	and RKB,
18 Total Measur			7/2	9/11	ck Measured De	nth				al Survey Made		F	RT, GR, e	etc)	her Logs Run
16 Total Measur	ed Deptil o	i wen	19	riug Da	ck wicasured De	pui	20	was Direct	10116	ii Survey iviauc	, '	21 19	pe Electi.	ic and Oi	ner Logs Run
22 Producing In	terval(s), of	this completi	on - Top, B	ottom, N	ame										
23				CAS	SING REC	ORD			rin						
CASING SI	ZE	WEIGHT	LB /FT	 	DEPTH SET		HO	OLE SIZE		CEMENTI	NG RE	CORD	AN	MOUNT	PULLED
					., .,, =				_						
				-											
24				LINER RECORD			25					NG REC		T = . =	=======================================
SIZE	TOP		BOTTOM	SACKS CEMENT		SCREEN SI		ZE DEPTH SE		ET PACKER SET					
26 Perforation	record (int	erval, size, an	d number)	number)			27 ACID, SHOT, FR DEPTH INTERVAL			RACTURE, CEMENT, SQUEEZE, ETC AMOUNT AND KIND MATERIAL USED					
							DEI III								
28				······		PRO	DIIC	TION							
Date First Produ	ction	Pr	oduction M	ethod (Fi	lowing, gas lift, p)	Well Statu	is (Pro	d or Shu	t-ın)		
Date of Test	Hours '	Tested	Choke Siz	ze	Prod'n For Test Period		Oıl - Bb	ol [Ga	s - MCF	w	ater - Bb	1	Gas - C	Oil Ratio
Flow Tubing Press	Casing	Pressure	1	Calculated 24- Oil - Bbl Hour Rate			Gas	Gas - MCF		Water - Bbl		Oil Gravity - API - (Corr)		r)	
29 Disposition o	of Gas (Sola	l, used for fue	l, vented et	c)			!				30	rest Witi	essed By	,	
31 List Attachm															
32 If a temporar			_					•							
33 If an on-site	burial was u							——————————————————————————————————————	002						
I hereby certi	fy that th	<u>Latitude</u>	36.966716° on shows	on boi	ongitude 107.80 Th sides of this	5/69°W s form	is true	$and\ comp$	983 lete	to the best	of my	knowle	edge an	d belie,	f
Signature	$\mathfrak{I}_{\mathcal{M}}$	مر کار	odu	`\ `Pri	inted me Jamie G							e: 5/25/			
E-mail Addre	ess jamie	L goodwin	@conocc	nhillin	s com										

ConocoPhillips

		* Pitclos	e Only ?	X
Pit Closure	Form:	7	<u> </u>	
Date: <u>8/25</u>	[11	·		
Well Name:	NEWS	0 1B		
Footages:	1334 FS	L, 1684 F	WL	Unit Letter:
Section: 20	, T	N, R- <u>-</u> 9W,	County: 54.	ุ่ง JuavState: NM
Contractor C	losing Pit:	AZTEC E.	XCAVATIO	<i>√</i>
				,
Construction I	nspector:	JARED CH	AVEZ	Date: <u>8/25///</u>
nspector Sign			and and	
Revised 11/4/10				

Goodwin, Jamie L

From: Payne, Wendy F

Sent: Thursday, August 18, 2011 9 21 AM

To: (Brandon Powell@state nm us), GRP SJBU Regulatory, Eli (Cimarron)

(eliv@qwestoffice net), James (Cimarron) (jwood@cimarronsvc com), Mark Kelly, Randy

McKee, Robert Switzer, Sherrie Landon, Bassing, Kendal R, Berenz

(mxberenz@yahoo com), Chavez Darrell (dchavez0330@yahoo com), Crawford, Lea A, Elmer Perry, Faver Norman, Fred Martinez, Jared Chavez; Lowe, Terry, McDonald Johnny (jr_mcdonald@msn com), Payne, Wendy F, Smith, Mike W, Spearman, Bobby E, Steve McGlasson, Tally, Ethel, Becker, Joey W, Bowker, Terry D, Frost, Ryan M, Goosey, Paul P, Gordon Chenault, Green, Cary J, GRP SJBU Production Leads, Hockett, Christy R, Johnson, Kirk L, Bassing, Kendal R, Kennedy, Jim R, Lopez, Richard A, Nelson, Garry D, O'Nan, Mike J, Peace, James T, Pierce, Richard M, Poulson, Mark E, Schaaphok, Bill, Smith, Randall O, Souther, Tappan G, Spearman, Bobby E, Stamets, Steve A, Thacker, LARRY, Thibodeaux,

Gordon A, Work, Jim A, Corey Alfandre, 'isaiah@crossfire-llc com', Jerid Cabot

(jerid@crossfire-llc com), Blair, Maxwell O, Blakley, Mac, Farrell, Juanita R, Gillette, Steven L (PAC), Hines, Derek J, Maxwell, Mary Alice, McWilliams, Peggy L, Saiz, Kooper (Finney Land

Co), Seabolt, Elmo F, Thayer, Ashley A, Thompson, Trey E (Finney Land Co)

Cc: 'Aztec Excavation'

Subject: Pit Closure Notice Newco 1B (Area 4 * Run 402)

Importance: High

Attachments: Newco 1B pdf

Aztec Excavation will move a tractor to the **Newco 1B** to close the pit on Tuesday, August 23, 2011 Please contact Jared Chavez (793-7912) if you have questions or need further assistance



Newco 1B.pdf (225 KB)

Burlington Resource Well - Network # 10302856 - Activity code D260 - PO Kaitlw San Juan County, NM

Newco 1B - BLM surface/BLM minerals


Onsite Roger Herrera 8-7-09
Twin Newco 1 (existing)
1334' FSL, 1684' FWL
Sec 20,T32N,R9W
Unit Letter " K "
Lease # NM-58887
BH SWSW,Sec 20,T32N,R9W
Latitude 36° 57' 60" N (NAD 83)
Longitude 107° 48' 22" W (NAD 83)
Elevation 6768'
Total Acres Disturbed: 3 03 acres
Access Road. n/a
API # 30-045-35130
Within City Limits No
Pit Lined YES

NOTE: Arch Monitoring is NOT required for this location.

Wendy Payne ConocoPhillips-SJBU 505-326-9533 Wendy.F.Payne@conocophillips.com


ConocoPhillips

Reclamation Form:
Date: 5/16/12
Well Name: Name: 13
Footages: 1334 FSL, 1684 FWL Unit Letter: K
Section: <u>26</u> , T- <u>32</u> -N, R-1 -W, County: <u>SS</u> State: <u>NNI</u>
Reclamation Contractor: Ritter
Reclamation Date: 5/3/12
Road Completion Date: 5/11/12
Seeding Date: 5/11/12
**PIT MARKER STATUS (When Required): Picture of Marker set needed MARKER PLACED: 5/15/12 (DATE) LATATUDE: 36° 57.991 LONGITUDE: 107° 48.352
MARKER PLACED: <u>5/15/12</u> (DATE) LATATUDE: <u>36° 5</u> 7.994
MARKER PLACED: 5/15/12 (DATE) LATATUDE: 36° 57.99" LONGITUDE: 107° 48.352 Pit Manifold removed 1501 2012 (DATE) Construction Inspector: 105 man Faver Date: 5/16/12
MARKER PLACED: 5/15/12 (DATE) LATATUDE: 36° 57.99' LONGITUDE: 107° 48,352 Pit Manifold removed 1541 2012 (DATE)









	WELL NAME:	OPEN P	IT INSPE	CTION I	FORM		ConocoPhillips					
	Newco 1B								Fred Mtz Fred Mtz 07/07/11 07/22/11 Week 7 Week 8 □ Drilled □ Drilled □ Completed □ Clean-Up ☑ Clean-Up ☑ Clean-Up ☑ Yes □ No □ Yes □ No ☑ Yes □ No □ Yes □ No			
<u> </u>	INSPECTOR		Fred Mtz	Fred Mtz	Fred Mtz	Fred Miz	F.MTZ			F.MTZ		
-	*Please request for pit extention after 26 weeks	05/20/11 Week 1	05/27/11 Week 2	06/03/11 Week 3	06/10/11 Week 4	06/17/11 Week 5	06/24/11 Week 6			07/28/11 Week 9		
	PIT STATUS	Drilled Completed Clean-Up	Drilled Completed Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed	☐ Drilled☐ Completed	☐ Drilled ☐ Completed ☐ Clean-Up		
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	Yes No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No		
700T	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	Yes No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No		
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No		
ENVIRONMENTAL COMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		
	ls the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		
	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No		
IRON/	Is there any standing water on the blow pit?	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No	Yes No	Yes No		
ENV	Are the pits free of trash and oil?	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No		
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No		
	Is there a Manifold on location?	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No		
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No		
၁၀	Was the OCD contacted?	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	Yes ✓ No	Yes 🗹 No	Yes 🗸 No	Yes No	☐ Yes ☑ No		
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No		
	COMMENTS	Muddy no diversion ditches	no repairs, no ditches	No repairs, no diversion ditches	Surface casing	Has Surface Casing	no diversion ditches	No repairs no ditches	Rig on location aztec 736	RIG MOVEN OFF		

	WELL NAME:			ے میں سا		*			₹	
	Newco 1B								•	
	INSPECTOR		F,MTZ		Į					
<u> </u>	*Please request for plt extention after 26 weeks	08/02/11 Week 10	08/10/11 Week 11	Week 12	Week 13	Week 14	Week 15	Week 16	Week 17	Week 18
	PIT STATUS	✓ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up						
ATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes 🗌 No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
10CA	Is the temporary well sign on location and visible from access road?	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	☑ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
	Is the top of the location bladed and in good operating condition?	✓ Yes □ No	☑ Yes ☐ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☑ No	☑ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
OMPLIAN	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☐ Yes ☑ No	☑ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
AL CO	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	✓ Yes □ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
MENT	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	✓ Yes ☐ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
ENVIRONMENT	Is there any standing water on the blow pit?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
EN EN	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is there a Manifold on location?	✓ Yes □ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes 🗌 No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
ې د	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
	COMMENTS	HOLE IN LINER ABOVE WATER LEVAL TIGHTEN UP FENCE CONTACT FLINT	NO REPAIRS							