

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

**Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application**

- Type of action: ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
☒ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Modification to an existing permit
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1. Operator XTO Energy, Inc OGRID # 5380
Address #382 County Road 3100, Aztec, NM 87410
Facility or well name: Breech E #89F
API Number 30-039-31002 OCD Permit Number _____
U/L or Qtr/Qtr D Section 3 Township 26N Range 6W County Rio Arriba
Center of Proposed Design Latitude 36 52156 Longitude 107 45990 NAD ☐ 1927 ☒ 1983
Surface Owner: ☒ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment

2. ☒ **Pit:** Subsection F or G of 19 15 17 11 NMAC
Temporary ☒ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A
☒ Lined ☐ Unlined Liner type: Thickness 20 mil ☒ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
☒ String-Reinforced
Liner Seams ☒ Welded ☒ Factory ☐ Other _____ Volume _____ bbl Dimensions L 200 x W 80 x D 8-12

3. ☒ **Closed-loop System:** Subsection H of 19.15.17 11 NMAC
Type of Operation ☐ P&A ☒ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) **To be used during completion operations**
☐ Drying Pad ☒ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other _____
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
Liner Seams ☐ Welded ☐ Factory ☐ Other _____

4. ☐ **Below-grade tank:** Subsection I of 19 15 17 11 NMAC
Volume: _____ bbl Type of fluid _____
Tank Construction material _____
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other _____
Liner type: Thickness _____ mil ☐ HDPE ☐ PVC ☐ Other _____

5. ☐ **Alternative Method:**
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6
Fencing: Subsection D of 19 15 17 11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)
☐ Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
☒ Four foot height, four strands of barbed wire evenly spaced between one and four feet
☐ Alternate Please specify _____

7
Netting: Subsection E of 19 15.17 11 NMAC (*Applies to permanent pits and permanent open top tanks*)
☐ Screen ☐ Netting ☐ Other _____
☐ Monthly inspections (If netting or screening is not physically feasible)

8
Signs: Subsection C of 19 15 17 11 NMAC
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
☒ Signed in compliance with 19 15 3 103 NMAC

9.
Administrative Approvals and Exceptions:
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance
Please check a box if one or more of the following is requested, if not leave blank:
☒ Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval Fencing- Hogwire
☐ Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

10
Siting Criteria (regarding permitting): 19 15 17 10 NMAC
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (<i>Applies to temporary, emergency, or cavitation pits and below-grade tanks</i>) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (<i>Applies to permanent pits</i>) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

11
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

☒ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
☒ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC
☒ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
☒ Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC
☒ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
☒ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19 15 17 13 NMAC

☐ Previously Approved Design (attach copy of design) API Number _____ or Permit Number _____

12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC
☒ Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC
☒ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
☒ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19 15 17 13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____

☐ Previously Approved Operating and Maintenance Plan API Number _____ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC
☐ Climatological Factors Assessment
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17 11 NMAC
☐ Leak Detection Design - based upon the appropriate requirements of 19.15 17 11 NMAC
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17 11 NMAC
☐ Quality Control/Quality Assurance Construction and Installation Plan
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17 11 NMAC
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan
☐ Emergency Response Plan
☐ Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan
☐ Erosion Control Plan
☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19 15 17 13 NMAC

14
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

Type ☒ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☒ Closed-loop System
☐ Alternative

Proposed Closure Method ☐ Waste Excavation and Removal
☒ Waste Removal (Closed-loop systems only)
☒ On-site Closure Method (Only for temporary pits and closed-loop systems)
☒ In-place Burial ☐ On-site Trench Burial
☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15.
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

☐ Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

16
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name	Envirotech	Disposal Facility Permit Number	NM01-0011
Disposal Facility Name	IEI	Disposal Facility Permit Number	NM01-0010B

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?
☐ Yes (If yes, please provide the information below) ☒ No

Required for impacted areas which will not be used for future service and operations

☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

17
Siting Criteria (regarding on-site closure methods only): 19 15 17 10 NMAC
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain - FEMA map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

18
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

☒ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC
☒ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC
☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC
☒ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC
☒ Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
☒ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC
☒ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
☒ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
☒ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
☒ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC
☒ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief

Name (Print) Malia Villers Title Permitting Tech

Signature Malia Villers Date 1/12/2011

e-mail address malia_villers@xtoenergy.com Telephone (505) 333-3100

20
OCD Approval: ☒ Permit Application (including closure plan) ☒ Closure Plan (only) ☐ OCD Conditions (see attachment)

OCD Representative Signature: [Signature] Approval Date: 1/26/11

Title: Compliance Officer OCD Permit Number: _____

21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☒ Closure Completion Date: 4/17/12

22
Closure Method:
☐ Waste Excavation and Removal ☒ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
☐ If different from approved plan, please explain _____

23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name _____ Disposal Facility Permit Number _____

Disposal Facility Name _____ Disposal Facility Permit Number _____

Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?
☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations
☐ Site Reclamation (Photo Documentation)
☐ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique

24
Closure Report Attachment Checklist: *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

☒ Proof of Closure Notice (surface owner and division)
☐ Proof of Deed Notice (required for on-site closure)
☒ Plot Plan (for on-site closures and temporary pits)
☐ Confirmation Sampling Analytical Results (if applicable)
☒ Waste Material Sampling Analytical Results (required for on-site closure)
☒ Disposal Facility Name and Permit Number
☒ Soil Backfilling and Cover Installation
☒ Re-vegetation Application Rates and Seeding Technique
☒ Site Reclamation (Photo Documentation)

On-site Closure Location Latitude 36.51864 Longitude -107.45700 NAD ☐ 1927 ☒ 1983

25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan

Name (Print) Logan Hixon Title EHS Technician

Signature Logan Hixon Date 6/8/2012

e-mail address Logan.Hixon@XTOenergy.com Telephone (505) 333-3683

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: XTO Energy, Inc.	Contact: Logan Hixon	
Address: 382 Road 3100, Aztec, New Mexico 87410	Telephone No.: (505) 333-3701	
Facility Name: Breech E #89F (30-039-31002)	Facility Type: Gas Well (Dakota, Mesaverde, Tocio)	
Surface Owner: Federal	Mineral Owner:	Lease No.: NMNM-03551

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
D	3	26N	6W	880	FNL	1140	FWL	Rio Arriba

Latitude: 36.52156 Longitude: -107.45990

NATURE OF RELEASE

Type of Release: None	Volume of Release: NA	Volume Recovered: NA
Source of Release: None	Date and Hour of Occurrence: NA	Date and Hour of Discovery: NA
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

The drill pit at the Breech E #89F was closed on April 17, 2012. A composite sample was collected from the pit pre-stabilization on March 20, 2012, and returned results below the 0.2 ppm benzene standard, the 500 ppm DRO/GRO standard, the 50 ppm total BTEX standard, the 2,500 ppm TPH standard, but over the 500 ppm chloride standard at 590 ppm. After the contents of the drill pit had been stabilized an additional composite sample was collected on April 16, 2012 from the drill pit. The sample was analyzed for chlorides, and returned results below the 500 ppm chloride standard. The contents of the drill pit were buried in place. No further action is required for this pit. Applicable analytical results are included with this report.

Describe Area Affected and Cleanup Action Taken.*

No release has occurred at this location

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature: *Logan Hixon*

Printed Name: Logan Hixon

Title: EH&S Technician

E-mail Address: Logan.Hixon@xtoenergy.com

Date: 6/8/2012

Phone: 505-333-3683

Approved by District Supervisor:

Approval Date:

Expiration Date:

Conditions of Approval:

Attached ☐

* Attach Additional Sheets If Necessary

XTO Energy Inc. San Juan Basin Closure Report

Lease Name: Breech E #89F

API No.: 30-039-31002

Description: Unit D, Section 3, Township 26N, Range 6W, Rio Arriba County, NM

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144.

- Proof of Closure Notice
- Proof of Deed Notice (Not Required)
- Plot Plan
- C-105
- Sampling Results
- Details on Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation Photos (Including Steel Marker)

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division-approved facility or recycled, reused, or reclaimed in a manner that the Aztec Division office approves.

Fluids were pulled from the reserve pit on February 24, 2012 through April 6, 2012 and disposed of at Basin Disposal, NM-01-005.

2. The preferred method of closure for all temporary pits will be on-site, in-place burial, assuming that all criteria listed in Subsection (B) of 19.15.17.13 are met.

On-site, in-place burial plan for this location was approved by the Aztec Division office on January 26, 2011.

3. The surface owner shall be notified of XTO proposed closure plan using a means that provides proof of notice, i.e., Certified Mail, return receipt requested.

The surface owner was notified of on-site burial by email, January 12, 2011 (attached), and by email on April 5, 2012 (attached). Email notification was authorized to government agencies by Brandon Powell, NMOCD Aztec Office.

4. Within 6 months of Rig Off status occurring, XTO will ensure that temporary pits are closed, re-contoured, and reseeded.

Rig moved off location January 30, 2012. Pit closed April 17, 2012.

5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:

- i. Operator's Name
- ii. Well Name and API Number
- iii. Location by Unit Letter, Section, Township, Range

Notification was sent to the Aztec Office of the OCD on April 5, 2012 (attached), Closure activities began on April 10, 2012.

6. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve appropriate solidification. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Pit contents were mixed with non-waste containing, earthen material in order to achieve

appropriate solidification. The solidification process was accomplished using a combination of natural drying and mechanically mixing using a dozer and track-hoe. Pit contents were mixed with non-waste, earthen material to a consistency that was deemed safe and stable. The mixing ratio did not exceed 3 parts clean soil to 1 part pit contents.

7. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

8. A five point composite sample will be taken using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e. dig and haul. Disposal facilities to be utilized should this method be required will be Envirotech, Permit No. NM01-0011 or IEI, Permit No. NM01-0010B

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). (Sample results attached).

Components	Test Method	Limit (mg/Kg)	Results (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2	.021
BTEX	EPA SW-846 8021B or 8260B	50	0.2390
TPH	EPA SW-846 418.1	2500	88.7
GRO/DRO	EPA SW-846 8015M	500	163.8
Pre Stabilization Chlorides	EPA 300.1	500 or background	590
Post Stabilization Chlorides	EPA 300.1	500 or background	120

9. Upon completion of solidification and testing, the pit area will be backfilled with compacted, non-waste containing earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

Upon completion of solidification and testing, the pit area was backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover was achieved and the cover included one foot of background topsoil suitable for establishing vegetation at the site or natural levels, whichever was greater. Backfill and cover were placed to match existing grade.

10. Re-contouring of the location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, ponding prevention, and erosion prevention. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with a smooth surface, fitting the natural landscape.

Re-contouring of location matches fit, shape, line, form and texture of the surrounding area. Re-shaping of the location included drainage control, ponding prevention, and erosion prevention. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final re-contour has a uniform appearance with smooth surface, fitting the natural landscape.

11. Notification will be sent to OCD when the reclaimed area is seeded.

A C-103 is attached to this report. The site has been re-seeded using the BLM +10 seed mixture on April 24, 2012.

12. XTO shall seed the disturbed areas the first growing season after the pit is closed. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM of Forest Service stipulated seed mixes will be used on Federal Lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Notification via C-103 will be sent to OCD when the reclaimed area successfully achieves re-vegetation for two successive growing seasons.

13. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the on-site burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time all wells on the pad are abandoned. The operator's information will include the following: Operator's Name, Lease Name, Well Name and Number, Unit Number, Section, Township, Range and an indicator that the marker is an on-site burial location.

The temporary pit was located with a steel marker cemented in a hole three feet deep in the center of the onsite burial. The marker includes the operator's information. The marker was set in a way to not impede reclamation activities. The operator's information includes the following: XTO Energy Inc., Breech E #89F Unit D, Sec 3, Township 26N, Range 6W, Rio Arriba Co, NM "In Place Burial".

14. XTO shall file a deed notice identifying the exact location of the on-site burial with the county clerk in the county where the on-site burial occurs.

Not required on state, federal, or tribal land according to FAQ dated October 30, 2008 and posted on the OCD website.

15. Due to a misunderstanding from the drilling department, the pit inspections completed during drilling were completed on a daily basis, but were not recorded. No leaks or tears in the liner were discovered during drilling activities. Inspections completed by EH&S after the rig was released were completed and documented, and are attached with this report. XTO has cleared up the misunderstanding with the drilling department, and pit inspections will be documented in the future.

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 July 17, 2008					
		1. WELL API NO. 30-039-31002			2. Type of Lease <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN 3. State Oil & Gas Lease No.					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: <input type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input checked="" type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Breec E 6. Well Number: 89F				
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER										
8. Name of Operator XTO Energy, Inc.						9. OGRID 5380				
10. Address of Operator 382 County Road 3100 Aztec, New Mexico 87410 505-333-3100						11. Pool name or Wildcat				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:										
BH:										
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released January 30, 2011		16. Date Completed (Ready to Produce)			17. Elevations (DF and RKB, RT, GR, etc.)			
18. Total Measured Depth of Well		19. Plug Back Measured Depth		20. Was Directional Survey Made?			21. Type Electric and Other Logs Run			
22. Producing Interval(s), of this completion - Top, Bottom, Name										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED _____ _____ _____				
28. PRODUCTION										
Date First Production		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>)				Well Status (<i>Prod. or Shut-in</i>)				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>)							30. Test Witnessed By			
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit. attached										
33. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude 36.51864 Longitude -107.45700 NAD 1927 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature <i>Logan Hixon</i> Printed Name: Logan Hixon Title: EH&S Technician E-mail Address Logan.Hixon@xtoenergy.com Date: 6/8/2012										

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

DISTRICT II
1301 W. Grand Ave., Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
1220 South St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number	² Pool Code	³ Pool Name
⁴ Property Code	⁵ Property Name BREECH E	⁶ Well Number 89F
⁷ OGRIID No.	⁸ Operator Name XTO ENERGY INC.	⁹ Elevation 6595'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	3	26-N	6-W		1880	NORTH	1945	WEST	RIO ARriba

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Dedicated Acres					¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16

NM 26-06-04 NE FD. 3 1/4" BC. 1957 B.L.M.	N 89°57'58" E 2621.81 (M)	N/4 3-26-6 FD. 3 1/4" BC. 1955 B.L.M.	LOT 1
LOT 4	LOT 3	LOT 2	
SURFACE: LAT: 36.51882° N. (NAD 83) LONG: 107.45717° W. (NAD 83) LAT: 36°31'07.71" N. (NAD 27) LONG: 107°27'23.62" W. (NAD 27)			
3			
W/4 3-26-6 FD. 3 1/4" BC. 1957 B.L.M.			

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division

Signature _____ Date _____

Printed Name _____

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge & belief.

Date of Survey JULY 22, 2008


Signature and Seal of Professional Surveyor:



Certificate Number




XTO ENERGY INC.
 BREECH E No. 89F, 1880 FNL 1945 FWL
 SECTION 3, T26N, R6W, N.M.P.M., RIO ARriba COUNTY, N.M.
 GROUND ELEVATION: 6595' DATE: JULY 22, 2008

NAD 83
 LAT. = 36.51882° N
 LONG. = 107.45717° W
 NAD 27
 LAT. = 36°31'07.71" N
 LONG. = 107°27'23.62" W



RESERVE PIT DIKE. TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE)
 BLOW PIT OVERFLOW PIPE HALFWAY BETWEEN TOP AND BOTTOM AND TO EXTEND OVER PLASTIC LINER AND INTO BLOW PIT.

NOTE: DAGGETT ENTERPRISES, INC. IS NOT LIABLE FOR
 UNDERGROUND UTILITIES OR PIPELINES. NEW MEXICO
 ONE CALL TO BE NOTIFIED 48 HOURS PRIOR TO
 EXCAVATION OR CONSTRUCTION



NOTE: CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.

DATE	REVISION BY	DATE
	REVISION BY	
<p>Daggett Enterprises, Inc. Surveying and Oil Field Services P. O. Box 510 Farmington, NM 87489 Phone (505) 326-1772 • Fax (505) 323-6019 NEW MEXICO L.S. No. 8894 CAPT. CR987-CFB</p>		
<p>Daggett Enterprises, Inc. Surveying and Oil Field Services P. O. Box 510 Farmington, NM 87489 Phone (505) 326-1772 • Fax (505) 323-6019 NEW MEXICO L.S. No. 8894 CAPT. CR987-CFB</p>		




IMAGE COURTESY OF USDA/NRCS, 2009

LEGEND

- WELL PERMIT LOCATION
- ⊙ WATER WELL
- SURFACE WATER

NEAREST SURFACE WATER (UN-NAMED) IS 1,639 FEET AWAY




FIGURE 4
NEARBY WATER WELL MAP
BREECH E #89F
SEC 34 T26N R6W
RIO ARriba COUNTY, NEW MEXICO
XTO ENERGY, INC.



James McDaniel
XTO Energy - San Juan Division
382 County Road 3100
Aztec, NM 87410

Report Summary

Friday March 30, 2012

Report Number: L565999

Samples Received: 03/21/12

Client Project:

Description: Drill Pit

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:



Daphne Richards , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - 01157CA, CT - PH-0197,
FL - E87487, GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016,
NC - ENV375/DW21704/BIO041, ND - R-140, NJ - TN002, NJ NELAP - TN002,
SC - 84004, TN - 2006, VA - 460132, WV - 233, AZ - 0612,
MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032011-1,
TX - T104704245-11-3, OK - 9915, PA - 68-02979

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 County Road 3100
Aztec, NM 87410

March 30, 2012

Date Received : March 21, 2012
Description : Drill Pit
Sample ID : DRILL PIT
Collected By : Walt Howard
Collection Date : 03/20/12 14:45

ESC Sample # : L565999-01

Site ID : BREECH E 89 F

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	590	20.	mg/kg	9056	03/23/12	1
Total Solids	50.7	0.100	%	2540G	03/27/12	1
Benzene	0.021	0.0049	mg/kg	8021/8015	03/21/12	5
Toluene	0.075	0.049	mg/kg	8021/8015	03/21/12	5
Ethylbenzene	0.013	0.0049	mg/kg	8021/8015	03/21/12	5
Total Xylene	0.13	0.015	mg/kg	8021/8015	03/21/12	5
TPH (GC/FID) Low Fraction	3.8	0.99	mg/kg	GRO	03/21/12	5
Surrogate Recovery-%						
a,a,a-Trifluorotoluene(FID)	97.3		% Rec.	8021/8015	03/21/12	5
a,a,a-Trifluorotoluene(PID)	90.0		% Rec.	8021/8015	03/21/12	5
TPH (GC/FID) High Fraction	160	7.9	mg/kg	3546/DRO	03/30/12	1
Surrogate recovery(%)						
o-Terphenyl	66.8		% Rec.	3546/DRO	03/30/12	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/30/12 15:21 Printed: 03/30/12 15:21

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L565999-01	WG584760	SAMP	Total Solids	R2090179	J3
	WG583919	SAMP	TPH (GC/FID) Low Fraction	R2083894	J6

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J3	The associated batch QC was outside the established quality control range for precision.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
03/30/12 at 15:21:38

TSR Signing Reports: 288
R5 - Desired TAT

Sample: L565999-01 Account: XTORNM Received: 03/21/12 09:00 Due Date: 03/29/12 00:00 RPT Date: 03/30/12 15:21



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L565999

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 30, 2012

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
Benzene	< .0005	mg/kg			WG583919	03/21/12 18:37
Ethylbenzene	< .0005	mg/kg			WG583919	03/21/12 18:37
Toluene	< .005	mg/kg			WG583919	03/21/12 18:37
TPH (GC/FID) Low Fraction	< .1	mg/kg			WG583919	03/21/12 18:37
Total Xylene	< .0015	mg/kg			WG583919	03/21/12 18:37
a,a,a-Trifluorotoluene (FID)		% Rec.	100.8	59-128	WG583919	03/21/12 18:37
a,a,a-Trifluorotoluene (PID)		% Rec.	90.65	54-144	WG583919	03/21/12 18:37
Chloride	< 10	mg/kg			WG584291	03/22/12 19:39
Total Solids	< .1	%			WG584760	03/27/12 10:09
TPH (GC/FID) High Fraction	< 4	ppm			WG585419	03/30/12 10:20
o-Terphenyl		% Rec.	94.62	50-150	WG585419	03/30/12 10:20

Analyte	Units	Result	Duplicate Duplicate	RPD	Limit	Ref Samp	Batch
Total Solids	%	54.0	50.7	7.00*	5	L565999-01	WG584760

Analyte	Units	Laboratory Control Sample Known Val	Result	% Rec	Limit	Batch
Benzene	mg/kg	.05	0.0387	77.3	76-113	WG583919
Ethylbenzene	mg/kg	.05	0.0433	86.5	78-115	WG583919
Toluene	mg/kg	.05	0.0415	83.0	76-114	WG583919
Total Xylene	mg/kg	.15	0.135	90.0	81-118	WG583919
a,a,a-Trifluorotoluene (PID)				88.13	54-144	WG583919
TPH (GC/FID) Low Fraction	mg/kg	5.5	5.20	94.5	67-135	WG583919
a,a,a-Trifluorotoluene (PID)				90.13	54-144	WG583919
Chloride	mg/kg	200	223.	112.	85-115	WG584291
Total Solids	%	50	50.0	100.	85-115	WG584760
TPH (GC/FID) High Fraction	ppm	60	44.1	73.5	50-150	WG585419
o-Terphenyl				86.55	50-150	WG585419

Analyte	Units	Laboratory Control Sample Result	Ref	Duplicate %Rec	Limit	RPD	Limit	Batch
TPH (GC/FID) Low Fraction	mg/kg	5.20	5.20	95.0	67-135	0.130	20	WG583919
a,a,a-Trifluorotoluene (PID)				90.02	54-144			WG583919
Benzene	mg/kg	0.0454	0.0387	91.0	76-113	16.1	20	WG583919
Ethylbenzene	mg/kg	0.0467	0.0433	93.0	78-115	7.69	20	WG583919
Toluene	mg/kg	0.0459	0.0415	92.0	76-114	10.2	20	WG583919
Total Xylene	mg/kg	0.145	0.135	96.0	81-118	6.99	20	WG583919
a,a,a-Trifluorotoluene (PID)				90.79	54-144			WG583919
Chloride	mg/kg	216.	223.	108.	85-115	3.19	20	WG584291

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L565999

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 30, 2012

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	%Rec	%Rec				
TPH (GC/FID) High Fraction	ppm	45.4	44.1	76.0	76.0	50-150	2.86	25	WG585419
o-Terphenyl				91.09	91.09	50-150			WG585419

Analyte	Units	MS Res	Matrix Spike		% Rec	Limit	Ref Samp	Batch
			Ref Res	TV				
Benzene	mg/kg	0.188	0.0100	.05	71.1	32-137	L565999-01	WG583919
Ethylbenzene	mg/kg	0.178	0.00640	.05	68.5	10-150	L565999-01	WG583919
Toluene	mg/kg	0.188	0.0380	.05	59.9	20-142	L565999-01	WG583919
Total Xylene	mg/kg	0.563	0.0650	.15	66.4	16-141	L565999-01	WG583919
a,a,a-Trifluorotoluene(PID)					91.25	54-144		WG583919
TPH (GC/FID) Low Fraction	mg/kg	16.6	1.90	5.5	53.4*	55-109	L565999-01	WG583919
a,a,a-Trifluorotoluene(FID)					84.25	59-128		WG583919
Chloride	mg/kg	11600	9800	500	36.0*	80-120	L566001-03	WG584291

Analyte	Units	MSD	Matrix Spike Duplicate		Limit	RPD	Limit	Ref Samp	Batch
			Ref	%Rec					
TPH (GC/FID) Low Fraction	mg/kg	18.0	16.6	58.6	55-109	8.12	20	L565999-01	WG583919
a,a,a-Trifluorotoluene(PID)				84.80	54-144				WG583919
Benzene	mg/kg	0.164	0.188	61.5	32-137	13.6	39	L565999-01	WG583919
Ethylbenzene	mg/kg	0.157	0.178	60.1	10-150	12.6	44	L565999-01	WG583919
Toluene	mg/kg	0.171	0.188	53.4	20-142	9.14	42	L565999-01	WG583919
Total Xylene	mg/kg	0.510	0.563	59.3	16-141	9.98	46	L565999-01	WG583919
a,a,a-Trifluorotoluene(PID)				88.47	54-144				WG583919
Chloride	mg/kg	11600	11600	36.0*	80-120	0	20	L566001-03	WG584291

Batch number / Run number / Sample number cross reference

WG583919: R2083894: L565999-01
WG584291: R2086954: L565999-01
WG584760: R2090179: L565999-01
WG585419: R2096515: L565999-01

* * Calculations are performed prior to rounding of reported values.
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L565999

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 30, 2012

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

Client:	XTO	Project #:	98031-0528
Sample ID:	Drill pit	Date Reported:	03-21-12
Laboratory Number:	61452	Date Sampled:	03-20-12
Chain of Custody No:	13594	Date Received:	03-20-12
Sample Matrix:	Solid	Date Extracted:	03-21-12
Preservative:	Cool	Date Analyzed:	03-21-12
Condition:	Intact	Analysis Needed:	TPH-418.1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	88.7	9.6


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Breech E 89F**



Analyst



Review



EPA METHOD 418.1
Analytical Laboratory TOTAL PETROLEUM HYDROCARBONS
QUALITY ASSURANCE REPORT

Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	03-21-12
Laboratory Number:	03-21-TPH.QA/QC 61452	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	03-21-12
Preservative:	N/A	Date Extracted:	03-21-12
Condition:	N/A	Analysis Needed:	TPH

Calibration:	I-Cal Date	C-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
	01-17-12	03-21-12	1,850	1,720	7.0%	+/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	9.6

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
TPH	88.7	81.3	8.3%	+/- 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	88.7	2,000	2,000	95.8%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.


Comments: QA/QC for Samples 61452-61453.

Analyst

Review

CHAIN OF CUSTODY RECORD

13594

Client: XTO			Project Name / Location: Breach E89F			ANALYSIS / PARAMETERS														
Email results to: james_mcdan.21@xtoenergy.com			Sampler Name: Walt Howard			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact	
Client Phone No.: 505-333-3701			Client No.: 98031-0528																	
Sample No./ Identification	Sample Date	Sample Time	Lab No.	No./Volume of Containers	Preservative															
					HgCl ₂	HCl														
418-1 Drill pit	3/20	15:17	61452	1x4oz																
Relinquished by: (Signature) Walt Howard				Date 3/20/12	Time 4:18	Received by: (Signature) [Signature]				Date 3/20/12	Time 4:18									
Relinquished by: (Signature)						Received by: (Signature)														
Sample Matrix Soil <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Sludge <input type="checkbox"/> Aqueous <input type="checkbox"/> Other <input type="checkbox"/>																				
<input type="checkbox"/> Sample(s) dropped off after hours to secure drop off area.																				



envirotech
Analytical Laboratory

5795 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301 • laboratory@envirotech-inc.com

James McDaniel
XTO Energy - San Juan Division
382 County Road 3100
Aztec, NM 87410

Report Summary

Wednesday April 18, 2012

Report Number: L570216

Samples Received: 04/17/12

Client Project:

Description: Breech E 89 F

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:



Daphne Richards , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - 01157CA, CT - PH-0197,
FL - E87487, GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016,
NC - ENV375/DW21704/BIO041, ND - R-140. NJ - TN002, NJ NELAP - TN002,
SC - 84004, TN - 2006, VA - 460132, WV - 233, AZ - 0612,
MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032011-1,
TX - T104704245-11-3, OK - 9915, PA - 68-02979

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 County Road 3100
Aztec, NM 87410

April 18, 2012

Date Received : April 17, 2012
Description : Breech E 89 F
Sample ID : CONFIRMATION
Collected By : Joshua Kirchner
Collection Date : 04/16/12 11:00

ESC Sample # : L570216-01

Site ID :

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	120	12.	mg/kg	9056	04/17/12	1
Total Solids	84.8	0.100	%	2540G	04/18/12	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 04/18/12 13:07 Printed: 04/18/12 13:08

Summary of Remarks For Samples Printed
04/18/12 at 13:08:13

TSR Signing Reports: 288
R2 - Rush: Next Day

Sample: L570216-01 Account: XTORNM Received: 04/17/12 09:00 Due Date: 04/18/12 00:00 RPT Date: 04/18/12 13:07



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L570216

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

April 18, 2012

Analyte	Result	Laboratory Blank Units % Rec	Limit	Batch	Date Analyzed
Chloride	< 10	mg/kg		WG588071	04/17/12 12:11
Total Solids	< .1	%		WG588087	04/18/12 09:22

Analyte	Units	Result	Duplicate Duplicate	RPD	Limit	Ref Samp	Batch
Chloride	mg/kg	97.0	99.0	2.35	20	L570216-01	WG588071
Total Solids	%	80.0	81.0	1.26	5	L570239-03	WG588087

Analyte	Units	Laboratory Control Sample Known Val	Result	% Rec	Limit	Batch
Chloride	mg/kg	200	210.	105.	80-120	WG588071
Total Solids	%	50	50.0	100.	85-115	WG588087

Analyte	Units	Result	Ref	%Rec	Limit	RPD	Limit	Batch
Chloride	mg/kg	204.	210.	102.	80-120	2.90	20	WG588071

Analyte	Units	MS Res	Matrix Spike Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Chloride	mg/kg	504.	110.	500	78.8*	80-120	L570048-01	WG588071

Analyte	Units	MSD	Matrix Spike Duplicate Ref %Rec	Limit	RPD	Limit	Ref Samp	Batch
Chloride	mg/kg	533.	504. 84.6	80-120	5.59	20	L570048-01	WG588071

Batch number /Run number / Sample number cross reference

WG588071: R2126913: L570216-01
WG588087: R2128113: L570216-01

* * Calculations are performed prior to rounding of reported values.
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L570216

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

April 18, 2012

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

Company Name/Address

Alternate Billing

Analysis/Container/Preservative

Chain of Custody
Page ___ of ___**XTO ENERGY, INC.****382 County Road 3100
AZTEC, NM 87410**

Report to James McDaniel

E-mail to james_mcdaniel@xtoenergy.com

Prepared by:

**ENVIRONMENTAL
SCIENCE CORP**

12065 Lebanon Road

Mt. Juliet TN 37122

Phone (615)758-5858

Phone (800) 767-5859

FAX (615)758-5859

Project Description:

BREECH E#89F

City/State Collected

PHONE: 505-333-3701

Client Project No.

Lab Project #

FAX:

Collected by Joshua Kirchner

Site/Facility ID#

P O #

Collected by (signature).

Rush?

(Lab MUST be Notified)

Next Day. . . 100%

Two Day. . . 50%

Three Day. . . 25%

Date Results Needed

No

of

Cntrs

Email? No ☒ YesFAX? No ☐ YesPacked on Ice N ☐ Y ☒

Sample ID

Comp/Grab

Matrix

Depth

Date

Time

CONFIRMATION

4-16-12

1100

TPH 8015

BTEX 8021

Chloride

TCLP Metals

CoCode

(lab use only)

XTORNM

Template/Prelogin

Shipped Via: Fed Ex

Remarks/contaminant

Sample # (lab only)

L570216-01

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater DW-Drinking Water OT-Other _____

pH _____ Temp _____

Remarks: "ONLY 1 COC Per Site!!"

please CC results to joshua@nelsonreveg.com 4341 9819 3744

Relinquisher by (Signature)

Date:

Time:

Received by (Signature)

Samples returned via FedEx ☒ UPS ☐ Other ☐

Condition

(lab use only)

Relinquisher by (Signature)

Date

Time

Received by (Signature)

Temp:

Bottles Received:

Relinquisher by (Signature)

Date

Time

Received for lab by (Signature)

Date:

Time

pH Checked:

NCF:

4-16-12

1500

3.2

142

4-17-12

0900



Malia Villers/FAR/CTOC

01/12/2011 01:02 PM

To Mark Kelly

cc

bcc

Subject Fw Breech E #89F - Well Site Revision

RE: Breech E #89F
Sec. 3 (D), T26N-R6W, Rio Arriba County

Dear Mr. Kelly,

This submittal is pursuant to Rule 19.15.17.13 requiring operators to notify surface owners of on site burial of temporary pits. XTO Energy Inc. (XTO) is hereby providing written documentation of our intention to close the temporary pit associated with the aforementioned location by means of in place burial

Should you have any questions or require additional information please feel free to contact me at your earliest convenience (505) 333-3100.

Malia Villers
Permitting Tech.
XTO Energy Inc.
505-333-3100
Direct: 505-333-3698
malia_villers@xtoenergy.com



Logan Hixon/FAR/CTOC

04/05/2012 12:54 PM

To MARK KELLY

cc Scott Baxstrom/FAR/CTOC@CTOC, Luke
McCollum/FAR/CTOC@CTOC, Brent
Beaty/FAR/CTOC@CTOC, James

bcc

Subject Drill Pit Closure Notification-Breech E #89F

Mark,

Please accept this email as the required notification for temporary pit closure activities at the following well site:

Breech E #89F (API # 30-039-31002) located in Unit D, Section 3, Township 26N, Range 6W, Rio Arriba County, New Mexico

Closure activities are scheduled to begin next week. Thank you for your time in regards to this matter.

Thank You!

Logan Hixon

Environmental Technician

XTO Energy Inc. An ExxonMobil Subsidiary

Western Division

382 CR 3100

Aztec NM 87410

Office (505)333- 3683

Cell (505) 386-8018

Logan_Hixon@xtoenergy.com



Logan Hixon/FAR/CTOC

04/05/2012 12:52 PM

To BRANDON POWELL

cc Scott Baxstrom/FAR/CTOC@CTOC, Luke
McCollum/FAR/CTOC@CTOC, Brent
Beaty/FAR/CTOC@CTOC, James

bcc

Subject Drill Pit Closure Notification- Breech E #89F

Brandon,

Please accept this email as the required notification for temporary pit closure activities at the following well site:

Breech E #89F (API # 30-039-31002) located in Unit D, Section 3, Township 26N, Range 6W, Rio Arriba County, New Mexico

Closure activities are scheduled to begin next week. Thank you for your time in regards to this matter.

Thank You!

Logan Hixon

Environmental Technician

XTO Energy Inc. An ExxonMobil Subsidiary

Western Division

382 CR 3100

Aztec NM 87410

Office (505)333- 3683

Cell (505) 386-8018

Logan_Hixon@xtoenergy.com

TEMPORARY PIT INSPECTION FORM

Well Name: Breech E 89-F

API No.: 30-039-31002

Legals: Sec: 3 D

Township: 26 N

Range: 6 W

Lat: 36° 31' 17.57" N Long: 107° 27' 33.48" W

Inspector's	Inspection	Any visible liner	Any fluid seeps/	HC's on top of	Temp. pit free of misc	Discharge line	Fence	Any dead	Freeboard
Name	Date	breeches (Y/N)	spills (Y/N)	temp. pit (Y/N)	solid waste/debris (Y/N)	integrity (Y/N)	integrity (Y/N)	wildlife/stock (Y/N)	Est. (ft)
Luke McCollum	2/1/2012	N	N	N	Y	NA	Y	N	8
Luke McCollum	2/7/2012	N	N	N	Y	NA	Y	N	9
Luke McCollum	2/14/2012	N	N	N	Y	NA	Y	N	10
Luke McCollum	2/22/2012	N	N	N	Y	NA	Y	N	9
Luke McCollum	2/28/2012	N	N	N	Y	NA	Y	N	10
Luke McCollum	3/6/2012	N	N	N	Y	NA	Y	N	10
Luke McCollum	3/15/2012	N	N	N	Y	NA	Y	N	10
Luke McCollum	3/20/2012	N	N	N	Y	NA	Y	N	10
Brent Beaty	3/27/2012	N	N	N	Y	NA	Y	N	11
Brent Beaty	4/3/2012	N	N	N	Y	NA	Y	N	11
Brent Beaty	4/10/2012	Pit closure in progress							

Notes: Provide Detailed Description:

Misc:

Submit 1 Copy To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-039-31002

5. Indicate Type of Lease

STATE ☐ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Breech E

8. Well Number **89F**

9. OGRID Number **5380**

10. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator **XTO Energy, Inc.**

3. Address of Operator

382 County Road 3100, Aztec, New Mexico 87410

4. Well Location

Unit Letter **D** : **880** feet from the **North** line and **1140** feet from the **West** line
Section **3** Township **26N** Range **6W** NMPM **Rio Arriba** County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

6593 Feet

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: **Reseed Drill Pit Area** ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The reclaimed area was reseeded using the BLM +10 Seed Mix on April 24, 2012..

Spud Date:

1/2/2012

Rig Release Date:

1/30/2012

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Logan Hixon

TITLE

EH&S Technician

DATE

6/18/2012

Type or print name

Logan Hixon

E-mail address:

Logan.Hixon@xtoenergy.com

PHONE:

505-333-3683

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

XTO Energy, Inc.
Breach E #89F
Section 3, Township 26N, Range 6W
Closure Date 4/17/2012



Photo 1: Breach E #89F after Reclamation.




Photo 2: Breach E #89F after Reclamation.

XTO Energy, Inc.
Breach E #89F
Section 3, Township 26N, Range 6W
Closure Date 4/17/2012



Photo 3: Breach E #89F after Reclamation.




Photo 4: Breach E #89F after Reclamation.