District I 1625 N French Dr , Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

District II 1301 W Grand Ave , Artesia, NM 88210

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

tanks, submit to the appropriate NMOCD District Office

1000 Rio Brazos Rd, Aztec, NM 87410 District IV

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office
	Pit, Closed-Loop System, Below-Grade Tank, or
2) 17 Prop	osed Alternative Method Permit or Closure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit
•	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method
•	pplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
	neve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources O	il & Gas Company, LP OGRID#: 14538
Address: P.O. Box 4289, Farming	ton, NM 87499
Facility or well name: SUSCO 16 S	STATE 3
	0-045-35104 OCD Permit Number
U/L or Qtr/Qtr: G(SW/NE) Section Center of Proposed Design: Latitude	
Surface Owner: Federal	State X Private Tribal Trust or Indian Allotment
X Lined Unlined L X String-Reinforced	Cavitation P&A Inner type Thickness 20 mil X LLDPE HDPE PVC Other actory Other Volume 7700 bbl Dimensions L 120' x W 55' x D 12'
Type of Operation P&A Drying Pad Above Grou Lined Unlined Line	tion H of 19 15 17.11 NMAC Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) and Steel Tanks Haul-off Bins Other er type Thickness mil LLDPE HDPE PVD Other actory Other
4 Below-grade tank: Subsection	RECEIVED
	obl Type of fluid
Tank Construction material	VIL CONS. DIV. DIST. 3
Secondary containment with leak de	
Liner Type Thickness	Visible sidewalls only Other
5	
Alternative Method:	
Submittal of an exception request is req	quired Exceptions must be submitted to the Santa Fc Environmental Bureau office for consideration of approval

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15.17.11 NMAC (Applies to permanent pit, temporary pits, and helow-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
8 Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19.15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	sideration of approval			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	Yes No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
- NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Gcology & Mineral Resources; USGS, NM Geological Society; Topographic map 	Yes No			
Within a 100-year floodplain - FEMA map	Yes No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC						
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC						
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC						
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of						
19 15.17.9 NMAC and 19 15.17 13 NMAC						
Previously Approved Design (attach copy of design) API or Permit						
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9						
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC						
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC						
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15 17.13 NMAC						
Previously Approved Design (attach copy of design) API						
Previously Approved Operating and Maintenance Plan API						
13						
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC						
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC						
Climatological Factors Assessment						
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC						
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19 15 17.11 NMAC						
Leak Detection Design - based upon the appropriate requirements of 19 15.17.11 NMAC						
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
Nuisance or Hazardous Odors, including H2S, Prevention Plan						
Emergency Response Plan						
Oil Field Waste Stream Characterization						
Monitoring and Inspection Plan						
Erosion Control Plan						
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19 15 17.13 NMAC						
Proposed Closure: 19 15 17 13 NMAC						
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System						
Alternative						
Proposed Closure Method Waste Excavation and Removal						
Waste Removal (Closed-loop systems only)						
On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench						
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)						
Waste Excavation and Removal Closure Plan Checklist: (19 15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.						
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)						
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC						

Form C-144 Oil Conservation Division Page 3 of 5

16	1.T 1 1. M.D 0. 1. /10.15.17.12.D.MMAC\					
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste Instructions. Please identify the facility or facilities for the disposal of liquids, drilling						
facilities are required						
	Disposal Facility Permit #					
	Disposal Facility Permit #:					
Will any of the proposed closed-loop system operations and associated activiting Yes (If yes, please provide the information No	es occur on or in areas that will not be used for future s	service and				
Required for impacted areas which will not be used for future service and operations		_				
Soil Backfill and Cover Design Specification - based upon the appropria Re-vegetation Plan - based upon the appropriate requirements of Subse		iC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection Plan - based upo						
17 Siting Criteria (Regarding on-site closure methods only: 19 15.17 10 NMA	С					
Instructions. Each siting criteria requires a demonstration of compliance in the closure plan	Recommendations of acceptable source material are provided in	1				
certain siting criteria may require administrative approval from the appropriate district offic office for consideration of approval. Justifications and/or demonstrations of equivalency are		the Santa Fe Environmental Bureau				
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No				
- NM Office of the State Engineer - 1WATERS database search, USGS Data obt	ained from nearby wells	N/A				
Ground water is between 50 and 100 feet below the bottom of the buried wast		Yes No				
- NM Office of the State Engineer - (WATERS database search; USGS; Data obtained)	ained from nearby wells	∐N/A				
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No				
- NM Office of the State Engineer - iWATERS database search, USGS, Data obta	amed from nearby wells	∐N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signifi (measured from the ordinary high-water mark)	cant watercourse or lakebed, sinkhole, or playa lake	Yes No				
- Topographic map, Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site; Aerial photo, satellite image	• •	YesNo				
		Yes No				
	Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application					
Within incorporated municipal boundaries or within a defined municipal fresh water w pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No				
- Written confirmation or verification from the municipality, Written approval obtain	ained from the municipality					
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp	postury (contification) of the proposed site	∐Yes ∐No				
Within the area overlying a subsurface mine	rection (certification) of the proposed site	∏Yes ∏No				
- Written confirantion or verification or map from the NM EMNRD-Mining and N	Ameral Division					
Within an unstable area		Yes No				
 Engineering measures incorporated into the design; NM Bureau of Geology & M Topographic map 	ineral Resources; USGS; NM Geological Society,					
Within a 100-year floodplain.		∏Yes ∏No				
- FEMA map						
18						
On-Site Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must bee attached to the closu	re plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropria	te requirements of 19 15 17 10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requireme	ents of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17.11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15.17 11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of	19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Revegetation Plan - based upon the appropriate requirements of Subsection L of 19 15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Contification
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title.
Signature Date:
e-mail address Telephone
20 OCD Approval: Permit Application (including clasure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: November 30, 2010
Closure Method: Waste Excavation and Removal Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23 .
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name. Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliane to the items below) No
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box. that the documents are attached.
X Proof of Closure Notice (surface owner and division)
X Proof of Deed Notice (required for on-site closure)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location Latitude <u>36.9867043</u> °N Longitude <u>107.6772082</u> °W NAD [1927 X 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief—I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print)
Signature Jamie Goodwie Date. 4511

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SUSCO 16 STATE 3

API No.: 30-045-35104

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via certified mail. (See Attached)(Well located on Private Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	2.9 ug/kG
TPH	EPA SW-846 418.1	2500	224mg/kg
GRO/DRO	EPA SW-846 8015M	500	24.8 mg/Kg
Chlorides	EPA 300.1	1000/500	100 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished on 12/17/2010 with the following seeding regiment:

Туре	Variety or Cultivator	PLS/A
Western wheatgrass	Arriba	3.0
Indian ricegrass	Paloma or Rimrock	3.0
Slender wheatgrass	San Luis	2.0
Crested wheatgrass	Hy-crest	3.0
Bottlebrush Squirreltail	Ünknown	2.0
Four-wing Saltbrush	Delar	.25

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished on 12/17/2010 with the above seeding regiment. Seeing was accomplished via drilling on the contour whenever practical or by other division-approved methods. The OCD will be notified once two successive growing seasons have been accomplished by submitting a C-103.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, Fee, SUSCO 16 STATE 3, UL-G, Sec. 16, T 32N, R 8W, API # 30-045-35104



201103218 03/14/2011 04:23 PM 1 of 1 B1522 P1134 R \$9.00



STATE OF NEW MEXICO

§ §

COUNTY OF SAN JUAN

San Juan County, NM DEBBIE HOLMES

RECORDATION NOTICE OF PIT BURIAL

• • •	_
Well Name:	Susco 16 State 3
Latitude:	N36 59.208
Longitude:	W107 40.622
Unit Letter(1/4, 1/4):	G
Section:	
Township:	
Range:	
· · · · · · · · · · · · · · · · · · ·	San Juan
State:	New Mexico
By: BROG GP Inc., its sole General Partner By: Mike L. Mankin Title: PTRRC Supervisor	
STATE OF New Mexico	§ §
COUNTY OF San Juan	§
This instrument was acknowledged before me this 2 Burlington Resources Oil & Gas Company LP, By: said corporation. My Commission Expires:	1 day of February 2011, by Mike L.Mankin, of BROG GP Inc., its sole General Partner, on behalf of Notary Public

NOTARY PUBLIC - STATE OF NEW MEXICO

My commission expires: 1/13/2014

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210


Submit to Appropriate District Office

State Lease - 4 Copies

				OIL C	ONDERVALIC	NOTOTAL NICE		Ste	te Le	ase - 4 Copies
DISTRICT III 1000 Rio Brazos	Rd Aztec	N M 87410		12	20 South St.					ase - 3 Copies
DISTRICT IV	144., 115000	,			Santa Fe, N.I	м. 87505				•
1220 S. St. Fran	cis Dr., Sa	nta Pe, N.M.	87505						AME	NDED REPORT
									ADILI.	NDED RELOID
			WELL L	OCATIO	N AND AC	CREAGE DEDI	CATION P	LAT		
¹ API	Number		_	*Pool Coo	ie		⁹ Pool	Name		
				1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			PICTURED		S	
Property C	ode		_		⁶ Property	Name				Well Number
					SUSCO 16	STATE				3
OGRID N	lo.		_		⁸ Operator		······································			⁸ Elevation
		BU	JRLING1	TON RE	SOURCES (DIL & GAS CO	MPANY LP			6985
					10 Surface	Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/Wes	t line	County
		1	1			i '				· •
G	16	32 N	8 W		1600	NORTH	1571	EAS	· I	SAN JUAN
			11 Botte	om Hole	Location I	f Different Fro	m Surface			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/Wes	t line	County
•	1 14	72 N	a w		930	NODTH	1150	EAC	_	SAN JUAN
A Dedicated Acre	16	32 N	8 W	T. 633 16.0	nsolidation Code	NORTH	1150	EAS	1	SAN JUAN
Dedicated Acre	15		Joint or	IDITII CO	nsolidation Code	16 Order No.				
160 (NE/	4) PC			1						
NO ALLOW	ABLE W	ILL BE	ASSIGNEI	TO TH	IS COMPLETI	ON UNTIL ALL	INTERESTS I	IAVE BI	EEN (CONSOLIDATED
	'	OR A	NON-STA	NDARD	UNIT HAS BI	EEN APPROVED	BY THE DIV	ISION		001100111111111111111111111111111111111
16 S 89°04	'57' E		96.86'		°03'38"E	2590.55'			- an	DESTRUCTION OF THE PROPERTY OF
16 S 89°04	J, L	20	,0.00	3 0,	00 00	2370.33	- 8			RTIFICATION
=			LAT: 36.	9885740	∘NI la l	l.				contained herein is knowledge and belief.
2636.63'		LONG: 107.6755090° W Q D D and that this organization either owns a working in				ns a working interest				
26.				NAD	83	0				land including the a right to drill this
92	ı		LAT: 36°		1 1 1	1150'	well at this loc	ation pursua	nt to a	contract with an
1"		LO	NG: 107°4	-	, i i	*************************************				interest, or to a mpulsory pooling order
				NAD	2/1 /	N 31°50'36"				
						780.82'				
0°28'06" W				i	[/]	1571'	≥			
<u>ن</u>			LAT:	36.9867	539° N & →	1371	Signature			Date
0.6			LONG: I	07.67692			O Signature			Date
25					IAD 83		Printed Nam			
z				56°59.20! 07°40.578			0	-		
_			LONG. I		IAD 27		Z			
			_			· · · ·				
			SEC	TION 16				VEYOR	CER	TIFICATION
										n shown on this plat
]: _a		O# - ==	OF 1.5				• • • • • • • • • • • • • • • • • • •			il surveys made by me
8 6		STATE	OF NE	W _, MEXI	CO V-88-I		correct to the be			re same is true and
26. 21. 85. 0 = 21. 85.) 	004=:5:					9/04/		ALL M	v :
		OCATION]			N 9/04/	09/25	JACK V	·W
● = BO	I I OM H	OLE LOCA	ATION				Date of Surve	7 3 / /	N M	137.8
<u> </u>			_				Signature and	Seal of 10	de piona	1 2488
<u>NO1</u>								a 7	1707	597 \ ≤ \
S BEA		AND DIST		1	•		≥ .	型儿儿	V "	7 12 I
SHC			NCED TO	•			_ //3	100000	104	B) SOLUTION S
		O COORD E, NAD 83	INATE SY	SIEM,			7100	12	V	
200	J. 2019E	_, ITAL 00	··		1		× /70	_200	ESSI	MAL
Z	Ì]		- 170		-001	
N 88°49'	05" W	25	90.32'	N	88°43' W	2589.18' (R)	Certificate Nu	mber		
,			 		1	,,,				1

2589.18' (R)

OIL CONSERVATION DIVISION





EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	10 - 25-10
Laboratory Number:	56282	Date Sampled:	10-22-10
Chain of Custody No:	10578	Date Received:	10-22-10
Sample Matrix:	Soil	Date Extracted:	10 - 25-10
Preservative:	Cool	Date Analyzed:	10 -2 5-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	24.8	0.1	
Total Petroleum Hydrocarbons	24.8		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Susco 16 State #3

Analyst

Poview

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	10-25-10
Laboratory Number:	56283	Date Sampled:	10-22-10
Chain of Custody No:	10578	Date Received:	10-22-10
Sample Matrix:	Soil	Date Extracted:	10-25-10
Preservative:	Cool	Date Analyzed:	10-25-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Susco 16 State #3

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

QA/QC Client: Project #: N/A Sample ID: 10-25-10 QA/QC Date Reported: 10-25-10 Laboratory Number: 56273 Date Sampled: N/A Sample Matrix: Methylene Chloride Date Received: N/A Preservative: N/A Date Analyzed: 10-25-10 Condition: N/A Analysis Requested: TPH

	l-CallDate **	I-OaliRF:	C-CallRF	// Difference	· Accept Range
Gasoline Range C5 - C10	10-25-10	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	10-25-10	9.9960E+002	1.0000E+003	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Détection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1

Duplicate Conc. (mg/Kg)	Sample-	Duplicate: *	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike/Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	253	101%	75 - 125%
Diesel Range C10 - C28	ND	250	253	101%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 56273, 56276, 56281-56283

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	10-25-10
Laboratory Number:	56282	Date Sampled:	10-22-10
Chain of Custody:	10578	Date Received:	10-22-10
Sample Matrix:	Soil	Date Analyzed:	10-25-10
Preservative:	Cool	Date Extracted:	10-25-10
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

		Det.	
	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	

_ *************************************	112	0.0
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	2.9	0.9

Total BTEX 2.9

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	112 %
	1,4-difluorobenzene	109 %
	Bromochlorobenzene	112 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Susco 16 State #3

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	10-25-10
Laboratory Number:	56283	Date Sampled:	10-22-10
Chain of Custody:	10578	Date Received:	10-22-10
Sample Matrix:	Soil	Date Analyzed:	10-25-10
Preservative:	Cool	Date Extracted:	10-25-10
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dilution.		
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	1.6	0.9	
Total BTEX	1.6		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	112 %
	1,4-difluorobenzene	112 %
	Bromochlorobenzene	115 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Susco 16 State #3

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

ND

ND

ND

0.1

0.1

0.1

Client:	N/A		Project #:		N/A
Sample ID:	1025BBLK QA/QC		Date Reported:		10-25-10
Laboratory Number:	56276		Date Sampled:		N/A
Sample Matrix:	Soil		Date Received:		N/A
Preservative:	N/A		Date Analyzed:		10-25-10
Condition:	N/A		Analysis:		BTEX
			Dilution:		10
Calibration/and	I-CaliRF:	C-CaliRF	%Diff:	Blänk	Detect:
Detection(Limits (ug/L)		Accept Rai	ngei0 - 15%	Conc	Limit
Benzene	4.8185E+005	4.8281E+005	0.2%	ND	0.1
Toluene	5.4660E+005	5.4769E+005	0.2%	ND	0.1

5.0520E+005

1.2427E+006

4.5229E+005

0.2%

0.2%

0.2%

Duplicate Conc. (ug/Kg)	Sample) Du	plicate	%Dlffi	Acceptinance	Detect Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 ~ 30%	0.9

Spike Conc. (ug/Kg)	∕Sample Amo	unt Spiked - Spi	kediSample « %	Recovery	Accept Range +	1
Benzene	ND	500	510	102%	39 - 150	
Toluene	ND	500	511	102%	46 - 148	
Ethylbenzene	ND	500	511	102%	32 - 160	
p,m-Xylene	ND	1000	1,040	104%	46 - 148	
o-Xylene	ND	500	515	103%	46 - 148	

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

5.0419E+005

1.2402E+006

4.5138E+005

References:

Ethylbenzene

p,m-Xylene

o-Xylene

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 56273, 56276, 56281-56283

. ' Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

ConocoPhillips	Project #:	96052-1706
Reserve Pit	Date Reported:	10-27-10
56282	Date Sampled:	10-22-10
10578	Date Received:	10-22-10
Soil	Date Extracted:	10-27-10
Cool	Date Analyzed:	10-27-10
Intact	Analysis Needed:	TPH-418.1
	Reserve Pit 56282 10578 Soil Cool	Reserve Pit Date Reported: 56282 Date Sampled: 10578 Date Received: Soil Date Extracted: Cool Date Analyzed:

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

224

6.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Susco 16 State #3

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	10-27-10
Laboratory Number:	56283	Date Sampled:	10-22-10
Chain of Custody No:	10578	Date Received:	10-22-10
Sample Matrix:	Soil	Date Extracted:	10-27-10
Preservative:	Cool	Date Analyzed:	10-27-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

53.9

6.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Susco 16 State #3

Ānalyst



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

10-27-10

Laboratory Number:

10-27--TPH.QA/QC 56282

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

10-27-10

Preservative:

N/A

Date Extracted:

10-27-10

Condition:

N/A

Analysis Needed:

TPH

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

C-Cal RF: % Difference

Accept, Range

10-05-10

10-27-10

1,640

1,610

1.8%

+/- 10%

Blank Conc. (mg/Kg)

TPH

Concentration Detection Limit ND

6.6

Duplicate Conc. (mg/Kg)

TPH

Sample 224

Duplicate : 197

% Difference - Accept, Range +/- 30%

Sample

Spike Added

Spike Result: % Recovery

11.8%

Spike Conc. (mg/Kg) TPH

224

2,000

2,100

94.4%

Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 56282-56283, 56315-56316

Analyst



Chloride

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	10-26-10
Lab ID#:	56282	Date Sampled:	10-22-10
Sample Matrix:	Soil	Date Received:	10-22-10
Preservative:	Cool	Date Analyzed:	10-26-10
Condition:	Intact	Chain of Custody:	10578

Parameter	Concentuation (mail(a)
rafametei	Concentration (mg/Kg)

Total Chloride 100

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Susco 16 State #3

lyst



Chloride

Client: ConocoPhillips Project #: 96052-1706 Sample ID: **Back Ground** Date Reported: 10-26-10 Lab ID#: 56283 Date Sampled: 10-22-10 Sample Matrix: Soil Date Received: 10-22-10 Preservative: Cool Date Analyzed: 10-26-10 Condition: Intact Chain of Custody: 10578

Parameter

Concentration (mg/Kg)

Total Chloride

10

Reference:


U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Susco 16 State #3

Analyst

Submit To Appropri Two Copies	iate Distric	ct Off	ice		State of New Mexico					Form C-105										
District I 1625 N. French Dr	, Hobbs, N	IM 88	3240		Energy, Minerals and Natural Resources					July 17, 2008 1. WELL API NO.										
District II 1301 W Grand Av	enue, Arte	sıa, N	M 88210	ı		Oil	Conservat	tion	Div	isio	n		30-045-35104							
District III 1000 Rio Brazos R	d, Aztec, l	NM 8	7410				20 South St						2. Type of Lease ☐ FEE ☐ FED/INDIAN							
District IV 1220 S St Francis	DISTRICT IV 1220 S St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505						İ	3 State Oil & Gas Lease No. NM - V - 88 - 1												
WELL (COMP	LE	TION O	RF	RECO	MPL	ETION RE	POF	RT A	ND	LOG									
4. Reason for fil	ng.												5. Lease Name SUSCO 16			reen	nent Na	me		
☐ COMPLET	ON REF	POR	T (Fill in bo	oxes #	1 throu	gh #31 f	for State and Fee	wells	only)		ĺ	6 Well Number		TIE					
C-144 CLOS #33; attach this a												or/	3							
7. Type of Comp		٦w	ORKOVEI	R \square	DEEPE	NING	□PLUGBACk		DIFF	EREN	IT RESERV	/OIR	OTHER							
8. Name of Opera	itor						<u> </u>	<u> </u>	<u> </u>	<u> </u>	· · · · · · · · · · · · · · · · · · ·		9. OGRID							
Burlington R 10 Address of O		es C	Dil Gas (Com	pany,	LP	-						14538	or W	ildcat					
PO Box 4298, Fa		, NM	1 87499																	
12.Location	Unit Ltr		Section		Towns	hip	Range	Lot		[Feet from t	he	N/S Line	Feet	from t	he	E/W L	ine	County	
Surface:												_				_				
13. Date Spudded	I 14 D	ate T	.D Reache	-d	115 D	ate Rio	Released	<u> </u>		16	Date Compl	eted	(Ready to Produ	uce)	г	17	Elevati	ions (DF	and RKB,	
•						5/21/20	010				·					RT	, GR, et	tc.)		
18. Total Measur	ed Depth	of W	/ell		19 P	lug Bac	k Measured Dep	oth		20	Was Direct	iona	l Survey Made?		21 T	`уре	Electric	c and Ot	her Logs Run	
22. Producing Int	erval(s),	of thi	is completion	on - T	op, Bott	tom, Na	me													
23.								ORI) (F			ring	gs set in we							
CASING SI	ZE		WEIGHT	LB /F	T		DEPTH SET			НО	LE SIZE		CEMENTING	G RE	CORD	+	AN	10UNT	PULLED	
							1.181.1									1				
															,	1				
																╁				
24.						LINE	ER RECORD					25.			NG RE		RD			
SIZE	TOP			BOT	TOM		SACKS CEM	ENT	SCF	SCREEN SIZ		SIZ	ZE DI		DEPTH SET		PACKE	ER SET		
	 													+						
26 Perforation	record (i	nterv	al, sıze, an	d num	nber)								ACTURE, CE							
									DEI	21H I	NTERVAL		AMOUNT AND KIND MATERIAL USED							
		-					 	DD (1.00	EV O N		<u> </u>							
28 Date First Produc	tion		Pro	ducti	on Meth	od (Fla	wing, gas lift, pi				TION	}	Well Status	(Pro	d or Sh	11/1-11	n)			
Date 1 list 1 loud	Alon			ducti	on wien	104 (7 70	wing, gas tijt, pi	итриц	5 - 01.	e an	стуре ритр,	′	Wen Status	(1700	<i>a 01 511</i>		""			
Date of Test	Hour	s Tes	ted	Cho	ke Size		Prod'n For Test Period		Oıl	- Bbl		Gas	s - MCF	w	ater - B	bl.		Gas - C	l Ratio	
Flow Tubing Press.	Casir	ng Pro	essure		ulated 2 r Rate	24-	Oil - Bbl.			Gas -	MCF		Water - Bbl		Oil C	Grav	ity - AP	PI - (Cori	r)	
29 Disposition o	f Gas (So	ld, us	sed for fuel	, vent	ed, etc.)									30 1	est Wi	tnes	sed By	· · · ·	<u> </u>	
31. List Attachm				- 11																
32. If a temporary	•				•			-	•	pit.										
33 If an on-site t	urial was	useo								NIA P		1100	2							
I hereby certi	fy that t	he i	<u>Latitude :</u> nformatio	36.98 on sk	nown o	n both		12082 form	is ti	rue a	and compl	1198 lete	s to the best of	f my	know	led	ge and	l belief	•	
Signature	I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature ON W Name Jamie Goodwin Title: Regulatory Tech. Date: 4/5/2011																			
E-mail Addre	ss	Ja	mie.L.G	oodv	vin@c	onoco	phillips.com													



ConocoPhillips

Date: 1/30/10	_
Well Name: Susco 16	State 3
Footages: 1600 FAL	1571 FEL Unit Letter: G
Section: <u>//</u> , T- <u>32</u> -i	N, R-8W, County: Sen Juan State:
Reclamation Contractor:	Ace
Reclamation Date:	11/30/10
Seeding Date:	
**PIT MARKER STATUS (\	When Required): Picture of Marker set needed
MARKER PLACED :	(DATE)
LATATUDE:	
LONGITUDE:	
Pit Manifold removed	(DATE)
Construction Inspector:	5 M 6 lasson Date: 11/30/10
Inspector Signature:	/ Gre

Goodwin, Jamie L

From:

Payne, Wendy F

Sent:

Monday, November 22, 2010 7:46 AM

To:

'acedragline@yahoo.com'

Cc:

Jared Chavez; Bassing, Kendal R.; Payne, Wendy F

Subject:

Update Lat/Longs & APD: Pit closure Only Notice: Susco 16 State 3

Importance:

High

Attachments:

Susco 16 State 3 APD Approved OCD.pdf; Susco 16 State 3.pdf



Susco 16 State 3 APD Approved ...

Wendy Payne ConocoPhillips-SJBU 505-326-9533

Wendy.F.Payne@conocophillips.com

ACE Services will move a tractor to the **Susco 16 State 3** to close the pit on Wednesday, November 24, 2010. Please contact Jared Chavez (793-7912) if you have questions or need further assistance.



Susco 16 State 3.pdf (8 KB)

Burlington Resources well - Network # 10279779 - Activity Code D260 (pit closure) PO: Kaitlw San Juan County, NM

Susco 16 State 3 - Fee Surface / State Minerals

Twinned: Susco 16 State 101 (existing)

Sec. 16, T32N, R8W 1600' FNL, 1571' FEL Unit letter 'G' (SW/NE)

Lease: State of New Mexico V-88-1 Latitude: 36° 59' 12" N (NAD 83) Longitude: 107° 40' 37" W (NAD 83)

Elevation: 6985'

Total Acres Disturbed: 2.52 acres


Access Road: **n/a** API # 30-045-35104

Wendy Payne ConocoPhillips-SJBU 505-326-9533

Wendy.F.Payne@conocophillips.com

ConocoPhillips

Reclamation Form:
Date: 12/21/10
Well Name: Sugar 16 State 3
Footages: 1600 FNL 1571 FEL Unit Letter: 4
Section: 16, T-32-N, R -W, County: Rin Juan State: 11
Reclamation Contractor:
Reclamation Date: 12/13/10
Road Completion Date: 12/17/10
Seeding Date: 12/17/10
**PIT MARKER STATUS (When Required): Picture of Marker set needed MARKER PLACED: 12/20/10 (DATE) LATATUDE: 30.98685 LONGITUDE: 107.677115
MARKER PLACED: 12/20/10 (DATE) LATATUDE: 30.98685 LONGITUDE: 107.677115 Pit Manifold removed
MARKER PLACED: 12/20/10 (DATE) LATATUDE: 30.93685 LONGITUDE: 107.677115
MARKER PLACED: 12/20/10 (DATE) LATATUDE: 30.98685 LONGITUDE: 107.677115 Pit Manifold removed



BURLINGTON

SUSCO 16 STATE #3

LATITUDE 36° 59' 12'' N (NAD 83)

LONGITUDE 107° 40' 37'' W (NAD 83)

UNIT G (SW/NE) SEC 16 T32N R08W

BH: NE1/4 NE1/4 SEC 16 T32N R08W


1600' FNL 1571' FEL / API# 30-045-35104

LEASE# STATE OF NEW MEXICO V-88-1 ELEV. 6985'

SAN JUAN COUNTY, NEW MEXICO

EMERGENCY CONTACT: 1-505 122 20 15 157 168





\vdash	WELL NAME: susco16 state#3	OPEN P	IT INSPE	CTION I	ORM			ConocoPhillips			
	INSPECTOR	Freddie Mtz	Freddie mtz	Freddie Mtz	Freddie Młz	<u> </u>	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	
	DATE	05/27/10:	06/01/10		01/05/00		06/07/10	06/28/10	07/06/10	07/12/10	
\vdash	*Please request for pit extention after 26 weeks	Week 1	Week 2	Week 3 Unilled	Week 4	Week 5	Week 6 Unilled	Week 7 Drilled	Week 8 ✓ Drilled	Week 9 Unilled	
	PIT STATUS	Completed	Completed	☑ Completed	✓ Completed	Completed	Completed	Completed	Completed	Completed	
		Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes No	✓ Yes ☐ No	Yes No	✓ Yes ☐ No	Yes No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	
	ls the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	
ENVIRONMENTAL COMPLIANCE	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	
		✓ Yes 🗌 No :	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	
	is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	
	Lother meterials? (cables pine threads etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	
	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	
	Is there any standing water on the blow pit?	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	
	Are the pits free of trash and oil?	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	
	Are there diversion ditches around the pits for natural drainage?	✓ Yes 🗌 No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	· ☑ Yes ☐ No	✓ Yes 🗌 No	
	Is there a Manifold on location?	Yes No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	
၁၀	□ Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	
		☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	
	COMMENTS	e e e e e e e e e e e e e e e e e e e	***************************************					to the second	**************************************		

2-

	WELL NAME:	.: • • •				:	:			
	susco16 state#3					:				
	INSPECTOR	Fred Mtz	Fred Mtz	F MTZ	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz
-	*Please request for pit extention after 26 weeks	07/19/10 Week 10	7/26/201 Week 11	08/02/10 Week 12	08/09/10 Week 13	08/30/10 Week 14	09/07/10 Week 15	09/13/10 Week 16	09/20/10 Week 17	09/27/10 Week 18
	PIT STATUS	✓ Drilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up			
ATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No
LOCA	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗋 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No
MPLIAN	is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	_☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No
00 1	ts the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes □ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
AENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	☑ Yes ☐ No
ENVIRONM	Is there any standing water on the blow pit?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No
EN	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	✓ Yes □ No	✓ Yes □ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes □ No
	Is there a Manifold on location?	☐ Yes ☐ No	☐ Yes . No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes 🗌 No
၁၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS			NO REPAIRS					No repairs B.J. moven I location flowback crew on loc.	

	WELL NAME:		::							
	susco16 state#3		·::							
╌	INSPECTOR DATE	Fred Mtz 10/04/10	Fred Mtz 10/22/10	Fred Mtz 10/19/10	Fred Mtz 11/01/10	Fred Mtrz 11/08/10	Fred Mtz 11/15/10			
H	*Please request for pit extention after 26 weeks	Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS	☐ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	☑ D⊓lled ☐ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	☑ Dniled ☑ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up
TA C	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	() Its the temporary well sign on location and visible.	Yes 🗌 No	✓ Yes No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Is the access road in good driving condition? (deep ruts, bladed)	Yes No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
l	Are the culverts free from debris or any object preventing flow?	☐ Yes ☐ No	.☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	Yes No	Yes No	Yes No
	Is the top of the location bladed and in good operating condition?	Yes No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	✓ Yes 🗌 No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	Yes No	☐ Yes ☑ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	Yes No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	other materials? (cables, pine threads, etc.)	☐ Yes ☐ No	☐ Yes ☑ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Does the pit contain two feet of free board? (check the water levels)	Yes No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Is there any standing water on the blow pit?	Yes No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are the pits free of trash and oil?	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	Yes No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is there a Manifold on location?	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
၁၀	S △ Was the OCD contacted?	Yes No	Yes ✓ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	Yes No
	PICTURE TAKEN	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	Yes No
			Contact Dawn to pull pit Flint to fix fence tested pit.			No repairs let Facility crew know to keep fence tightened.	No repairs fence needs tightened contact crossfire			

DATE: 2/01/12

WELL NAME: SUSCO 16 STATE 3

API# 30-045-35104 PERMIT #: 8177

MISSING DATA: SURFACE OWNER NOITICATION /OCD NOTIFICATION 72HR

WEEK

ATTACHED: SURFACE OWNER NOTIFICATION/OCD 72 HR WEEK

NOTIFICATION (Reclamation notice)

RCVD JUN 22'12 OIL CONS. DIV. DIST. 3



ConocoPhillips Company CRE/ PTRRC – San Juan Business Unit Juanita Farrell 3401 East 30th Street Farmington, NM 87402 Telephone: (505) 326-9597

Telephone: (505) 326-9597 Facsimile: (505) 324-6136

February 1, 2010

VIA CERTIFIED MAIL -- RETURN RECEIPT REQUESTED 7179-1000-1642006-79635

Tommy Bolack 3901 Bloomfield Hwy Farmington, NM 87401

Re:

Susco 16 State 3

NE Section 16, T32N, R8W San Juan County, New Mexico

Dear Landowner:

Pursuant to Paragraph 1 (b) of Subsection F of 19.15.17.13 NMAC, an operator shall provide the surface owner of the operator's proposal to close a temporary pit on-site in compliance with the on-site closure methods specified in the same Subsection of the NMAC. In compliance of this requirement, please consider this notification of ConocoPhillips' intent to close the temporary pit on the above referenced location.

If you have any questions, please contact David Greer @ (505) 326-9893 or the PTRRC Department @ (505) 324-6111.

Sincerely,

Juanita Farrell

Juanita Farrell Staff Associate, PTRRC



201103218 03/14/2011 04:23 PM 1 of 1 B1522 P1134 R \$9.00

STATE OF NEW MEXICO

§ §

COUNTY OF SAN JUAN

San Juan County, NM DEBBIE HOLMES

RECORDATION NOTICE OF PIT BURIAL

In accordance with Section 19.15.17.13.F.1.f of the record of an on-site burial of a temporary pit at the f	NMAC, operator hereby provides notice in the public following location:
Well Name:	Susco 16 State 3
	N36 59.208
	W107 40.622
Unit Letter(1/4, 1/4):	G
Section:	16
Township:	32N
Range:	
——————————————————————————————————————	San Juan
	New Mexico
By: Mike L. Mankin Title: PTRRC Supervisor	MPANY LP,
STATE OF New Mexico COUNTY OF San Juan	§ § §
This instrument was acknowledged before me this 2 Burlington Resources Oil & Gas Company LP, By: said corporation.	21 day of February 2011, by Mike L.Mankin, of BROG GP Inc., its sole General Partner, on behalf of
My Commission Expires:	Notary Public OFFICIAL SEAL JUANITA FARRELL NOTABY PUBLIC OFFICIAL SEAL



Goodwin, Jamie L

From:

Pavne, Wendy F

Sent:

Tuesday, November 23, 2010 8:14 AM

To:

Blair, Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd.); Greer, David A; Hines, Derek J (Finney Land Co.);

Maxwell, Mary Alice; McWilliams, Peggy L; Seabolt, Elmo F; Stallsmith, Mark R; (Brandon Powell@state nm.us); GRP:SJBU Regulatory; 'tevans48@msn.com';

(bko@digii.net); (davidblakley@alltel.blackberry.com); Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo com); Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Spearman, Bobby E; 'Steve McGlasson'; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal-R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Work, Jim A;

Corey Alfandre; 'isaiah@crossfire-llc.com'; Jerid Cabot (jerid@crossfire-llc.com)

Cc:

'acedragline@yahoo.com'

Subject:

Updated: Full Reclamation Notice: Pit closure Only Notice: Susco 16 State 3

Importance:

High

Attachments:

Susco 16 State 3.pdf

UPDATED: We will move a tractor to the **Susco 16 State 3** to start the reclamation process along with closing the PIT on Wednesday, November 24, 2010.

ACE Services will move a tractor to the **Susco 16 State 3** to close the pit on Wednesday, November 24, 2010. Please contact Jared Chavez (793-7912) if you have questions or need further assistance.



Susco 16 State 3.pdf (8 KB)

Burlington Resources well - Network # 10279779 - Activity Code D260 (pit closure) & D250 (reclamation) PO: Kaitlw San Juan County, NM

Susco 16 State 3 - Fee Surface / State Minerals

Twinned: Susco 16 State 101 (existing)

Sec. 16, T32N, R8W 1600' FNL, 1571' FEL Unit letter 'G' (SW/NE)

Lease: State of New Mexico V-88-1 Latitude: 36° 59' 12" N (NAD 83) Longitude: 107° 40' 37" W (NAD 83)

Elevation: 6985'

Total Acres Disturbed 2.52 acres

Access Road: **n/a** API # 30-045-35104

Wendy Payne ConocoPhillips-SJBU 505-326-9533

Wendy.F.Payne@conocophillips.com