District I 1625 N French Dr , Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II 1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

District IV 1220 S St Francis Dr , Santa Fe, NM 87505			Environmental Bureau office appropriate NMOCD District	
	Pit, Closed-Loop System,	Below-Grade	Tank, or	<del> </del>
Propo	osed Alternative Method P	ermit or Closu	ure Plan Applicat	tion
Type of action:	Permit of a pit, closed-loop syste	em, below-grade tan	ık, or proposed alternati	ve method
	X Closure of a pit, closed-loop sys			
	Modification to an existing perm	nit		
	Closure plan only submitted for		ed or non-permitted pit,	closed-loop system,
Instantations Disease at least and	below-grade tank, or proposed a			
	pplication (Form C-144) per individently this request does not relieve the operator of hab			=
	eve the operator of its responsibility to comply w		-	=
Operator: Burlington Resources Oil	& Gas Company, LP	-	OGRID#: <u>14538</u>	
Address: PO Box 4289, Farmingto	n, NM 87499			
Facility or well name: Jicarilla 153	25			
API Number: 30	-039-22421	OCD Permit Number		
U/L or Qtr/Qtr: <u>A(NE/NE)</u> Section	' <u></u>	Range: 5	W County: Rio A	Arriba
Center of Proposed Design: Latitude:		Longitude:		NAD: X 1927 1983
Surface Owner: Federal	State Private XTri	ibal Trust or Indian	Allotment	
Lined Unlined Lii		LLDPE H	HDPE PVC Oth	RCVD JUN 25'12 OIL CONS. DIV. er DIST. 3xwxd
Ĭ	on H of 19.15 17 11 NMAC  Drilling a new well Workover or notice of inte	•	ctivities which require pric	or approval of a permit or
Lined Unlined Liner	d Steel Tanks Haul-off Bins type Thickness mil	Other HI	DPE PVD Other	
Below-grade tank: Subsection I  Volume bt  Tank Construction material  Secondary containment with leak det  Visible sidewalls and liner  Liner Type Thickness			natic overflow shut-off	
5 Alternative Method: Submittal of an exception request is requ	ured Exceptions must be submitted to the	ne Santa Fe Environm	ental Bureau office for cor	nsideration of approval

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  (Fencing/BGT Liner)  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting) 19.15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes [	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	]No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes [	No		
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	]No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No -		
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society, Topographic map</li> </ul>	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19 15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API  or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19 15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19 15 17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative   Proposed Closure Method   Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15 Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel T					
Instructions Please identify the facility or facilities for the disposal of liquids, drilling flui facilities are required	ds and drill cuttings Use attachment if more than two				
Disposal Facility Name Dis	Disposal Facility Permit #				
Disposal Facility Name Disposal Facility Permit #					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and  Yes (If yes, please provide the information  No					
Required for impacted areas which will not be used for future service and operations.  Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	n I of 19 15 17 13 NMAC	c			
17  Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recertain siting criteria may require administrative approval from the appropriate district office or office for consideration of approval. Justifications and/or demonstrations of equivalency are req	may be considered an exception which must be submitted to				
Ground water is less than 50 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search, USGS Data obtains	d from poorby, wells	☐Yes ☐No ☐N/A			
- My Office of the State Eligined - TWATENS database scaled, 0505 Data obtained	I from fleatby weres				
Ground water is between 50 and 100 feet below the bottom of the buried waste	16	∐Yes ∐No			
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained	from nearby wells	∐N/A			
Ground water is more than 100 feet below the bottom of the buried waste		∐Yes ∐No			
- NM Office of the State Engineer - (WATERS database search, USGS, Data obtained	from nearby wells	∐N/A — —			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark)	watercourse or lakebed, sınkhole, or playa lake	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in exist  - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	ence at the time of initial application	Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than fi purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	e at the time of the initial application				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No			
Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland		Yes No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine		Yes No			
<ul> <li>Written confirantion or verification or map from the NM EMNRD-Mining and Miner</li> <li>Within an unstable area</li> </ul>	al Division	∏Yes ∏No			
- Engineering measures incorporated into the design, NM Bureau of Geology & Minera	al Resources, USGS, NM Geological Society,				
Topographic map Within a 100-year floodplain	·	∏Yes ∏No			
- FEMA map					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	the following items must bee attached to the closu	re plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate re					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection	etion G of 19 15 17 13 NMAC				

Operator Application Contification
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Coopere Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  [X] Closure Completion Date: 5/22/2012
22 Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location. Latitude Longitude NAD 1927 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Dollie L Busse Title Staff Regulatory Technician
Signature Date 6/22/12
e-mail address. dollie.libusse@conocophillips.com Telephone: (505) 324-6104