District I (1625 N. French Dr., Hobbs, NM 88240 District II (1811 S. First St., Artesia, NM 88210 District III (1000 Rio Brazos Road, Aztec, NM 87410 District IV (1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Proposed Alternative Method Permit or Closure Plan Appl	ication
Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed al Closure of a pit, closed-loop system, below-grade tank, or proposed a Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted below-grade tank, or proposed alternative method	ternative method alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-gra	le tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of senvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental aut	urface water, ground water or the hority's rules, regulations or ordinances.
t. Operator: Elm Ridge Exploration Company, LLC OGRID #: 149052	
Address: PO Box 156, Bloomfield, NM 87413	
Facility or well name: Bonanza #9	
API Number: 30-043-21002 OCD Permit Number: 9204	
U/L or Qtr/Qtr J Section 12 Township 22 N Range 3 W County: Sandoval	
Center of Proposed Design: Latitude 36°08'57" Longitude -107°06'19" NAD: ☐1927 ☑ 1983	
Surface Owner:  Federal State Private Tribal Trust or Indian Allotment Jicarilla Apache Nation	
2.	
☑ <u>Pit</u> : Subsection F or G of 19.15.17.11 NMAC	RCVD JUL 16'12
Temporary: 🛛 Drilling 🖾 Workover	OIL CONS. DIV.
Permanent Emergency Cavitation P&A	DIST. 3
	K 20 B 2
☑ Lined ☐ Unlined Liner type: Thickness 20 mil ☑ LLDPE ☐ HDPE ☐ PVC ☐ Other	
∐ Lined ☐ Unlined Liner type: Thickness 20 mil ☑ LLDPE ☐ HDPE ☐ PVC ☐ Other ☐ Other ☐ String-Reinforced	
⊠ String-Reinforced	
☑ String-Reinforced         Liner Seams: ☑ Welded ☑ Factory ☐ Other Volume: 9,939 bbl Dimensions: L 16	
☑ String-Reinforced   Liner Seams: ☑ Welded ☑ Factory ☐ Other Volume: 9,939 bbl Dimensions: L 160   3.	<u>)'</u> x W <u>40'</u> x D <u>10'</u>
String-Reinforced  Liner Seams:  Welded  Factory □ Other □ Volume: 9.939 bbl Dimensions: L 169  Closed-loop System: Subsection H of 19.15.17.11 NMAC  Type of Operation: □ P&A □ Drilling a new well □ Workover or Drilling (Applies to activities which require principles)	<u>)'</u> x W <u>40'</u> x D <u>10'</u>
String-Reinforced  Liner Seams:   Welded   Factory   Other   Volume: 9,939 bbl Dimensions: L 169  3.   Closed-loop System: Subsection H of 19.15.17.11 NMAC  Type of Operation:   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require printent)	D' x W 40' x D 10' or approval of a permit or notice of
String-Reinforced  Liner Seams:   Welded   Factory □ Other □ Volume: 9,939 bbl Dimensions: L 160  3. □ Closed-loop System: Subsection H of 19.15.17.11 NMAC  Type of Operation: □ P&A □ Drilling a new well □ Workover or Drilling (Applies to activities which require printent)  □ Drying Pad □ Above Ground Steel Tanks □ Haul-off Bins □ Other □ Other □ Other □ □ Othe	D' x W 40' x D 10' or approval of a permit or notice of
String-Reinforced  Liner Seams:  Welded  Factory  Other  Volume: 9,939 bbl Dimensions: L 169  3.  Closed-loop System: Subsection H of 19.15.17.11 NMAC  Type of Operation:  P&A  Drilling a new well  Workover or Drilling (Applies to activities which require printent)  Drying Pad  Above Ground Steel Tanks  Haul-off Bins  Other  Lined  Unlined Liner type: Thickness  mil  LLDPE  HDPE  PVC  Other	D' x W 40' x D 10' or approval of a permit or notice of
String-Reinforced  Liner Seams:	D' x W 40' x D 10' or approval of a permit or notice of
String-Reinforced	D' x W 40' x D 10' or approval of a permit or notice of
String-Reinforced	2' x W 40' x D 10' or approval of a permit or notice of
String-Reinforced	2' x W 40' x D 10'  or approval of a permit or notice of
String-Reinforced	or approval of a permit or notice of
String-Reinforced	or approval of a permit or notice of
String-Reinforced	or approval of a permit or notice of

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)				
☐ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)	2.15			
8.				
Signs: Subsection C of 19.15.17.11 NMAC				
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
Signed in compliance with 19.15.16.8 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  Visual improvious (continuous) of the proposed site. A crial photo: Setallite image.	Yes No			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No			
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No			
Within a 100-year floodplain FEMA map	☐ Yes ☐ No			

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC   Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Operating and Maintenance Plan API Number:
above ground steel tanks or haul-off hins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC  Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal  Waste Removal (Closed-loop systems only)  On-site Closure Method (Only for temporary pits and closed-loop systems)  In-place Burial On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.				
Disposal Facility Name: Disposal Facility Permit Number:				
Disposal Facility Name: Disposal Facility Permit Number:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
17. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requi considered an exception which must be submitted to the Santa Fe Environmenta demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	re administrative approval from the appropriate distr il Bureau office for consideration of approval.  Justij	ict office or may be		
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Database search;	ta obtained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Database search; U	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; USGS; Database search	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellit		☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that les watering purposes, or within 1000 horizontal feet of any other fresh water well or - NM Office of the State Engineer - iWATERS database; Visual inspection	spring, in existence at the time of initial application.	☐ Yes ☐ No		
Within incorporated municipal boundaries or within a defined municipal fresh was adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approx	•	Yes No		
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visu	nal inspection (certification) of the proposed site	Yes No		
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Minin	g and Mineral Division	☐ Yes ☐ No		
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map</li> </ul>	gy & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map		☐ Yes ☐ No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the a Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19.1 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	quirements of 19.15.17.10 NMAC of Subsection F of 19.15.17.13 NMAC oppropriate requirements of 19.15.17.11 NMAC pad) - based upon the appropriate requirements of 19.15.17.13 NMAC quirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC drill cuttings or in case on-site closure standards cannot H of 19.15.17.13 NMAC	15.17.11 NMAC		

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Tobsure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 7/18/2012  Title: OMP Guce OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report.  The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
☐ Closure Completion Date: April 9, 2012
22.  Closure Method:  Waste Excavation and Removal ☑ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
23.  Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division) – See attached: Closure Notices  Proof of Deed Notice (required for on-site closure) – See attached: Proof of Deed Notice  Plot Plan (for on-site closures and temporary pits) - See attached: Plot Plan  Confirmation Sampling Analytical Results (if applicable) – Not Applicable – Waste Material Sampling Results below OCD Closure Standards.  Waste Material Sampling Analytical Results (required for on-site closure) - See attached: Envirotech Analytical Results  Disposal Facility Name and Permit Number –On-Site closure levels met standards – Waste material not removed.  Soil Backfilling and Cover Installation – See attached: Site Photography  Re-vegetation Application Rates and Seeding Technique - Pursuant to the BLM MOU and Approved Closure Plan  Site Reclamation (Photo Documentation) – See attached: Site Photography  On-site Closure Location: Latitude 36 08:57" Longitude -107 06:19" NAD: 1927 1983
25. Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Ms. Amy Mackey Title: Administrative Manager
Signature: Date:
e-mail address: amackeyl@elmridge.net Telephone: (505) 632-3476 Ext. 201

Elm Ridge Exploration Lease Name: Bonanza #9 API Number: 30-043-21002 Closure Date: April 9, 2012

#### **Detailed Closure Report**

In accordance with Rule 19.15.17.13 NMAC, the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144.

#### Documentation includes:

- Details on capping and covering, where applicable (see report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land)

#### **Drill Pit Closure Plan Checklist**

1) An operator shall close a pit within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. An operator shall close any other permitted temporary pit within six months from the date that the operator releases the drilling or work over rig. The appropriate division district office may grant an extension not to exceed three months.

The rig release date was December 28, 2011. Closure activities were completed on April 9, 2012.

2) The operator of a temporary pit shall remove all liquids from the temporary pit prior to closure and dispose of the liquids in a division approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division office approves. All free standing liquids will be removed before backfilling the pit and disposed of at an Elm Ridge Disposal Well or at Basin Disposal's evaporation pond.

All recovered liquids were removed and disposed of at Carson WDW 242 prior to closure sampling on April 9, 2012.

3) On-Site Burial. The operator shall demonstrate and comply with the siting requirements in Subsection C of 19.15.17.10 NMAC and the closure requirements and standards of Subsection F of 19.15.17.13 NMAC if the proposed closure method of a temporary pit involves on-site burial. The preferred method of closure will be on-site, in place burial, assuming all criteria outlined in 19.15.17.13 (B) are met.

The pit was closed using on-site burial. The permit of the pit was approved by the OCD on November 15, 2011. The drill pit met all requirements, and was buried in-place prior to April 9, 2012. One (1) five (5) point composite sample was collected from the drill pit using a hand auger to depths between five (5) and ten (10) feet below ground surface.

Elm Ridge Exploration Lease Name: Bonanza #9 API Number: 30-043-21002 Closure Date: April 9, 2012

4) An alternative interim marking system will be used to allow for safer and more efficient operations. A minimum 4" O.D. steel pipe will be set at least 36" deep at the center of the pit. A threaded collar will be on the top of the pipe. A minimum 12" x 12" steel plate will be welded atop the threaded collar. The top of the plate will be flush with ground level. The standard location information listed will be welded onto the plate, plus a notation that it marks an on-site buried, temporary pit. Upon plugging the well, the plate will be removed, and the pit will be marked as described in 19.15.17.13.F(1)(d).

A division approved in-ground marker will be placed with a four (4) foot riser upon P&A of this well location. Information welded onto the marker will include: Elm Ridge Exploration, Lease #BIA-360, Bonanza #9, Unit Letter J, Sec. 12, Twn. 22N, Rng 3W, on-site burial and the date.

5) The operator shall report the exact location of the on-site burial on form C-105 filed with the division.

Please find attached the C-105 form that is filed with the division.

6) The operator shall file a deed notice identifying the exact location of the on-site burial with the county clerk in the county where the on-site burial occurs.

Due to the land being located on Jicarilla Apache Nation Land a deed notice was not applicable.

7) Elm Ridge Exploration will stabilize or solidify the contents to a bearing capacity sufficient to support the temporary pit's final cover. Elm Ridge Exploration will mix the contents with soil or other material at a mixing ratio of no greater than 3-1, soil or other material: to drill pit contents.

Contents of drill pit were mixed at a 3:1 ratio of soil to contents of drill pit prior to backfill.

8) A five (5)-point composite sample will be taken of the pit, and all samples will be tested per Subsection B of 19.15.17.13(B)(1)(b). If the criteria are not met, then all contents will be handled per subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13. (i.e. dig and haul). If a dig and haul is required, then the disposal facility will be Envirotech's Landfarm (NM01-0011).

Initial sampling on 4/9/12 returned results that were below the NMOCD regulatory standards for all constituents analyzed; see attached laboratory results.

Sample	Chloride	Benzene (8021)	BTEX (8021)	TPH (418.1)	DRO/GRO (8015)
NMOCD Regulatory Standards	1,000 mg/kg	0.2 mg/kg	50.0 mg/kg	2,500 mg/kg	500 mg/kg
Contents	60 mg/kg	0.0263 mg/kg	0.948 mg/kg	488.0 mg/kg	44.6 mg/kg

9) After completing solidification and testing, the pit area will be backfilled with compacted, waste free, earthen material. At least four (4) feet of cover will be achieved. The cover will include one (1) foot of suitable material to establish vegetation at the site, or the background

Elm Ridge Exploration Lease Name: Bonanza #9 API Number: 30-043-21002 Closure Date: April 9, 2012

thickness of topsoil, whichever is greater.

Site was backfilled using one (1) foot of topsoil and approximately four (4) feet of non-waste containing earthen material used for cover.

10) Re-contouring of the location will match the fit, shape, line, form, and texture of the surrounding area. Re-shaping will control drainage and prevent ponds and erosion. Natural drainages will be unimpeded. Water bars and/or silt traps will be placed where needed to prevent erosion on a large scale. Final re-contour will have a uniform appearance with smooth surface, fitting the natural landscape.

The site was re-contoured to match the fit, shape, line and form of the surrounding area. It was re-shaped to prevent ponding and erosion, and in such a way that natural drainage was unimpeded. Water bars or silt traps were not needed to prevent erosion. The final recontour has a uniform appearance and a smooth surface, and fits the natural landscape. See attached photos of site re-contouring.

11) Notice will be sent to the OCD when the reclaimed area is seeded.

Elm Ridge Exploration will comply with the BLM's re-seeding requirements in this area in accordance with the federal rules and regulations as allowed by the BLM/OCD Memorandum of Understanding. Reseeding will occur or has occurred on (Date: 6/13/12).

12) The operator shall notify the surface owner by certified mail, return receipt requested, that the operator plans to close a temporary pit, a permanent pit, a below grade tank or where the operator has approval for on-site closure. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this requirement.

Due to a misunderstanding and miscommunication of the notification of closure to surface owner, Elm Ridge Exploration will send notification that on-site closure activities have occurred. Elm Ridge Exploration will be sure to send notification prior to closure activities in the future. See attached Land Owner Notification.

13) After approval of this application, Elm Ridge Exploration will notify the OCD verbally, or by other means, at least 72 hours, but not more than one week, prior to any closure operations. The notice shall include the operator's name and the location to be closed by unit letter, section, township and range, well name and number and API number.

Due to a misunderstanding and miscommunication of the notification of closure to the OCD, Elm Ridge Exploration will send notification that on-site closure activities have occurred. Elm Ridge Exploration will be sure to send notification prior to closure activities in the future. See attached OCD notification.

14) Elm Ridge Exploration will close the pit in accordance with OCD rules 19.15.17.12 &13. Post closure documents will be submitted within 60 days of pit closure and will include forms C-105 and C-144, cover details, pit diagram, inspection report and closure sampling results.

See attached C-105, C-144, pit diagrams, closure sampling results. Cover was installed in accordance with 19.15.17.12 &13.

District 1 PO Box 1980, Hobbs NM 88241-1980

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Aevised February 21 1994 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

District [[ PO Drawer DD. Artesia, NM 88211-0719

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe. NM 87504-2088

District III 1000 Aio Brazos Rd. Aztec, NM 87410

Ostrict IV PO Box 2088, Santa Fe. NM 87504-2088

MENDED REPORT

	PI Number		<del></del>	Pool Code		CREAGE DEDI	'Pool Name			
<del>,</del>	4 1 100.00		•	39189		LINDRITH GALLUP - DAKOTA, WEST			51	
Property	Code		L		Property	Operty Name				
			•			BONANZA				
'OGRID I	No			· · · · · ·	*Operator	perator Name			*F levat ion	
14905	i2			ELM	RIDGE RES	SOURCES, INC.			7186	
				1	<sup>o</sup> Surface	Location				
ut or lot no	Section	(Contains)	Range	Let lon	Fest from the	North/South Time	Feet from the	East/Mest line	County	
J	12	22N	ЖE		1930	SOUTH	1970	EAST	SANDOVA	
		11 B	ottom	Hole L	ocation I	f Different	From Surf	ace	- <del></del>	
LL or let no	Section	Township	Range	Lot lan	feet from the	HorstVSouth Tyne	Feet from the	Equi/ment line	County	
								L	<u> </u>	
Decicated Acres	•				If the to sough	M Coreolidetion Code	<sup>th</sup> Order No			
60				•		<u> </u>				
NO ALLOY	NABLE W	ILL BE A	NON-51	D TO THI CANDARD	IS COMPLETI UNIT HAS B	ION UNTIL ALL EEN APPROVED	INTERESTS H BY THE DIVI	IAVE BEEN CD SION	NSOL IDATE(	
6			5	280.00				ATOR CERT		
							I haneby	certify that the	information	
		1		1		1	10.10			
						t		AND THE PROPERTY OF THE PARTY O	e ind/belset	
							1 7		pe and/belief	
				1			Sugnation	1/000	pe (no//belief	
		,		1				1/000	ge Ind/belset	
				 <del> </del>				Name	ge and/belief	
							5agnation Pranted	Name	ge and/belief	
				 			Sugnatur Sugnatur	Name BRIA	N WOOD	
	<u> </u>			 			5agnation Pranted	Name BRIA	N WOOD	
	<del>-</del>			 			Signator  Printed  Title  Date	NOV 1 EYOR CERT	N WOOD SULTANT	
00.08	- <del>-</del>						Signator  Printed  Title  Date  1 reverse species as supported to the support of	Nov. 1	N WOOD  SULTANT  6, 2005  IF ICATIO	

and correct to the best of my belief 528 LAT 36 08 57 N LONG 107 06 19 W DATUM NAD1927 Date of Survey MARCH 16, 2005 Signature and Sea) of Professional Surveyor 1970 pit center <u>8</u> 36.14905° N

5280 00

SON C. EONARD SEN MEXICO **EXHIBIT F** 

107.10562° W **NAD 83** 

> EDWARDS. Certificate Number

From: brian wood <bri>brian@permitswest.com><br/>Date: November 12, 2011 9:20:11 AM MST

To: ANNETTE TORIVIO <annettetorivio@jicarillaoga.com>

Subject: Bonanza 9 pit closure notice

As required by NMOCD pit rule Subsection F of 19.15.17.13 NMAC, I am notifying the Jicarilla Apache Nation that Elm Ridge plans to close its temporary (reserve) pit after it is built and used using on site closure (burial) in the same pit.

The well is staked at 1930 FSL & 1970 FEL 12-22n-3w

The well is on lease BIA 360

API # 30-043-21002

Please call me if you have any questions.

Brian Wood Permits West, Inc. 37 Verano Loop, Santa Fe, NM 87508 Phone: 505 466-8120 FAX: 505 466-9682

Cellular Phone: 505 699-2276





#### EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Elm Ridge Exploration	Project #:	03056-0365
Sample ID:	5pt. Composite	Date Reported:	04-11-12
Laboratory Number:	61633	Date Sampled:	04-09-12
Chain of Custody No:	13709	Date Received:	04-09-12
Sample Matrix:	Soil	Date Extracted:	04-10-12
Preservative:	Cool	Date Analyzed:	04-11-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	44.6	0.1
Total Petroleum Hydrocarbons	44.6	

ND - Parameter not detected at the stated detection limit.

References: Metho

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

**Drill Pit Sampling/ Bonanza #9** 

Analyst

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

5796 US Highway 64, Farmington, NM 87401

envirotech-inc.com laboratory@envirotech-inc.com



#### **EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons**

#### **Quality Assurance Report**

Client:	QA/QC	Project #:	N/A
Sample ID:	0411TCAL QA/QC	Date Reported:	04-11-12
Laboratory Number:	61632	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-11-12
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept: Range
Gasoline Range C5 - C10	04-11-12	9.9960E+02	1.0000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	04-11-12	9.9960E+02	1.0000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept: Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept: Range
Gasoline Range C5 - C10	ND	250	272	109%	75 <b>-</b> 125%
Diesel Range C10 - C28	ND	250	252	101%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Was

SW-846, USEPA, December 1996.

Comments:

**QA/QC for Samples 61632-61635** 

Analyst

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

envirotech-inc.com laboratory@envirotech-inc.com



#### **EPA METHOD 8021 AROMATIC VOLATILE ORGANICS**

Client:	Elm Ridge Exploration	Project #:	03056-0365
Sample ID:	5pt. Composite	Date Reported:	04-13-12
Laboratory Number:	61633	Date Sampled:	04-09-12
Chain of Custody:	13709	Date Received:	04-09-12
Sample Matrix:	Soil	Date Analyzed:	04-12-12
Preservative:	Cool	Date Extracted:	04-10-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	-3/2
Benzene	26.3	10.0	
Toluene	255	10.0	
Ethylbenzene	97.3	10.0	
p,m-Xylene	481	10.0	
o-Xylene	89.1	10.0	
Total BTEX	948		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	94.1 %
	1,4-difluorobenzene	101 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846.

USEPA, December 1996.

Comments:

**Drill Pit Sampling/Bonanza #9** 

Analyst

Ph (505) 632-0615 Fx (505) 632-1865

5796 US Highway 64, Farmington, NM 87401

Ph (970) 259-0615 Fr (800) 362-1879

laboratory@envirotech-inc.com

envirotech-inc.com



#### **EPA METHOD 8021 AROMATIC VOLATILE ORGANICS**

Client:	N/A	Project #:	N/A
Sample ID:	0412BCAL QA/QC	Date Reported:	04-13-12
Laboratory Number:	61632	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-12-12
Condition:	N/A	Analysis:	BTEX
		Dilution:	50

Calibration and Detection Limits (ug/L)	(I-Cal RF:	C-Cal RF: Accept: Range 0-15%	%Diff.	Blank Conc	Detect: Limit
Benzene	4.5808E-06	4.5855E-06	0.001	ND	0.2
Toluene	4.2066E-06	4.2131E-06	0.002	ND	0.2
Ethylbenzene	4.6321E-06	4.6321E-06	0.000	ND	0.2
p,m-Xylene	3.4478E-06	3.4450E-06	0.001	ND	0.2
o-Xylene	4.9214E-06	4.9214E-06	0.000	ND	0.2

Duplicate Conc. (ug/Kg)	Sample Di	uplicate	%Diff:	Accept Range	Detect: Limit
Benzene	29.5	30.5	0.03	0 - 30%	10
Toluene	100	122	0.21	0 - 30%	10
Ethylbenzene	65.8	73.5	0.12	0 - 30%	10
p,m-Xylene	142	131	0.08	0 - 30%	10
o-Xylene	81.8	78.6	0.04	0 - 30%	10

Spike Conc. (ug/Kg)	Sample Amo	unt Spiked Spir	<b>(eu Sample)</b> %	Recovery.	Accept Kange
Benzene	29.5	2500	2310	91.3	39 - 150
Toluene	100	2500	2280	87.7	46 - 148
Ethylbenzene	65.8	2500	2170	84.6	32 - 160
p,m-Xylene	142	5000	4790	93.1	46 - 148
o-Xylene	81.8	2500	2210	85.6	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photolonization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

QA/QC for Samples 61632-61635 and 61637-61641

5796 US Highway 64, Farmington, NM 87401

Analyst

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

laboratory@envirotech-inc.com

envirotech-inc.com



### EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Elm Ridge Exploration	Project #:	03056-0365
Sample ID:	5 pt Composite	Date Reported:	04/16/12
Laboratory Number:	61633	Date Sampled:	04/09/12
Chain of Custody No:	13709	Date Received:	04/09/12
Sample Matrix:	Soil	Date Extracted:	04/10/12
Preservative:	Cool	Date Analyzed:	04/10/12
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

488

7.4

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Drill Pit Sampling / Bonanza #9

Analyst

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

5796 US Highway 64, Farmington, NM 87401

envirotech-inc.com laboratory@envirotech-inc.com



#### **EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS** QUALITY ASSURANCE REPORT

Client:

**QA/QC** 

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

04-11-12

Laboratory Number:

04-10-TPH.QA/QC 61632

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

04-10-12

Preservative: Condition:

N/A N/A Date Extracted: Analysis Needed: 04-10-12 **TPH** 

Calibration

I-Cal Date C-Cal Date

I-Cal RF: C-Cal RF: % Difference Accept. Range

03-20-12

04-10-12

1,850

1,720

7.0%

+/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

**TPH** 

ND

7.4

Duplicate Conc. (mg/Kg)

Sample: Duplicate % Difference Accept: Range

**TPH** 

177

148

16.7%

+/- 30%

Spike Conc. (mg/Kg)

Sample Spike Added Spike Result % Recovery

Accept Range

**TPH** 

177

2,000

2,290

105%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 61632-61635, 61637-61641, 61643-61644.

Analyst



#### Chloride

Elm Ridge Exploration Project #: 03056-0365 Client: Sample ID: 5pt. Composite Date Reported: 04-13-12 04-09-12 Lab ID#: 61633 Date Sampled: Date Received: 04-09-12 Sample Matrix: Soil Preservative: Cool Date Analyzed: 04-11-12 Chain of Custody: 13709 Condition: Intact

Parameter	Concentration (mg/Kg)	)

Total Chloride 60

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Drill Pit Sampling / Bonanza #9

Analyst

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

### CHAIN OF CUSTODY RECORD

Client:		Р	roject Name / Locat	ion:			_						A	NAL	rsis	/ PAI	RAMI	ETER	 RS			
EM Tilge exposition	<u> </u>		rik Pit Sampa	pris	Ecna	17a	#	9_		·		,	,			,			,			
Email results to:		s	mill Pit Samfa ampler Name: Noel ient No.:	Berci					3015)	BTEX (Method 8021)	8260)	ø				_						
Client Phone No.:		C	ient No.:		9				ğ	thod	ροι	etal	ig		Ŧ	910-	F	ш			g	tact
			03056	-c3	65			_	Meth	(Me	Meth	Σ ∞	/A		with	ple (	118.	문			ŏ	9
Sample No./ Identification	Sample Date	Sample Time	Lab No.	No./	Volume entainers	Pr HgCl <sub>2</sub>	eserval	Se.	TPH (Method 8015)	втех	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
SP+-comfosite	4-9-12	17:53	6/633	1 40	مكول			X	Х	メ							X	X			X	X
					<u> </u>	-															ļ	
						-															-	
													_									H
																-						H
																	_					
				<u> </u>																		
Relinquished by: (Signature)				Date	1	Recei				ire)										Date	Ti	ime
				4-9-12	330	an	مکم	<u>ہے</u>	5	4	<u>0</u>			کہ_						4.9.	g 3	:40
Relinquished by: (Signature)					1	Recei	ved b	y: (Si	gnatu	ire)												
Sample Matrix														-		-						
Soil 🔀 Solid 🗌 Sludge 🗌	Aqueous 🗌	Other [																				-
☐ Sample(s) dropped off after	hours to sec	cure drop o	ff area.	<b>3</b> €	en V	rc	) † (	e C	itory	7							-					
5795 US Highway 64	• Farmingto	on, NM 8740	01 • 505-632-0615 • 1	'hree Spri	ngs • 65 M	ercad	lo Stre	et, Su	uite 1	15, Du	urang	o, C	2 813	01 • 1	abor	atory	@env	irote	ch-inc	.com		

Submit To Appropriate Two Copies	ł	State of New Mexico						Form C-105											
District I 1625 N. French Dr.		Energy, Minerals and Natural Resources							-	Revised August 1, 2011  1. WELL API NO.									
District II 811 S. First St., Art	tesia. NM 8	8210			Oil	Conservat	ion	Divis	sio	n	L	30-04321002							
District III 1000 Rio Brazos R	d., Aziec, N	M 87410				20 South St					1	2. Type of Lease  ☐ STATE ☐ FEE ☒ FED/INDIAN							
District IV   1220 S. St. Francis Dr., Santa Fe, NM 87505   Santa Fe, NM 87505							3. State Oil & Gas Lease No. BIA-360												
				RECC		ETION REI				LOG	1						H.		
4. Reason for fil											Ť	5. Lease Name		nit Agree					
☐ COMPLET	ION REP	ORT (F	ill in boxes	#1 throu	gh #31	for State and Fee	wells	s only)			ł	6. Well Numb	ег: 9	Bonanza					
C-144 CLOS #33; attach this a	SURE AT	TACHN	AENT (Fil	l in boxe re report	s #1 thr in accor	ough #9, #15 Da	te Rig 5. 17. l	g Releas 13.K NN	ed a	and #32 and/o	r								
7. Type of Comp	pletion:					□PLUGBACK						Потисп							
8. Name of Oper		y WORE	COVER L	DECP	DIMO	LIPLUGBACE	<u> </u>	DIFFER	ŒN	II KESEKVC		9. OGRID		149052	·				
Elm Ridge Explo						<del></del>					4	11. Pool name	11/	ld-at					
10. Address of O Post Office Box		nfield, N	lew Mexico	, 87413								11. Pool name	GL W	nucai					
12.Location	Unit Ltr	Sec	tion	Towns	hip	Range	Lot			Feet from the	e	N/S Line	Feet	from the	E/W L	Line	County		
Surface:				<u> </u>															
вн:	l		····	<u> </u>											l				
13. Date Spudde			Reached			Released 12/28/				-		(Ready to Prod		R'	T, GR, e	ιc.) `	and RKB,		
18. Total Measur	red Depth	of Well		19. F	dug Bac	k Measured Dep	th		20.	Was Direction	nal	Survey Made?	1	21. Тур	e Electri	c and Ot	her Logs Run		
22. Producing In	terval(s), c	of this co	mpletion -	Top, Bot	tom, Na	ime													
23.					CAS	ING REC	OR	D (Re	pc	ort all stri	ng	s set in we	ell)						
CASING SI	ZE	WE	IGHT LB./	ŀΤ.		DEPTH SET			НО	LE SIZE		CEMENTIN	G RE	CORD	٧٧	OUNT	PULLED		
ļ						-													
							$\dashv$												
SIZE	1 TOP		BO	ттом	LIN	ER RECORD SACKS CEM	FNT	Lecri	25 CREEN SI			s. TU IZE		NG REC		PACKI	ER SET		
312.2	1 11/2		100	11011	•	SACIO CEM	C141	JOCKE	1417		312.		1	JI 111 0L 1		IACK	ZK SLI		
26. Perforation	record (ii	nterval, s	ize, and nu	mber)	.,						·R/	RACTURE, CEMENT, SQUEEZE, ETC. AMOUNT AND KIND MATERIAL USED							
								DEP	Н	NTERVAL		AMOUNT AND KIND MATERIAL USED							
									_			<del> </del>			•				
28.										TION									
Date First Produ	cuon		Produc	tion Met	hod (Fla	owing, gas lift, p	umpin	ıg - Size	ano	ł type pump)		Well Status	(Prac	d. or Shut•	in)				
Date of Test	Hours	Tested	Ch	oke Size		Prod'n For Test Period		Oil - 1	Вы		Gas	- MCF	T W	ater - Bbl.		Gas - C	Oil Ratio		
Flow Tubing Press.	Casin	g Pressu		culated :	24-	Oil - Bbl.		- G	ias -	MCF	1	Water - Bbl.		Oil Gra	vity - Al	PI - (Cor	r.)		
29. Disposition of	of Gas (Soi	d, used f			<del>,</del>					*****		<u> </u>	30, 1	est Witne	ssed By				
31. List Attachm	ents			<del> –</del>															
32. If a temporar		iced of th	مند المسام	ch a ele	with th	e location of the	leme	Orany ni	1										
1				•			-							·					
33. If an on-site			•			Latitude 3	36.08	'57" De	g N			Longitude 10	)7.06°	19" Deg \	w	NAI	1927 1983		
I hereby certi	ify that ti	he info	rmation s	hown o	1	Printed									dge and	d helief			
Signature						Name Ms. A	my l	Macke	y	Title A	٩dı	ministrative	Man	ager	Date				
E-mail Addre	ess am	ackey l	@elmric	lge.net															

#### INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

#### INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Souther	astern New Mexico	Northy	vestern New Mexico
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen_	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T.Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T.Todilto	
T. Abo	T	T. Entrada	
T. Wolfcamp	T	T. Wingate	
T. Penn	Т	T. Chinle	
T. Cisco (Bough C)	T	T. Permian	

				OR GAS OR ZONES
No. 1, from	to	No. 3, from	to	
No. 2, from	to	No. 4, from	to	
	IMPOR1	TANT WATER SANDS		
Include data on rate of w	rater inflow and elevation to whi	ch water rose in hole.		
No. 1, from	to	feet		• • • • • • •
No. 2, from	to	feet		
No. 3, from	to	feet	• • • • • • • • • • • • • • • • • • • •	• • • • • • •
·	T TOTAL OCT A DECA			


Lithology

## From To Thickness In Feet Lithology From To Thickness In Feet In Feet

		In Feet				In Feet	04
		1					
İ				j			
1	ł						
l							
	ļ	1					
1	l						
1				ŀ			
					·		
	1		1				
		1	·				



Mr. Jonathan Kelly



New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Drill Pit Closure Notifications for the Multiple Well Sites, Sandoval and Rio Arriba County, New Mexico

Dear Mr. Kelly,

Drill pit closure activities were conducted at the following well sites in Sandoval County, New Mexico on April 9, 2012.

- 1) Chacon Amigos #9, API: 30-043-21005, Unit H, Section 2, Township 22N, Range 3W
- 2) Chacon Amigos #10, API: 30-043-21006, Unit D, Section 12, Township 22N, Range 3W
- 3) Jicarilla 429 GD #1, API: 30-043-21043, Unit N, Section 23, Township 23N, Range 5W
- 4) Bonanza #9, API: 30-043-21002, Unit J, Section 12, Township 22N, Range 3W

Drill pit closure activities were conducted at the following well site in Rio Arriba County, New Mexico on April 17, 2012.

1) Jicarilla 40 GD #3, API: 30-039-30248, Unit J, Section 35, Township 24N, Range 5W

Pre-construction notifications of the on-site closure activities of a temporary drill pit were made during the permit application process. Unfortunately, notification of drill pit closure activity dates were not submitted to the Jicarilla Apache Nation Oil and Gas Administration or the New Mexico Oil Conservation Division (NMOCD). Re-vegetation application rates and seeding techniques were conducted in pursuant to the BLM MOU and the NMOCD Approved Closure Plan. Drill pit closure activities were conducted in conformance to the requirements stated in NMAC 19.15.17.13 Closure Requirements for a Permitted Temporary Pit.

We truly apologize for our oversight to provide notification of drill pit closure activities, and will ensure that notifications will be sent prior to drill pit closure activities in the future. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully submitted,

BLM REDGE RESOURCES

Apry Mackey


Elm Ridge Resources amymackey@elmridge.net

ConocoPhillips Hancock (hBr) Well Site 92115-1296

June 28, 2012

Ms. Annette Torivio

Jicarilla Apache Nation
Oil and Gas Administration
#6 Dulce Rock Road
Dulce, New Mexico 87528



Phone: (575) 759-3485

RE: DRILL PIT CLOSURE NOTIFICATIONS FOR THE MULTIPLE WELL SITES, SANDOVAL AND RIO ARRIBA COUNTY, NEW MEXICO

Dear Ms. Torivio,

Drill pit closure activities were conducted at the following well sites in Sandoval County, New Mexico on April 9, 2012.

- 1) Chacon Amigos #9, API: 30-043-21005, Unit H, Section 2, Township 22N, Range 3W
- 2) Chacon Amigos #10, API: 30-043-21006, Unit D, Section 12, Township 22N, Range 3W
- 3) Jicarilla 429 GD #1, API: 30-043-21043, Unit N, Section 23, Township 23N, Range 5W
- 4) Bonanza #9, API: 30-043-21002, Unit J, Section 12, Township 22N, Range 3W

Drill pit closure activities were conducted at the following well site in Rio Arriba County, New Mexico on April 17, 2012.

1) Jicarilla 40 GD #3, API: 30-039-30248, Unit J, Section 35, Township 24N, Range 5W

Pre-construction notifications of the on-site closure activities of a temporary drill pit were made during the permit application process. Unfortunately, notification of drill pit closure activity dates were not submitted to the Jicarilla Apache Nation Oil and Gas Administration or the New Mexico Oil Conservation Division (NMOCD). Re-vegetation application rates and seeding techniques were conducted in pursuant to the BLM MOU and the NMOCD Approved Closure Plan. Drill pit closure activities were conducted in conformance to the requirements stated in NMAC 19.15.17.13 Closure Requirements for a Permitted Temporary Pit.

We truly apologize for our oversight to provide notification of drill pit closure activities, and will ensure that notifications will be sent prior to drill pit closure activities in the future. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully submitted,

ELM RIDGE RESOURCES

Amy/Mackey

Elm Ridge Resources amymackey@elmridge.net

20 CR 5060 • Bloomfield, NM 87413 • (505) 632 3476 • Fax (505) 632-8151 Mailing Address: P.O. Box 156 • Bloomfield, NM 87413

English Register / Sign in Customar Service USPS Mobile 國USPS.COM Search USPS dom or Track Packages · Quick Tools Ship a Package Manage Your Mail Send Mal. Shop Business Solutions Track & Confirm GCT CHAR UPDATES YOUR LASEL NUMBER SERVICE STATUS OF YOUR ITEM 70071490000053987592 July 05, 2012, 9:19 am Certified Mail **DULCE, NM 87528** July 02, 2012, 11:32 am **DULCE, NM 87528** Depart USPS Sort June 30, 2012 ALBUQUERQUE, NM 87101 Facility Processed through June 29, 2012, 11:36 pm ALBUQUERQUE, NM 87101 USPS Sort Facility U.S. Postal Service CERTIFIED MAIL., RECEIPT 7592 (Domestic Mail Only; No Insurance Coverage Provided) 5398 Postage ON ABOUT.USPS.COM 2.95 Certified Fee 0000 About USPS Home -Return Receipt Fee (Endorsement Required) Newsmon: 35 Mail Servica Updates -Restricted Delivery Fee (Endorsement Required) Forms & Publications Chacon Amigos #10 Dr.11 p.7 elosure 03056-0361 1,490 Total Postage & Fees Sant To Ms. Annette Torivio 7007 Street, Apt. No.; Jicarilla Apache Nation Oil & Gas Admi---.. #6 Dulce Rock Road City, State, ZIP+4 Dulce, NM 87528 PS Form 3800, Augus 12006 Sec Reverse for Instructions

SENDER: COMPLETE THIS SECTION.	COMPLETE THIS SECTION ON DELIVERY
Complete Items 1, 2, and 3 Also complete item 4 if Restricted Delivery is desired.  Print your name and address on the reverse	A Signature Agent
so that we can return the card to you.  Attach this card to the back of the maliplece, or, on the front if space permits.	B. Received by (Printed Name) C. Oate of Delive
1. Article Addressed to	D. Is delivery address different from item 1?
Ms Annette Torivio  Jicarilla Apache Nation Oil & Gas Admin	
#6 Dulce Rock Road Dulce, NM 87528	3. Service Type  Certified Mail DExpress Mail  Registered Express Mail
	4. Restricted Delivery? (Extra Fee)
2. Article Number (Transfer from service lebel) 7007 1	.490 0000 5398 7592

# ELM RIDGE EXPLORATION BONANZA #9 SITE RESTORATION PHOTOGRAPHY JOB NUMBER: 03056-0365

PHOTOS TAKEN: APRIL 9, 2012




Photo 1: Pit Marker for Bonanza #9 Well Site



Photo 2: Overview of Recontoured Area

#### ELM RIDGE EXPLORATION BONANZA #9

### SITE RESTORATION PHOTOGRAPHY JOB NUMBER: 03056-0365

PHOTOS TAKEN: APRIL 9, 2012




Photo 3: Another View of Recontoured Area

# ELM RIDGE EXPLORATION BONANZA #9 SITE RESTORATION PHOTOGRAPHY JOB NUMBER: 03056-0365

PHOTOS TAKEN: APRIL 9, 2012




Photo 1: Pit Marker for Bonanza #9 Well Site

2	WELL NAME:	OPEN F	PIT INSPE	CTION	FORM					
	-03-2002 INSPECTOR	Jenu B	metr - /	B.			•	<u> </u>		
<b>⊕</b> .⊔		172-11-11		12-26-11	. 3°,	1.	ي رين د د د د			<u> </u>
	Thease request for pit extension after 24 weeks	Week 1	Week 2	Week 3	Week 4	. Week 5	Week 6	Week 7	Wask 8	Week ?
	PIT STATUS	Suprised Compteed Compteed	Drilled Completed Clean-Up	Completed  Completed	Onled Completed	Drilled Completed Clean-Up	Completed Completed	Competed	Oraled Completed Ocean-Up	② Orded ② Completed □ Oten-Up
ZOF	is the location marked with the proper liagging? (Const. Zone, poles, pipelines, etc.)	Ø Yes □ No	De Yes   Ho	Ohrico □ No	□ Yes □ No	□ Yes □ No	□ Yes □ No	□ Yes □ Mo	☐ Yes ☐ No	□ Y#5 □ NO
LOCATION	is the temporary well sign on location and visible from access road?	Ģ 765 □ No	<b>□</b> 100 □ 100	Ŭve □‰	□ Yes □ No	☐ Yes ☐ No	□ Yes □ Ho	Ove Om	□ Yes □ Nb	□Yes □ No
`	is the access road in good driving condition? (deep ruls, bladed)	Se Yes Dino	Ç⊒ Yes □ No	Tres □ No	Yes	□ Yes □ No		□ re: □ m	☐ Yes ☐ Rep	□ Yes □ Ho
	Am the culverts tree from debris or any object preventing flow?	Çed Yes □ No	89 jiez □ m²	gijas □ no	□ Yes □ No	「] Yes □ No	□ ves □ #o.	□ ve □ 140	□Yes □ No	□ Ves □ No
	is the top of the location bladed and in good operating condition?	Se ves □ No	€ Yes □ No	₩ Yes 🗆 No	☐ Yes ☐ No	☐ Yes ☐ No	□ ve □ #6	□ ves □ neo	□ Yes □ No	∏Yes □ No
Y V	is the fence stock-proof? (fences tight, barbed wite, fence clips in place?	Ø Yes □ No	Gera D no	<b>□</b> 376 □ 80	□Yes □ No	Yes Ro	□ Yes □ No	□ Yes □ No	☐ Yes ☐ No	Yes No
STANDANCE TOWNS	is the pit liner in good operating condition? (no tocas, up-rooting comers; etc.)	Se vas □ to	2 Ye □ #6	Ø Yes □ No	☐ Yes ☐ No	C Yes C #0	Les Dies	□ væ □ no	☐ Yes ☐ Ho	□ vec □ no
٠	is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	Se Yes □ No	E Yes □ Ho	<u> </u>	☐ Ves □ №	□ Yes □ No	□ Yes □ No	Yes Bo	Yes No	. □ Yes □ Ho
	Does the pli contain two leet of free board? (check the water tevels)	\$3 100 D No	a va □ w	Ø Yes 🗆 No	C Yes D No	0 te 0 m	□ ves □ №	☐ Yes ☐ No	☐ Yes ☐ No	∏ Yes □ No
Sur Vin	ts there any standing water on the blow pit? N	□ Yes □ No	□ Ves □ Re		Me   No	□ Yes □ No		☐ Yes ☐ No	□ Yes □ No	
	Are the pils tree of trash and oil?	Ø ve □ no	Yes No	□ ve □ #o	_	□ Yes □ No	O Yes O No 🤫	Özğ □m ;		Ö.ine`Ö.te
,	Are there diversion diliches around the pits for natural drainage?	□ Yes ☑ No	O Yes O No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes C No		☐ 462 ☐ 900	□'AR □ ivo
	is there a Manifold on location?  Is the Manifold the of locks? Are the hoses in	Ø Yes □ No	☐ Yes ☐ Ho	□ Arit □ ipp	Yes O No	. Ó ∧e Ö #e `	☐ Yes ☐ No.	☐ Yes ☐ #b	, 🖸 Are 🗋 WO	□ Yes □ Mo
	good condition?	e or	(□ Yes □ #0	□ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	□ A⇔ □ iiio	□ Yes □ No	☐ Yes ☐ No	. Yes . 100
٥	Was the OCD contacted?	□ Yes (32 Ho	☐ Aia 😘 Wo	☐ Yes (3 No	□ λëi ∷ië	☐ Aria ☐ No	□ Yes ☐ No	□ AR □ HP	□ Yes □ Ho	☐\xe ☐\mo
22	PICTURE TAKEN	_ w [] w	Ore Die	☐ Yes ☑ No	☐ Yes ☐ No		☐ Yes ☐ No		□ Ves □ No	□Yes Û №
	COMMENTS	No otiches no espirio	12   11   11   11   11   12   11   11	1-201 m	Rood and location muddy nuts od hos debn and nose im-	Pil has debit frock lanks on loc posture provided localidate flag moving onlocalion	Deliches debn in it facation. Needs bladed on chiches foolds rough no datches	ag <u>en lac</u> olion	Rig tonestation	Samble pillook pickets location needs bibbled



June 25th, 2012

Mr. Jonathan Keliy New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, NM 87410

**RE: Drill Pit Inspections** 

Dear Mr. Kelly,

The Drill Pit Permit required daily inspections of the pit liner for all open pits. Visual inspections were done during drilling operations, but there was no documentation done. As you are aware there has been little to no drilling activity in the San Juan Basin for the past couple years. Due to the low activity, the employees that were hired by the drilling company are inexperienced and they failed to document the drill pit inspections.

Now that we are aware that the rig crew failed to follow the proper procedures; we have taken measures to ensure that all required paper work is thoroughly read and the rules are followed.

AmylMackey

Best Regar

Lim Ridge Exploration CO LLC
Amackey1@elmridge.net