District I

1625 N French Dr , Hobbs, NM 88240

District II

 $1301\ W\,$  Grand Ave , Artesia, NM  $\,88210\,$ 

District III

1000 Rio Brazos Rd , Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources** 

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S St Francis Dr., Santa Fe, NM 87505	Santa re, INIVI 8/303	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
_	Closed-Loop System, Below-Grade Alternative Method Permit or Clos	
No.	*	
·	rmit of a pit, closed-loop system, below-grade tar	
	osure of a pit, closed-loop system, below-grade to	ank, or proposed alternative method
	odification to an existing permit osure plan only submitted for an existing permitt	tad as non-normittad nit, alacad loon gyatam
<b>—</b>	osure plan only submitted for an existing permitt low-grade tank, or proposed alternative method	ed or non-permitted pit, closed-loop system,
	• •	o system, below-grade tank or alternative request
Please be advised that approval of this requ	est does not relieve the operator of liability should operations re	sult in pollution of surface water, ground water or the
environment Nor does approval relieve the op	perator of its responsibility to comply with any other applicable g	governmental authority's rules, regulations or ordinances
Operator: ConocoPhillips Company		OGRID#: <u>217817</u>
Address: PO Box 4289, Farmington, NM	87499	
Facility or well name: Jicarilla K 6	·	
API Number: 30-039-0	6067 OCD Permit Number	r
U/L or Qtr/Qtr: N(SE/SW) Section:	11 Township: 25N Range: 5	SW County: Rio Arriba
Center of Proposed Design: Latitude:	36.409869 °N Longitude:	<b>107.331488 °W</b> NAD: <b>X</b> 1927 1983
Surface Owner: Federal	State Private X Tribal Trust or Indian	Allotment
Pit: Subsection F or G of 19 15 17 11 NM Temporary Drilling Workover	AC	RCVD JUL 19'12 OIL CONS. DIV.
Permanent Emergency Cavitation Lined Unlined Liner type String-Reinforced		HDPE PVC Other
Liner Seams Welded Factory	Other Volume	bbl Dimensions Lx Wx D
	19 15 17 11 NMAC  Ig a new well	activities which require prior approval of a permit or
Drying Pad X Above Ground Steel Lined Unlined Liner type Liner Seams Welded Factory	Tanks Haul-off Bins Other  Thickness mil LLDPE H Other	IDPE PVD Other
4    Below-grade tank: Subsection I of 19 1:   Volume	5 17 11 NMAC Type of fluid	
Secondary containment with leak detection  Visible sidewalls and liner  Liner Type  Thickness  mi	Visible sidewalls, liner, 6-inch lift and autor Visible sidewalls only Other  1 HDPE PVC Other	matic overflow shut-off
5 Alternative Method:		

Form C-144

Oil Conservation Division

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

6 *	
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, here is a second of the second o	iospital, institution or church)
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate Please specify	
7	
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	<del></del>
8	
Signs: Subsection C of 19 15 17 11 NMAC	
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
X Signed in compliance with 19 15 3 103 NMAC	
9	
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance	
Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau off	fice for consideration of approval
(Fencing/BGT Liner)	Ter for communication of approval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	
Siting Criteria (regarding permitting) 19 15 17.10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accep	
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the	
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting cri	
does not apply to drying pads or above grade-tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes No
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or play	ya lake Yes No
(measured from the ordinary high-water mark).	
- Topographic map, Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes No
application.	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∐NA
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applied to permanent pits)	∐NA
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock w	vatering Yes No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	
- NM Office of the State Engineer - IWATERS database search, Visual inspection (certification) of the proposed site.	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinan	ce Yes No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended	
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> </ul>	│
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed si	
Within the area overlying a subsurface mine.	Yes No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	
Within an unstable area.	Yes No
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources, USGS; NM Geologic Society, Topographic map</li> </ul>	cal
Within a 100-year floodplain	Yes No
- FEMA map	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.17 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of		
19.15 17 9 NMAC and 19.15 17 13 NMAC		
Previously Approved Design (attach copy of design)  API		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9		
NMAC and 19.15.17 13 NMAC		
Previously Approved Design (attach copy of design)  API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17 11 NMAC		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization  Manitoring and Inspection Plan		
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC		
14		
Proposed Closure: 19 15 17 13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System		
Alternative Proposed Closure Method Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15		
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC		
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC		
1 <del></del>		

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two				
thities are required  Demonstrated Position Demonstrated				
Disposal Facility Name Disposal Facility Permit #				
Disposal Facility Name Disposal Facility Permit #  Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and				
Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NM.	AC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
17  Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain stling criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - tWATERS database search, USGS Data obtained from nearby wells	□N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	N/A □			
Ground water is more than 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	Yes No			
	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fiesh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No			
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland</li> </ul>	Yes No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine	Yes No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area	Yes No			
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map				
Within a 100-year floodplain	Yes No			
- FEMA map				
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the clos	ure plan. Please indicate,			
by a check mark in the box, that the documents are attached.  String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
e man address
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:Approval Date:Approval Date:A
Title: OM Tauce Office OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  X Closure Completion Date: 6/23/2012
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number MM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliant to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location Latitude  Longitude  NAD 1927 1983
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Dollie-L. Busse Title Staff Regulatory Technician
Signature Date 7/18/12
e-mail address dollie.l.busse@conocophillips.com Telephone (505) 324-6104